

2017年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)	(0.17)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	0%	0%	29%	43%	14%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	20%	40%	20%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	0	0	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	67%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	19	6	7	8	6	1	2	1	1	1	0	1	55
	(定点あたり)	(0.00)	(0.03)	(0.25)	(0.08)	(0.09)	(0.11)	(0.08)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.72)
	年齢構成比	0%	4%	35%	11%	13%	15%	11%	2%	4%	2%	2%	2%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	9	13	22	37	26	35	25	18	14	29	3	14	245
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.17)	(0.29)	(0.49)	(0.34)	(0.46)	(0.33)	(0.24)	(0.18)	(0.38)	(0.04)	(0.18)	(3.22)
	年齢構成比	0%	0%	4%	5%	9%	15%	11%	14%	10%	7%	6%	12%	1%	6%	100%
感染性胃腸炎	報告数	4	43	108	80	67	42	46	36	24	14	24	33	12	65	598
	(定点あたり)	(0.05)	(0.57)	(1.42)	(1.05)	(0.88)	(0.55)	(0.61)	(0.47)	(0.32)	(0.18)	(0.32)	(0.43)	(0.16)	(0.86)	(7.87)
	年齢構成比	1%	7%	18%	13%	11%	7%	8%	6%	4%	2%	4%	6%	2%	11%	100%
水痘	報告数	0	0	2	0	1	0	3	3	0	0	2	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.04)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	18%	0%	9%	0%	27%	27%	0%	0%	18%	0%	0%	0%	100%
手足口病	報告数	2	39	136	59	23	18	9	4	3	2	1	2	0	3	301
	(定点あたり)	(0.03)	(0.51)	(1.79)	(0.78)	(0.30)	(0.24)	(0.12)	(0.05)	(0.04)	(0.03)	(0.01)	(0.03)	(0.00)	(0.04)	(3.96)
	年齢構成比	1%	13%	45%	20%	8%	6%	3%	1%	1%	1%	0%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	11	12	2	3	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.00)	(0.14)	(0.16)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	39%	43%	7%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	14	7	3	4	1	3	1	0	0	1	0	0	39
	(定点あたり)	(0.00)	(0.07)	(0.18)	(0.09)	(0.04)	(0.05)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.51)
	年齢構成比	0%	13%	36%	18%	8%	10%	3%	8%	3%	0%	0%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	4	3	3	8	4	3	2	1	0	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.05)	(0.04)	(0.04)	(0.11)	(0.05)	(0.04)	(0.03)	(0.01)	(0.00)	(0.39)
	年齢構成比	0%	0%	3%	3%	0%	13%	10%	10%	27%	13%	10%	7%	3%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	9	4	2	3	3	0	0	0	1	0	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.05)	(0.03)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	8%	38%	17%	8%	13%	13%	0%	0%	0%	4%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	7	8	20	14	19	14	9	8	16	0	6	125
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.09)	(0.11)	(0.26)	(0.18)	(0.25)	(0.18)	(0.12)	(0.11)	(0.21)	(0.00)	(0.08)	(1.64)
	年齢構成比	0%	0%	3%	6%	6%	16%	11%	15%	11%	7%	6%	13%	0%	5%	100%
感染性胃腸炎	報告数	3	24	51	50	31	24	33	21	12	11	13	22	6	23	324
	(定点あたり)	(0.04)	(0.32)	(0.67)	(0.66)	(0.41)	(0.32)	(0.43)	(0.28)	(0.16)	(0.14)	(0.17)	(0.29)	(0.08)	(0.30)	(4.26)
	年齢構成比	1%	7%	16%	15%	10%	7%	10%	6%	4%	3%	4%	7%	2%	7%	100%
水痘	報告数	0	0	2	0	1	0	3	0	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	29%	0%	14%	0%	43%	0%	0%	0%	14%	0%	0%	0%	100%
手足口病	報告数	0	23	72	36	13	12	5	1	1	1	1	2	0	1	168
	(定点あたり)	(0.00)	(0.30)	(0.95)	(0.47)	(0.17)	(0.16)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(2.21)
	年齢構成比	0%	14%	43%	21%	8%	7%	3%	1%	1%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	7	1	1	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	25%	58%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	4	4	0	0	1	1	0	0	0	1	0	0	15
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.05)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	27%	27%	27%	0%	0%	7%	7%	0%	0%	0%	7%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	3	2	1	6	2	0	2	1	0	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.08)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	18%	12%	6%	35%	12%	0%	12%	6%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	10	2	5	5	3	1	2	1	0	1	0	1	31
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.03)	(0.07)	(0.07)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.41)
	年齢構成比	0%	0%	32%	6%	16%	16%	10%	3%	6%	3%	0%	3%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	6	14	17	12	16	11	9	6	13	3	8	120
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.08)	(0.18)	(0.22)	(0.16)	(0.21)	(0.14)	(0.12)	(0.08)	(0.17)	(0.04)	(0.11)	(1.58)
	年齢構成比	0%	0%	4%	5%	12%	14%	10%	13%	9%	8%	5%	11%	3%	7%	100%
感染性胃腸炎	報告数	1	19	57	30	36	18	13	15	12	3	11	11	6	42	274
	(定点あたり)	(0.01)	(0.25)	(0.75)	(0.39)	(0.47)	(0.24)	(0.17)	(0.20)	(0.16)	(0.04)	(0.14)	(0.14)	(0.08)	(0.55)	(3.61)
	年齢構成比	0%	7%	21%	11%	13%	7%	5%	5%	4%	1%	4%	4%	2%	15%	100%
水痘	報告数	0	0	0	0	0	0	0	3	0	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	75%	0%	0%	25%	0%	0%	0%	100%
手足口病	報告数	2	16	64	23	10	6	4	3	2	1	0	0	0	2	133
	(定点あたり)	(0.03)	(0.21)	(0.84)	(0.30)	(0.13)	(0.08)	(0.05)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(1.75)
	年齢構成比	2%	12%	48%	17%	8%	5%	3%	2%	2%	1%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	8	5	1	2	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.11)	(0.07)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	50%	31%	6%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	10	3	3	4	0	2	1	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.01)	(0.13)	(0.04)	(0.04)	(0.05)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	4%	42%	13%	13%	17%	0%	8%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	1	1	2	2	2	3	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	8%	8%	0%	8%	8%	15%	15%	15%	23%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。