

2017年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	5	
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	
	年齢構成比	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	40%	0%	20%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	1	1	0	8	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.44)	
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	13%	38%	13%	13%	13%	13%	0%	100%	

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	1	1	0	7	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.39)	
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	43%	14%	0%	14%	14%	0%	100%	

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	50%	0%	25%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	2	0	2	2	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	14%	29%	0%	29%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	14	10	8	3	4	2	2	1	0	1	0	4	52
	(定点あたり)	(0.00)	(0.04)	(0.18)	(0.13)	(0.11)	(0.04)	(0.05)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.05)	(0.68)
	年齢構成比	0%	6%	27%	19%	15%	6%	8%	4%	4%	2%	0%	2%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	2	5	9	23	20	27	15	16	18	5	23	0	20	184
	(定点あたり)	(0.01)	(0.03)	(0.07)	(0.12)	(0.30)	(0.26)	(0.36)	(0.20)	(0.21)	(0.24)	(0.07)	(0.30)	(0.00)	(0.26)	(2.42)
	年齢構成比	1%	1%	3%	5%	13%	11%	15%	8%	9%	10%	3%	13%	0%	11%	100%
感染性胃腸炎	報告数	2	41	83	58	54	43	36	22	19	11	8	39	3	40	459
	(定点あたり)	(0.03)	(0.54)	(1.09)	(0.76)	(0.71)	(0.57)	(0.47)	(0.29)	(0.25)	(0.14)	(0.11)	(0.51)	(0.04)	(0.53)	(6.04)
	年齢構成比	0%	9%	18%	13%	12%	9%	8%	5%	4%	2%	2%	8%	1%	9%	100%
水痘	報告数	0	1	0	0	1	0	1	4	1	0	0	2	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.05)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	0%	0%	10%	0%	10%	40%	10%	0%	0%	20%	0%	0%	100%
手足口病	報告数	2	58	143	80	34	20	8	5	4	2	2	1	0	5	364
	(定点あたり)	(0.03)	(0.76)	(1.88)	(1.05)	(0.45)	(0.26)	(0.11)	(0.07)	(0.05)	(0.03)	(0.03)	(0.01)	(0.00)	(0.07)	(4.79)
	年齢構成比	1%	16%	39%	22%	9%	5%	2%	1%	1%	1%	1%	0%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	2	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	16	7	5	1	1	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.01)	(0.21)	(0.09)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	3%	52%	23%	16%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	19	5	5	7	0	2	2	0	0	0	0	0	43
	(定点あたり)	(0.00)	(0.04)	(0.25)	(0.07)	(0.07)	(0.09)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.57)
	年齢構成比	0%	7%	44%	12%	12%	16%	0%	5%	5%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	1	3	7	5	5	0	4	9	0	1	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.09)	(0.07)	(0.07)	(0.00)	(0.05)	(0.12)	(0.00)	(0.01)	(0.50)
	年齢構成比	0%	0%	3%	5%	3%	8%	18%	13%	13%	0%	11%	24%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	0	0	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	33%	0%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	4	8	7	2	3	0	0	0	0	0	0	2	29
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.11)	(0.09)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.38)
	年齢構成比	0%	10%	14%	28%	24%	7%	10%	0%	0%	0%	0%	0%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	6	8	13	17	8	11	6	3	13	0	9	98
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.08)	(0.11)	(0.17)	(0.22)	(0.11)	(0.14)	(0.08)	(0.04)	(0.17)	(0.00)	(0.12)	(1.29)
	年齢構成比	0%	2%	2%	6%	8%	13%	17%	8%	11%	6%	3%	13%	0%	9%	100%
感染性胃腸炎	報告数	1	18	42	29	26	24	22	8	12	7	5	24	2	13	233
	(定点あたり)	(0.01)	(0.24)	(0.55)	(0.38)	(0.34)	(0.32)	(0.29)	(0.11)	(0.16)	(0.09)	(0.07)	(0.32)	(0.03)	(0.17)	(3.07)
	年齢構成比	0%	8%	18%	12%	11%	10%	9%	3%	5%	3%	2%	10%	1%	6%	100%
水痘	報告数	0	1	0	0	0	0	1	2	1	0	0	2	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	14%	0%	0%	0%	0%	14%	29%	14%	0%	0%	29%	0%	0%	100%
手足口病	報告数	1	29	68	50	18	15	6	3	2	0	0	0	0	4	196
	(定点あたり)	(0.01)	(0.38)	(0.89)	(0.66)	(0.24)	(0.20)	(0.08)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(2.58)
	年齢構成比	1%	15%	35%	26%	9%	8%	3%	2%	1%	0%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	6	0	3	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.01)	(0.08)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	10%	60%	0%	30%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	10	2	2	4	0	1	1	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.04)	(0.13)	(0.03)	(0.03)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	13%	43%	9%	9%	17%	0%	4%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	1	2	3	2	3	0	1	4	0	1	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.04)	(0.03)	(0.04)	(0.00)	(0.01)	(0.05)	(0.00)	(0.01)	(0.26)
	年齢構成比	0%	0%	5%	10%	5%	10%	15%	10%	15%	0%	5%	20%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	2	0	1	1	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	50%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	10	2	1	1	1	2	2	1	0	1	0	2	23
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.30)
	年齢構成比	0%	0%	43%	9%	4%	4%	4%	9%	9%	4%	0%	4%	0%	9%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	3	3	15	7	10	7	5	12	2	10	0	11	86
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.04)	(0.20)	(0.09)	(0.13)	(0.09)	(0.07)	(0.16)	(0.03)	(0.13)	(0.00)	(0.14)	(1.13)
	年齢構成比	1%	0%	3%	3%	17%	8%	12%	8%	6%	14%	2%	12%	0%	13%	100%
感染性胃腸炎	報告数	1	23	41	29	28	19	14	14	7	4	3	15	1	27	226
	(定点あたり)	(0.01)	(0.30)	(0.54)	(0.38)	(0.37)	(0.25)	(0.18)	(0.18)	(0.09)	(0.05)	(0.04)	(0.20)	(0.01)	(0.36)	(2.97)
	年齢構成比	0%	10%	18%	13%	12%	8%	6%	6%	3%	2%	1%	7%	0%	12%	100%
水痘	報告数	0	0	0	0	1	0	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	67%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	29	75	30	16	5	2	2	2	2	2	1	0	1	168
	(定点あたり)	(0.01)	(0.38)	(0.99)	(0.39)	(0.21)	(0.07)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(2.21)
	年齢構成比	1%	17%	45%	18%	10%	3%	1%	1%	1%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	10	7	2	1	1	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.13)	(0.09)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	48%	33%	10%	5%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	9	3	3	3	0	1	1	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.04)	(0.04)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	0%	45%	15%	15%	15%	0%	5%	5%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	4	3	2	0	3	5	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.04)	(0.03)	(0.00)	(0.04)	(0.07)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	0%	0%	0%	6%	22%	17%	11%	0%	17%	28%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。