

2017年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	1	0	0	1	0	0	0	0	0	0	2	1	1	0	2	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.50)
	年齢構成比	0%	0%	11%	11%	0%	0%	11%	0%	0%	0%	0%	0%	0%	22%	11%	11%	0%	22%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	2	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	20%	0%	0%	20%	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	40%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	3	4	3	1	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	27%	36%	27%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	2	5	16	3	2	5	5	1	2	0	1	0	0	0	42
	(定点あたり)	(0.03)	(0.07)	(0.21)	(0.04)	(0.03)	(0.07)	(0.07)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.55)
	年齢構成比	5%	12%	38%	7%	5%	12%	12%	2%	5%	0%	2%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	7	13	18	21	14	11	12	4	18	1	19	143
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.09)	(0.17)	(0.24)	(0.28)	(0.18)	(0.14)	(0.16)	(0.05)	(0.24)	(0.01)	(0.25)	(1.88)
	年齢構成比	0%	1%	3%	5%	9%	13%	15%	10%	8%	8%	3%	13%	1%	13%	100%
感染性胃腸炎	報告数	6	35	62	49	35	31	16	18	18	5	18	33	7	49	382
	(定点あたり)	(0.08)	(0.46)	(0.82)	(0.64)	(0.46)	(0.41)	(0.21)	(0.24)	(0.24)	(0.07)	(0.24)	(0.43)	(0.09)	(0.64)	(5.03)
	年齢構成比	2%	9%	16%	13%	9%	8%	4%	5%	5%	1%	5%	9%	2%	13%	100%
水痘	報告数	0	2	0	0	5	2	1	1	2	2	1	0	0	0	16
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.07)	(0.03)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	13%	0%	0%	31%	13%	6%	6%	13%	13%	6%	0%	0%	0%	100%
手足口病	報告数	9	71	197	109	37	37	25	13	10	5	3	7	2	4	529
	(定点あたり)	(0.12)	(0.93)	(2.59)	(1.43)	(0.49)	(0.49)	(0.33)	(0.17)	(0.13)	(0.07)	(0.04)	(0.09)	(0.03)	(0.05)	(6.96)
	年齢構成比	2%	13%	37%	21%	7%	7%	5%	2%	2%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	1	1	0	0	1	0	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	25%	25%	0%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	11	1	2	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.12)	(0.14)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	39%	48%	4%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	12	28	21	11	9	5	4	2	0	0	1	0	0	93
	(定点あたり)	(0.00)	(0.16)	(0.37)	(0.28)	(0.14)	(0.12)	(0.07)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(1.22)
	年齢構成比	0%	13%	30%	23%	12%	10%	5%	4%	2%	0%	0%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	4	3	2	7	3	8	3	0	2	35
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.04)	(0.03)	(0.09)	(0.04)	(0.11)	(0.04)	(0.00)	(0.03)	(0.46)
	年齢構成比	0%	0%	0%	3%	6%	11%	9%	6%	20%	9%	23%	9%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	2	1	2	1	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	33%	17%	33%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	2	10	2	1	4	3	1	2	0	1	0	0	0	27
	(定点あたり)	(0.01)	(0.03)	(0.13)	(0.03)	(0.01)	(0.05)	(0.04)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比	4%	7%	37%	7%	4%	15%	11%	4%	7%	0%	4%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	4	5	7	15	5	4	8	2	9	0	7	69
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.05)	(0.07)	(0.09)	(0.20)	(0.07)	(0.05)	(0.11)	(0.03)	(0.12)	(0.00)	(0.09)	(0.91)
	年齢構成比	0%	1%	3%	6%	7%	10%	22%	7%	6%	12%	3%	13%	0%	10%	100%
感染性胃腸炎	報告数	3	19	40	23	26	16	10	13	8	2	12	15	5	18	210
	(定点あたり)	(0.04)	(0.25)	(0.53)	(0.30)	(0.34)	(0.21)	(0.13)	(0.17)	(0.11)	(0.03)	(0.16)	(0.20)	(0.07)	(0.24)	(2.76)
	年齢構成比	1%	9%	19%	11%	12%	8%	5%	6%	4%	1%	6%	7%	2%	9%	100%
水痘	報告数	0	1	0	0	2	1	0	0	0	1	1	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	0%	0%	33%	17%	0%	0%	0%	17%	17%	0%	0%	0%	100%
手足口病	報告数	5	39	99	65	21	15	13	8	4	4	1	4	1	1	280
	(定点あたり)	(0.07)	(0.51)	(1.30)	(0.86)	(0.28)	(0.20)	(0.17)	(0.11)	(0.05)	(0.05)	(0.01)	(0.05)	(0.01)	(0.01)	(3.68)
	年齢構成比	2%	14%	35%	23%	8%	5%	5%	3%	1%	1%	0%	1%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	4	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.08)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	55%	36%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	16	10	8	6	3	1	1	0	0	0	0	0	49
	(定点あたり)	(0.00)	(0.05)	(0.21)	(0.13)	(0.11)	(0.08)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比	0%	8%	33%	20%	16%	12%	6%	2%	2%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	3	1	1	6	2	6	2	0	1	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.08)	(0.03)	(0.08)	(0.03)	(0.00)	(0.01)	(0.30)
	年齢構成比	0%	0%	0%	4%	0%	13%	4%	4%	26%	9%	26%	9%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	3	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	20%	60%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	3	6	1	1	1	2	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.04)	(0.08)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	7%	20%	40%	7%	7%	7%	13%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	8	11	6	9	7	4	2	9	1	12	74
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.11)	(0.14)	(0.08)	(0.12)	(0.09)	(0.05)	(0.03)	(0.12)	(0.01)	(0.16)	(0.97)
	年齢構成比	0%	0%	3%	4%	11%	15%	8%	12%	9%	5%	3%	12%	1%	16%	100%
感染性胃腸炎	報告数	3	16	22	26	9	15	6	5	10	3	6	18	2	31	172
	(定点あたり)	(0.04)	(0.21)	(0.29)	(0.34)	(0.12)	(0.20)	(0.08)	(0.07)	(0.13)	(0.04)	(0.08)	(0.24)	(0.03)	(0.41)	(2.26)
	年齢構成比	2%	9%	13%	15%	5%	9%	3%	3%	6%	2%	3%	10%	1%	18%	100%
水痘	報告数	0	1	0	0	3	1	1	1	2	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	0%	0%	30%	10%	10%	10%	20%	10%	0%	0%	0%	0%	100%
手足口病	報告数	4	32	98	44	16	22	12	5	6	1	2	3	1	3	249
	(定点あたり)	(0.05)	(0.42)	(1.29)	(0.58)	(0.21)	(0.29)	(0.16)	(0.07)	(0.08)	(0.01)	(0.03)	(0.04)	(0.01)	(0.04)	(3.28)
	年齢構成比	2%	13%	39%	18%	6%	9%	5%	2%	2%	0%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	3	7	0	2	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	25%	58%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	8	12	11	3	3	2	3	1	0	0	1	0	0	44
	(定点あたり)	(0.00)	(0.11)	(0.16)	(0.14)	(0.04)	(0.04)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.58)
	年齢構成比	0%	18%	27%	25%	7%	7%	5%	7%	2%	0%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	1	2	1	1	1	2	1	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	0%	0%	17%	8%	17%	8%	8%	8%	17%	8%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。