

2017年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 12 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.02) | (0.00) | (0.01) | (0.02) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.02) | (0.10) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 8% | 0% | 0% | 25% | 0% | 8% | 17% | 0% | 0% | 0% | 0% | 8% | 0% | 0% | 8% | 25% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 2 | 2 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.39) | (0.11) | (0.11) | (0.00) | (0.00) | (0.00) | (0.67) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 8% | 58% | 17% | 17% | 0% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.02) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.05) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 17% | 0% | 0% | 33% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 17% | 17% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 2 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.22) | (0.11) | (0.11) | (0.00) | (0.00) | (0.00) | (0.44) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 25% | 25% | 0% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.02) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.02) | (0.05) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 17% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 17% | 0% | 0% | 0% | 33% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.17) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 75% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 3 | 7 | 11 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| | (定点あたり) | (0.04) | (0.09) | (0.14) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.32) |
| | 年齢構成比 | 13% | 29% | 46% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 5 | 14 | 10 | 3 | 4 | 3 | 1 | 0 | 0 | 1 | 0 | 0 | 3 | 44 |
| | (定点あたり) | (0.00) | (0.07) | (0.18) | (0.13) | (0.04) | (0.05) | (0.04) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.04) | (0.58) |
| | 年齢構成比 | 0% | 11% | 32% | 23% | 7% | 9% | 7% | 2% | 0% | 0% | 2% | 0% | 0% | 7% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 4 | 6 | 11 | 9 | 15 | 10 | 8 | 6 | 3 | 11 | 1 | 12 | 96 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.08) | (0.14) | (0.12) | (0.20) | (0.13) | (0.11) | (0.08) | (0.04) | (0.14) | (0.01) | (0.16) | (1.26) |
| | 年齢構成比 | 0% | 0% | 4% | 6% | 11% | 9% | 16% | 10% | 8% | 6% | 3% | 11% | 1% | 13% | 100% |
| 感染性胃腸炎 | 報告数 | 5 | 31 | 57 | 31 | 24 | 31 | 25 | 15 | 9 | 4 | 8 | 18 | 8 | 35 | 301 |
| | (定点あたり) | (0.07) | (0.41) | (0.75) | (0.41) | (0.32) | (0.41) | (0.33) | (0.20) | (0.12) | (0.05) | (0.11) | (0.24) | (0.11) | (0.46) | (3.96) |
| | 年齢構成比 | 2% | 10% | 19% | 10% | 8% | 10% | 8% | 5% | 3% | 1% | 3% | 6% | 3% | 12% | 100% |
| 水痘 | 報告数 | 1 | 0 | 1 | 2 | 3 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 0 | 0 | 17 |
| | (定点あたり) | (0.01) | (0.00) | (0.01) | (0.03) | (0.04) | (0.03) | (0.03) | (0.01) | (0.03) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比 | 6% | 0% | 6% | 12% | 18% | 12% | 12% | 6% | 12% | 6% | 6% | 6% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 5 | 41 | 116 | 73 | 39 | 25 | 28 | 7 | 6 | 4 | 0 | 3 | 0 | 7 | 354 |
| | (定点あたり) | (0.07) | (0.54) | (1.53) | (0.96) | (0.51) | (0.33) | (0.37) | (0.09) | (0.08) | (0.05) | (0.00) | (0.04) | (0.00) | (0.09) | (4.66) |
| | 年齢構成比 | 1% | 12% | 33% | 21% | 11% | 7% | 8% | 2% | 2% | 1% | 0% | 1% | 0% | 2% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 17 | 23 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 42 |
| | (定点あたり) | (0.00) | (0.22) | (0.30) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.55) |
| | 年齢構成比 | 0% | 40% | 55% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 4 | 22 | 22 | 9 | 6 | 4 | 4 | 0 | 2 | 0 | 2 | 0 | 3 | 78 |
| | (定点あたり) | (0.00) | (0.05) | (0.29) | (0.29) | (0.12) | (0.08) | (0.05) | (0.05) | (0.00) | (0.03) | (0.00) | (0.03) | (0.00) | (0.04) | (1.03) |
| | 年齢構成比 | 0% | 5% | 28% | 28% | 12% | 8% | 5% | 5% | 0% | 3% | 0% | 3% | 0% | 4% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 2 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 0 | 16 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.03) | (0.01) | (0.04) | (0.03) | (0.03) | (0.01) | (0.03) | (0.01) | (0.01) | (0.01) | (0.00) | (0.21) |
| | 年齢構成比 | 0% | 0% | 0% | 13% | 6% | 19% | 13% | 13% | 6% | 13% | 6% | 6% | 6% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 3 | 2 | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.04) | (0.03) | (0.09) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 21% | 14% | 50% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 3 | 7 | 9 | 1 | 2 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 26 |
| | (定点あたり) | (0.00) | (0.04) | (0.09) | (0.12) | (0.01) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.34) |
| | 年齢構成比 | 0% | 12% | 27% | 35% | 4% | 8% | 8% | 0% | 0% | 0% | 4% | 0% | 0% | 4% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 3 | 4 | 6 | 2 | 11 | 3 | 5 | 4 | 1 | 6 | 1 | 5 | 51 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.05) | (0.08) | (0.03) | (0.14) | (0.04) | (0.07) | (0.05) | (0.01) | (0.08) | (0.01) | (0.07) | (0.67) |
| | 年齢構成比 | 0% | 0% | 6% | 8% | 12% | 4% | 22% | 6% | 10% | 8% | 2% | 12% | 2% | 10% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 17 | 26 | 18 | 11 | 15 | 14 | 8 | 5 | 4 | 3 | 13 | 3 | 13 | 151 |
| | (定点あたり) | (0.01) | (0.22) | (0.34) | (0.24) | (0.14) | (0.20) | (0.18) | (0.11) | (0.07) | (0.05) | (0.04) | (0.17) | (0.04) | (0.17) | (1.99) |
| | 年齢構成比 | 1% | 11% | 17% | 12% | 7% | 10% | 9% | 5% | 3% | 3% | 2% | 9% | 2% | 9% | 100% |
| 水痘 | 報告数 | 1 | 0 | 0 | 2 | 2 | 2 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 12 |
| | (定点あたり) | (0.01) | (0.00) | (0.00) | (0.03) | (0.03) | (0.03) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 8% | 0% | 0% | 17% | 17% | 17% | 17% | 8% | 8% | 0% | 0% | 8% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 5 | 18 | 61 | 40 | 23 | 10 | 13 | 6 | 1 | 3 | 0 | 1 | 0 | 2 | 183 |
| | (定点あたり) | (0.07) | (0.24) | (0.80) | (0.53) | (0.30) | (0.13) | (0.17) | (0.08) | (0.01) | (0.04) | (0.00) | (0.01) | (0.00) | (0.03) | (2.41) |
| | 年齢構成比 | 3% | 10% | 33% | 22% | 13% | 5% | 7% | 3% | 1% | 2% | 0% | 1% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 7 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| | (定点あたり) | (0.00) | (0.09) | (0.17) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.28) |
| | 年齢構成比 | 0% | 33% | 62% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 1 | 11 | 10 | 4 | 4 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 34 |
| | (定点あたり) | (0.00) | (0.01) | (0.14) | (0.13) | (0.05) | (0.05) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.45) |
| | 年齢構成比 | 0% | 3% | 32% | 29% | 12% | 12% | 0% | 0% | 0% | 6% | 0% | 6% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.04) | (0.01) | (0.01) | (0.01) | (0.03) | (0.01) | (0.01) | (0.01) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 0% | 8% | 8% | 23% | 8% | 8% | 8% | 15% | 8% | 8% | 8% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 0 | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.07) | (0.05) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.13) |
| | 年齢構成比 | 0% | 50% | 40% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 7 | 1 | 2 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 18 |
| | (定点あたり) | (0.00) | (0.03) | (0.09) | (0.01) | (0.03) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.24) |
| | 年齢構成比 | 0% | 11% | 39% | 6% | 11% | 11% | 6% | 6% | 0% | 0% | 0% | 0% | 0% | 11% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 2 | 5 | 7 | 4 | 7 | 3 | 2 | 2 | 5 | 0 | 7 | 45 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.07) | (0.09) | (0.05) | (0.09) | (0.04) | (0.03) | (0.03) | (0.07) | (0.00) | (0.09) | (0.59) |
| | 年齢構成比 | 0% | 0% | 2% | 4% | 11% | 16% | 9% | 16% | 7% | 4% | 4% | 11% | 0% | 16% | 100% |
| 感染性胃腸炎 | 報告数 | 4 | 14 | 31 | 13 | 13 | 16 | 11 | 7 | 4 | 0 | 5 | 5 | 5 | 22 | 150 |
| | (定点あたり) | (0.05) | (0.18) | (0.41) | (0.17) | (0.17) | (0.21) | (0.14) | (0.09) | (0.05) | (0.00) | (0.07) | (0.07) | (0.07) | (0.29) | (1.97) |
| | 年齢構成比 | 3% | 9% | 21% | 9% | 9% | 11% | 7% | 5% | 3% | 0% | 3% | 3% | 3% | 15% | 100% |
| 水痘 | 報告数 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比 | 0% | 0% | 20% | 0% | 20% | 0% | 0% | 0% | 20% | 20% | 20% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 23 | 55 | 33 | 16 | 15 | 15 | 1 | 5 | 1 | 0 | 2 | 0 | 5 | 171 |
| | (定点あたり) | (0.00) | (0.30) | (0.72) | (0.43) | (0.21) | (0.20) | (0.20) | (0.01) | (0.07) | (0.01) | (0.00) | (0.03) | (0.00) | (0.07) | (2.25) |
| | 年齢構成比 | 0% | 13% | 32% | 19% | 9% | 9% | 9% | 1% | 3% | 1% | 0% | 1% | 0% | 3% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 10 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| | (定点あたり) | (0.00) | (0.13) | (0.13) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.28) |
| | 年齢構成比 | 0% | 48% | 48% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 3 | 11 | 12 | 5 | 2 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 3 | 44 |
| | (定点あたり) | (0.00) | (0.04) | (0.14) | (0.16) | (0.07) | (0.03) | (0.05) | (0.05) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) | (0.58) |
| | 年齢構成比 | 0% | 7% | 25% | 27% | 11% | 5% | 9% | 9% | 0% | 0% | 0% | 0% | 0% | 7% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 33% | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。