

2017年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	1	0	0	1	1	0	1	1	3	1	2	3	2	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.01)	(0.02)	(0.02)	(0.02)	(0.14)
	年齢構成比	0%	0%	0%	0%	0%	6%	0%	6%	0%	0%	6%	6%	0%	6%	6%	18%	6%	12%	18%	12%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	2	2	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	14%	0%	14%	14%	0%	0%	0%	0%	0%	0%	0%	0%	29%	29%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	1	1	0	0	1	3	0	1	2	1	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.01)	(0.02)	(0.01)	(0.09)
	年齢構成比	0%	0%	0%	0%	0%	9%	0%	0%	0%	0%	9%	9%	0%	0%	9%	27%	0%	9%	18%	9%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	1	1	1	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.05)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	17%	0%	0%	17%	17%	17%	17%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	50%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	7	14	25	5	0	0	0	0	0	0	0	0	0	0	51
	(定点あたり)	(0.09)	(0.18)	(0.33)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.67)
	年齢構成比	14%	27%	49%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	3	5	8	3	7	10	1	2	0	1	1	0	0	42
	(定点あたり)	(0.01)	(0.04)	(0.07)	(0.11)	(0.04)	(0.09)	(0.13)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.55)
	年齢構成比	2%	7%	12%	19%	7%	17%	24%	2%	5%	0%	2%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	6	6	6	10	7	6	7	5	4	8	0	12	78
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.08)	(0.08)	(0.13)	(0.09)	(0.08)	(0.09)	(0.07)	(0.05)	(0.11)	(0.00)	(0.16)	(1.03)
	年齢構成比	0%	1%	8%	8%	8%	13%	9%	8%	9%	6%	5%	10%	0%	15%	100%
感染性胃腸炎	報告数	6	23	35	33	25	14	18	10	12	9	5	24	10	46	270
	(定点あたり)	(0.08)	(0.30)	(0.46)	(0.43)	(0.33)	(0.18)	(0.24)	(0.13)	(0.16)	(0.12)	(0.07)	(0.32)	(0.13)	(0.61)	(3.55)
	年齢構成比	2%	9%	13%	12%	9%	5%	7%	4%	4%	3%	2%	9%	4%	17%	100%
水痘	報告数	0	1	4	0	1	2	3	1	0	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.00)	(0.01)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	8%	31%	0%	8%	15%	23%	8%	0%	0%	0%	8%	0%	0%	100%
手足口病	報告数	2	31	92	54	35	19	12	6	1	2	1	5	1	3	264
	(定点あたり)	(0.03)	(0.41)	(1.21)	(0.71)	(0.46)	(0.25)	(0.16)	(0.08)	(0.01)	(0.03)	(0.01)	(0.07)	(0.01)	(0.04)	(3.47)
	年齢構成比	1%	12%	35%	20%	13%	7%	5%	2%	0%	1%	0%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	10	19	6	1	0	0	0	0	0	0	0	0	0	36
	(定点あたり)	(0.00)	(0.13)	(0.25)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比	0%	28%	53%	17%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	18	8	8	5	2	2	0	2	0	0	0	3	52
	(定点あたり)	(0.00)	(0.05)	(0.24)	(0.11)	(0.11)	(0.07)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.04)	(0.68)
	年齢構成比	0%	8%	35%	15%	15%	10%	4%	4%	0%	4%	0%	0%	0%	6%	100%
流行性耳下腺炎	報告数	0	0	2	3	1	0	3	2	3	0	2	7	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.04)	(0.03)	(0.04)	(0.00)	(0.03)	(0.09)	(0.00)	(0.01)	(0.32)
	年齢構成比	0%	0%	8%	13%	4%	0%	13%	8%	13%	0%	8%	29%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	7	13	1	0	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.07)	(0.09)	(0.17)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	19%	27%	50%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	3	5	1	4	2	1	1	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.07)	(0.01)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	15%	15%	25%	5%	20%	10%	5%	5%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	5	2	8	5	4	6	2	1	3	0	4	45
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.07)	(0.03)	(0.11)	(0.07)	(0.05)	(0.08)	(0.03)	(0.01)	(0.04)	(0.00)	(0.05)	(0.59)
	年齢構成比	0%	0%	11%	11%	4%	18%	11%	9%	13%	4%	2%	7%	0%	9%	100%
感染性胃腸炎	報告数	3	8	12	21	13	6	12	5	8	6	1	18	5	16	134
	(定点あたり)	(0.04)	(0.11)	(0.16)	(0.28)	(0.17)	(0.08)	(0.16)	(0.07)	(0.11)	(0.08)	(0.01)	(0.24)	(0.07)	(0.21)	(1.76)
	年齢構成比	2%	6%	9%	16%	10%	4%	9%	4%	6%	4%	1%	13%	4%	12%	100%
水痘	報告数	0	0	2	0	0	2	2	1	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	29%	0%	0%	29%	29%	14%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	13	48	34	22	7	8	2	0	1	1	3	0	2	142
	(定点あたり)	(0.01)	(0.17)	(0.63)	(0.45)	(0.29)	(0.09)	(0.11)	(0.03)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.03)	(1.87)
	年齢構成比	1%	9%	34%	24%	15%	5%	6%	1%	0%	1%	1%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	10	4	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.05)	(0.13)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	22%	56%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	8	3	3	1	1	1	0	1	0	0	0	0	20
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	10%	40%	15%	15%	5%	5%	5%	0%	5%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	1	1	0	2	2	1	0	1	6	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.08)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	13%	6%	6%	0%	13%	13%	6%	0%	6%	38%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	7	12	4	0	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.03)	(0.09)	(0.16)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	8%	28%	48%	16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	2	3	2	3	8	0	1	0	1	1	0	0	22
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.04)	(0.03)	(0.04)	(0.11)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	0%	9%	14%	9%	14%	36%	0%	5%	0%	5%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	1	4	2	2	2	1	3	3	5	0	8	33
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.05)	(0.03)	(0.03)	(0.03)	(0.01)	(0.04)	(0.04)	(0.07)	(0.00)	(0.11)	(0.43)
	年齢構成比	0%	3%	3%	3%	12%	6%	6%	6%	3%	9%	9%	15%	0%	24%	100%
感染性胃腸炎	報告数	3	15	23	12	12	8	6	5	4	3	4	6	5	30	136
	(定点あたり)	(0.04)	(0.20)	(0.30)	(0.16)	(0.16)	(0.11)	(0.08)	(0.07)	(0.05)	(0.04)	(0.05)	(0.08)	(0.07)	(0.39)	(1.79)
	年齢構成比	2%	11%	17%	9%	9%	6%	4%	4%	3%	2%	3%	4%	4%	22%	100%
水痘	報告数	0	1	2	0	1	0	1	0	0	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	33%	0%	17%	0%	17%	0%	0%	0%	0%	17%	0%	0%	100%
手足口病	報告数	1	18	44	20	13	12	4	4	1	1	0	2	1	1	122
	(定点あたり)	(0.01)	(0.24)	(0.58)	(0.26)	(0.17)	(0.16)	(0.05)	(0.05)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(1.61)
	年齢構成比	1%	15%	36%	16%	11%	10%	3%	3%	1%	1%	0%	2%	1%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	6	9	2	1	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.08)	(0.12)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	33%	50%	11%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	10	5	5	4	1	1	0	1	0	0	0	3	32
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.07)	(0.07)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)	(0.42)
	年齢構成比	0%	6%	31%	16%	16%	13%	3%	3%	0%	3%	0%	0%	0%	9%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	0	1	0	2	0	1	1	0	1	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.11)
	年齢構成比	0%	0%	0%	25%	0%	0%	13%	0%	25%	0%	13%	13%	0%	13%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。