

2017年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	1	2	2	0	4	1	0	12
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.11)	(0.00)	(0.22)	(0.06)	(0.00)	(0.67)
	年齢構成比	0%	0%	8%	0%	0%	0%	8%	0%	0%	0%	0%	0%	0%	8%	17%	17%	0%	33%	8%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2	0	2	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.11)	(0.06)	(0.00)	(0.39)
	年齢構成比	0%	0%	14%	0%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	29%	0%	29%	14%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	2	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	0%	0%	40%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	20	33	73	38	12	2	1	0	0	0	0	0	0	0	179
	(定点あたり)	(0.26)	(0.43)	(0.95)	(0.49)	(0.16)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(2.32)
	年齢構成比	11%	18%	41%	21%	7%	1%	1%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	9	1	13	8	5	1	0	1	0	0	0	1	41
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.01)	(0.17)	(0.10)	(0.06)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.53)
	年齢構成比	0%	5%	22%	2%	32%	20%	12%	2%	0%	2%	0%	0%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	5	4	6	14	12	8	6	5	5	0	5	74
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.06)	(0.05)	(0.08)	(0.18)	(0.16)	(0.10)	(0.08)	(0.06)	(0.06)	(0.00)	(0.06)	(0.96)
	年齢構成比	0%	0%	5%	7%	5%	8%	19%	16%	11%	8%	7%	7%	0%	7%	100%
感染性胃腸炎	報告数	4	20	44	30	22	14	12	11	5	11	8	26	5	30	242
	(定点あたり)	(0.05)	(0.26)	(0.57)	(0.39)	(0.29)	(0.18)	(0.16)	(0.14)	(0.06)	(0.14)	(0.10)	(0.34)	(0.06)	(0.39)	(3.14)
	年齢構成比	2%	8%	18%	12%	9%	6%	5%	5%	2%	5%	3%	11%	2%	12%	100%
水痘	報告数	0	0	3	1	3	0	1	0	1	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	33%	11%	33%	0%	11%	0%	11%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	10	33	19	23	13	4	2	2	1	1	4	0	2	115
	(定点あたり)	(0.01)	(0.13)	(0.43)	(0.25)	(0.30)	(0.17)	(0.05)	(0.03)	(0.03)	(0.01)	(0.01)	(0.05)	(0.00)	(0.03)	(1.49)
	年齢構成比	1%	9%	29%	17%	20%	11%	3%	2%	2%	1%	1%	3%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	13	16	1	2	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.17)	(0.21)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比	0%	41%	50%	3%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	3	14	6	4	4	4	2	0	0	0	0	0	2	40
	(定点あたり)	(0.01)	(0.04)	(0.18)	(0.08)	(0.05)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.52)
	年齢構成比	3%	8%	35%	15%	10%	10%	10%	5%	0%	0%	0%	0%	0%	5%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	1	0	2	3	13	3	3	1	0	29
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.04)	(0.17)	(0.04)	(0.04)	(0.01)	(0.00)	(0.38)
	年齢構成比	0%	0%	0%	3%	7%	3%	0%	7%	10%	45%	10%	10%	3%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	13	16	40	20	8	1	0	0	0	0	0	0	0	0	98
	(定点あたり)	(0.17)	(0.21)	(0.52)	(0.26)	(0.10)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.27)
	年齢構成比	13%	16%	41%	20%	8%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	1	5	6	2	0	0	0	0	0	0	1	19
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.06)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.25)
	年齢構成比	0%	5%	16%	5%	26%	32%	11%	0%	0%	0%	0%	0%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	3	6	9	9	3	3	1	2	0	2	42
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.08)	(0.12)	(0.12)	(0.04)	(0.04)	(0.01)	(0.03)	(0.00)	(0.03)	(0.55)
	年齢構成比	0%	0%	2%	7%	7%	14%	21%	21%	7%	7%	2%	5%	0%	5%	100%
感染性胃腸炎	報告数	3	10	22	21	11	10	6	5	2	5	3	16	2	13	129
	(定点あたり)	(0.04)	(0.13)	(0.29)	(0.27)	(0.14)	(0.13)	(0.08)	(0.06)	(0.03)	(0.06)	(0.04)	(0.21)	(0.03)	(0.17)	(1.68)
	年齢構成比	2%	8%	17%	16%	9%	8%	5%	4%	2%	4%	2%	12%	2%	10%	100%
水痘	報告数	0	0	2	1	1	0	1	0	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	33%	17%	17%	0%	17%	0%	17%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	7	17	11	11	9	4	1	1	0	1	0	0	0	63
	(定点あたり)	(0.01)	(0.09)	(0.22)	(0.14)	(0.14)	(0.12)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.82)
	年齢構成比	2%	11%	27%	17%	17%	14%	6%	2%	2%	0%	2%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	7	11	0	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.09)	(0.14)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	39%	61%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	6	3	2	2	3	1	0	0	0	0	0	1	20
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.04)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.26)
	年齢構成比	0%	10%	30%	15%	10%	10%	15%	5%	0%	0%	0%	0%	0%	5%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	0	2	3	2	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	11%	11%	0%	0%	22%	33%	22%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	7	17	33	18	4	1	1	0	0	0	0	0	0	0	81
	(定点あたり)	(0.09)	(0.22)	(0.43)	(0.23)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.05)
	年齢構成比	9%	21%	41%	22%	5%	1%	1%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	6	0	8	2	3	1	0	1	0	0	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.00)	(0.10)	(0.03)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	5%	27%	0%	36%	9%	14%	5%	0%	5%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	2	1	0	5	3	5	3	4	3	0	3	32
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.00)	(0.06)	(0.04)	(0.06)	(0.04)	(0.05)	(0.04)	(0.00)	(0.04)	(0.42)
	年齢構成比	0%	0%	9%	6%	3%	0%	16%	9%	16%	9%	13%	9%	0%	9%	100%
感染性胃腸炎	報告数	1	10	22	9	11	4	6	6	3	6	5	10	3	17	113
	(定点あたり)	(0.01)	(0.13)	(0.29)	(0.12)	(0.14)	(0.05)	(0.08)	(0.08)	(0.04)	(0.08)	(0.06)	(0.13)	(0.04)	(0.22)	(1.47)
	年齢構成比	1%	9%	19%	8%	10%	4%	5%	5%	3%	5%	4%	9%	3%	15%	100%
水痘	報告数	0	0	1	0	2	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	16	8	12	4	0	1	1	1	0	4	0	2	52
	(定点あたり)	(0.00)	(0.04)	(0.21)	(0.10)	(0.16)	(0.05)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.05)	(0.00)	(0.03)	(0.68)
	年齢構成比	0%	6%	31%	15%	23%	8%	0%	2%	2%	2%	0%	8%	0%	4%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	6	5	1	2	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.08)	(0.06)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	43%	36%	7%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	1	8	3	2	2	1	1	0	0	0	0	0	1	20
	(定点あたり)	(0.01)	(0.01)	(0.10)	(0.04)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.26)
	年齢構成比	5%	5%	40%	15%	10%	10%	5%	5%	0%	0%	0%	0%	0%	5%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	0	0	2	1	10	1	3	1	0	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.13)	(0.01)	(0.04)	(0.01)	(0.00)	(0.26)
	年齢構成比	0%	0%	0%	5%	5%	0%	0%	10%	5%	50%	5%	15%	5%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。