

2017年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	33%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	2	0	0	1	0	1	0	0	1	1	1	1	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比	0%	0%	0%	25%	0%	0%	13%	0%	13%	0%	0%	13%	13%	13%	13%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	33%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	25%	0%	0%	25%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	22	19	88	48	20	6	0	1	0	1	0	0	0	0	205
	(定点あたり)	(0.29)	(0.25)	(1.14)	(0.62)	(0.26)	(0.08)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(2.66)
	年齢構成比	11%	9%	43%	23%	10%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	3	7	6	0	1	0	0	0	3	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.09)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	5%	5%	14%	32%	27%	0%	5%	0%	0%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	10	6	8	9	9	15	9	3	0	2	2	17	92
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.08)	(0.10)	(0.12)	(0.12)	(0.19)	(0.12)	(0.04)	(0.00)	(0.03)	(0.03)	(0.22)	(1.19)
	年齢構成比	0%	2%	11%	7%	9%	10%	10%	16%	10%	3%	0%	2%	2%	18%	100%
感染性胃腸炎	報告数	1	26	41	25	19	17	7	9	6	6	4	22	12	38	233
	(定点あたり)	(0.01)	(0.34)	(0.53)	(0.32)	(0.25)	(0.22)	(0.09)	(0.12)	(0.08)	(0.08)	(0.05)	(0.29)	(0.16)	(0.49)	(3.03)
	年齢構成比	0%	11%	18%	11%	8%	7%	3%	4%	3%	3%	2%	9%	5%	16%	100%
水痘	報告数	0	1	2	0	0	0	1	0	2	1	0	0	0	1	8
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.10)
	年齢構成比	0%	13%	25%	0%	0%	0%	13%	0%	25%	13%	0%	0%	0%	13%	100%
手足口病	報告数	0	11	28	16	13	6	5	3	0	0	0	0	0	1	83
	(定点あたり)	(0.00)	(0.14)	(0.36)	(0.21)	(0.17)	(0.08)	(0.06)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(1.08)
	年齢構成比	0%	13%	34%	19%	16%	7%	6%	4%	0%	0%	0%	0%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
突発性発しん	報告数	1	6	15	4	3	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.01)	(0.08)	(0.19)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	3%	21%	52%	14%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	6	20	13	9	9	5	2	0	1	0	0	0	1	68
	(定点あたり)	(0.03)	(0.08)	(0.26)	(0.17)	(0.12)	(0.12)	(0.06)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.88)
	年齢構成比	3%	9%	29%	19%	13%	13%	7%	3%	0%	1%	0%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	1	3	1	2	5	4	3	0	2	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.03)	(0.06)	(0.05)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	0%	0%	5%	14%	5%	10%	24%	19%	14%	0%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	9	7	40	32	8	2	0	1	0	1	0	0	0	0	100
	(定点あたり)	(0.12)	(0.09)	(0.52)	(0.42)	(0.10)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(1.30)
	年齢構成比	9%	7%	40%	32%	8%	2%	0%	1%	0%	1%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	2	4	4	0	1	0	0	0	2	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.05)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	7%	0%	14%	29%	29%	0%	7%	0%	0%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	8	4	6	3	5	7	6	0	0	1	1	6	47
	(定点あたり)	(0.00)	(0.00)	(0.10)	(0.05)	(0.08)	(0.04)	(0.06)	(0.09)	(0.08)	(0.00)	(0.00)	(0.01)	(0.01)	(0.08)	(0.61)
	年齢構成比	0%	0%	17%	9%	13%	6%	11%	15%	13%	0%	0%	2%	2%	13%	100%
感染性胃腸炎	報告数	0	15	21	13	15	8	7	2	2	4	3	12	6	15	123
	(定点あたり)	(0.00)	(0.19)	(0.27)	(0.17)	(0.19)	(0.10)	(0.09)	(0.03)	(0.03)	(0.05)	(0.04)	(0.16)	(0.08)	(0.19)	(1.60)
	年齢構成比	0%	12%	17%	11%	12%	7%	6%	2%	2%	3%	2%	10%	5%	12%	100%
水痘	報告数	0	1	0	0	0	0	1	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	6	13	13	5	3	3	1	0	0	0	0	0	0	44
	(定点あたり)	(0.00)	(0.08)	(0.17)	(0.17)	(0.06)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.57)
	年齢構成比	0%	14%	30%	30%	11%	7%	7%	2%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	1	7	2	3	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	8%	54%	15%	23%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	3	14	5	5	6	2	1	0	0	0	0	0	0	37
	(定点あたり)	(0.01)	(0.04)	(0.18)	(0.06)	(0.06)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.48)
	年齢構成比	3%	8%	38%	14%	14%	16%	5%	3%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	3	1	1	2	2	1	0	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	0%	8%	25%	8%	8%	17%	17%	8%	0%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	13	12	48	16	12	4	0	0	0	0	0	0	0	0	105
	(定点あたり)	(0.17)	(0.16)	(0.62)	(0.21)	(0.16)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.36)
	年齢構成比	12%	11%	46%	15%	11%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	3	2	0	0	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	13%	13%	38%	25%	0%	0%	0%	0%	0%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	2	2	6	4	8	3	3	0	1	1	11	45
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.03)	(0.08)	(0.05)	(0.10)	(0.04)	(0.04)	(0.00)	(0.01)	(0.01)	(0.14)	(0.58)
	年齢構成比	0%	4%	4%	4%	4%	13%	9%	18%	7%	7%	0%	2%	2%	24%	100%
感染性胃腸炎	報告数	1	11	20	12	4	9	0	7	4	2	1	10	6	23	110
	(定点あたり)	(0.01)	(0.14)	(0.26)	(0.16)	(0.05)	(0.12)	(0.00)	(0.09)	(0.05)	(0.03)	(0.01)	(0.13)	(0.08)	(0.30)	(1.43)
	年齢構成比	1%	10%	18%	11%	4%	8%	0%	6%	4%	2%	1%	9%	5%	21%	100%
水痘	報告数	0	0	2	0	0	0	0	0	1	1	0	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.06)
	年齢構成比	0%	0%	40%	0%	0%	0%	0%	0%	20%	20%	0%	0%	0%	20%	100%
手足口病	報告数	0	5	15	3	8	3	2	2	0	0	0	0	0	1	39
	(定点あたり)	(0.00)	(0.06)	(0.19)	(0.04)	(0.10)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.51)
	年齢構成比	0%	13%	38%	8%	21%	8%	5%	5%	0%	0%	0%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
突発性発しん	報告数	1	5	8	2	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.01)	(0.06)	(0.10)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	6%	31%	50%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	3	6	8	4	3	3	1	0	1	0	0	0	1	31
	(定点あたり)	(0.01)	(0.04)	(0.08)	(0.10)	(0.05)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.40)
	年齢構成比	3%	10%	19%	26%	13%	10%	10%	3%	0%	3%	0%	0%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	3	2	2	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	11%	33%	22%	22%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。