

2017年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	1	0	1	1	2	0	2	1	1	1	2	1	0	1	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.00)	(0.02)	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.00)	(0.01)	(0.12)
	年齢構成比	0%	0%	0%	7%	0%	0%	7%	0%	7%	7%	13%	0%	13%	7%	7%	7%	13%	7%	0%	7%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	25%	50%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	1	0	1	1	0	0	0	0	1	0	0	1	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.06)
	年齢構成比	0%	0%	0%	14%	0%	0%	14%	0%	14%	14%	0%	0%	0%	0%	14%	0%	0%	14%	0%	14%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	2	0	2	1	0	1	2	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.02)	(0.01)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	13%	0%	13%	25%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	13	30	46	24	14	1	0	1	0	0	0	0	0	0	129
	(定点あたり)	(0.17)	(0.39)	(0.61)	(0.32)	(0.18)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.70)
	年齢構成比	10%	23%	36%	19%	11%	1%	0%	1%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	4	4	1	2	1	0	0	1	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.05)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	19%	25%	25%	6%	13%	6%	0%	0%	6%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	5	6	4	11	10	8	8	5	7	0	7	74
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.07)	(0.08)	(0.05)	(0.14)	(0.13)	(0.11)	(0.11)	(0.07)	(0.09)	(0.00)	(0.09)	(0.97)
	年齢構成比	0%	0%	4%	7%	8%	5%	15%	14%	11%	11%	7%	9%	0%	9%	100%
感染性胃腸炎	報告数	2	26	45	32	25	26	19	19	16	11	10	22	11	34	298
	(定点あたり)	(0.03)	(0.34)	(0.59)	(0.42)	(0.33)	(0.34)	(0.25)	(0.25)	(0.21)	(0.14)	(0.13)	(0.29)	(0.14)	(0.45)	(3.92)
	年齢構成比	1%	9%	15%	11%	8%	9%	6%	6%	5%	4%	3%	7%	4%	11%	100%
水痘	報告数	0	0	0	0	4	3	2	1	4	0	1	1	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.04)	(0.03)	(0.01)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	0%	0%	25%	19%	13%	6%	25%	0%	6%	6%	0%	0%	100%
手足口病	報告数	0	0	24	19	9	3	1	3	0	0	0	1	0	2	62
	(定点あたり)	(0.00)	(0.00)	(0.32)	(0.25)	(0.12)	(0.04)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.82)
	年齢構成比	0%	0%	39%	31%	15%	5%	2%	5%	0%	0%	0%	2%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	14	2	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.05)	(0.18)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	20%	70%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	4	15	11	5	3	5	0	1	0	0	2	0	0	47
	(定点あたり)	(0.01)	(0.05)	(0.20)	(0.14)	(0.07)	(0.04)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.62)
	年齢構成比	2%	9%	32%	23%	11%	6%	11%	0%	2%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	5	3	5	2	1	3	1	1	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.04)	(0.07)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.32)
	年齢構成比	0%	0%	4%	4%	21%	13%	21%	8%	4%	13%	4%	4%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	6	22	12	3	0	0	1	0	0	0	0	0	0	49
	(定点あたり)	(0.07)	(0.08)	(0.29)	(0.16)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比	10%	12%	45%	24%	6%	0%	0%	2%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	3	1	1	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	13%	13%	38%	13%	13%	13%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	5	1	8	6	5	6	3	6	0	1	44
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.07)	(0.01)	(0.11)	(0.08)	(0.07)	(0.08)	(0.04)	(0.08)	(0.00)	(0.01)	(0.58)
	年齢構成比	0%	0%	2%	5%	11%	2%	18%	14%	11%	14%	7%	14%	0%	2%	100%
感染性胃腸炎	報告数	0	12	24	16	12	17	9	10	10	5	7	13	7	13	155
	(定点あたり)	(0.00)	(0.16)	(0.32)	(0.21)	(0.16)	(0.22)	(0.12)	(0.13)	(0.13)	(0.07)	(0.09)	(0.17)	(0.09)	(0.17)	(2.04)
	年齢構成比	0%	8%	15%	10%	8%	11%	6%	6%	6%	3%	5%	8%	5%	8%	100%
水痘	報告数	0	0	0	0	2	2	1	0	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	0%	33%	33%	17%	0%	17%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	17	8	6	1	1	2	0	0	0	0	0	0	35
	(定点あたり)	(0.00)	(0.00)	(0.22)	(0.11)	(0.08)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	0%	0%	49%	23%	17%	3%	3%	6%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	2	4	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	29%	57%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	8	7	2	0	0	0	0	0	0	1	0	0	20
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	10%	40%	35%	10%	0%	0%	0%	0%	0%	0%	5%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	3	2	2	0	0	3	0	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	0%	8%	25%	17%	17%	0%	0%	25%	0%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	8	24	24	12	11	1	0	0	0	0	0	0	0	0	80
	(定点あたり)	(0.11)	(0.32)	(0.32)	(0.16)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.05)
	年齢構成比	10%	30%	30%	15%	14%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	3	1	0	1	0	0	0	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	25%	38%	13%	0%	13%	0%	0%	0%	13%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	1	3	3	4	3	2	2	1	0	6	30
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.04)	(0.04)	(0.05)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.08)	(0.39)
	年齢構成比	0%	0%	7%	10%	3%	10%	10%	13%	10%	7%	7%	3%	0%	20%	100%
感染性胃腸炎	報告数	2	14	21	16	13	9	10	9	6	6	3	9	4	21	143
	(定点あたり)	(0.03)	(0.18)	(0.28)	(0.21)	(0.17)	(0.12)	(0.13)	(0.12)	(0.08)	(0.08)	(0.04)	(0.12)	(0.05)	(0.28)	(1.88)
	年齢構成比	1%	10%	15%	11%	9%	6%	7%	6%	4%	4%	2%	6%	3%	15%	100%
水痘	報告数	0	0	0	0	2	1	1	1	3	0	1	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	0%	20%	10%	10%	10%	30%	0%	10%	10%	0%	0%	100%
手足口病	報告数	0	0	7	11	3	2	0	1	0	0	0	1	0	2	27
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.14)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.36)
	年齢構成比	0%	0%	26%	41%	11%	7%	0%	4%	0%	0%	0%	4%	0%	7%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	2	10	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	15%	77%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	2	7	4	3	3	5	0	1	0	0	1	0	0	27
	(定点あたり)	(0.01)	(0.03)	(0.09)	(0.05)	(0.04)	(0.04)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.36)
	年齢構成比	4%	7%	26%	15%	11%	11%	19%	0%	4%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	1	3	2	1	0	1	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	8%	0%	17%	8%	25%	17%	8%	0%	8%	0%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。