

2017年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	2	2	2	1	1	3	3	4	1	0	0	1	1	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.02)	(0.02)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.18)
	年齢構成比	0%	0%	0%	0%	0%	5%	0%	9%	9%	9%	5%	5%	14%	14%	18%	5%	0%	0%	5%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	1	2	2	1	1	1	2	3	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	8%	15%	15%	8%	8%	8%	15%	23%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	1	0	0	0	0	2	1	1	1	0	0	1	1	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)
	年齢構成比	0%	0%	0%	0%	0%	11%	0%	11%	0%	0%	0%	0%	22%	11%	11%	11%	0%	0%	11%	11%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	11	24	27	8	7	2	0	0	0	0	0	0	0	0	79
	(定点あたり)	(0.14)	(0.31)	(0.35)	(0.10)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.03)
	年齢構成比	14%	30%	34%	10%	9%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	8	6	1	1	2	0	0	1	0	1	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.10)	(0.08)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	9%	36%	27%	5%	5%	9%	0%	0%	5%	0%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	4	2	15	11	5	13	4	7	14	2	12	92
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.03)	(0.19)	(0.14)	(0.06)	(0.17)	(0.05)	(0.09)	(0.18)	(0.03)	(0.16)	(1.19)
	年齢構成比	0%	0%	3%	4%	2%	16%	12%	5%	14%	4%	8%	15%	2%	13%	100%
感染性胃腸炎	報告数	1	22	40	24	24	27	16	15	8	13	8	26	5	37	266
	(定点あたり)	(0.01)	(0.29)	(0.52)	(0.31)	(0.31)	(0.35)	(0.21)	(0.19)	(0.10)	(0.17)	(0.10)	(0.34)	(0.06)	(0.48)	(3.45)
	年齢構成比	0%	8%	15%	9%	9%	10%	6%	6%	3%	5%	3%	10%	2%	14%	100%
水痘	報告数	0	2	2	2	3	2	2	3	4	4	4	3	0	0	31
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.04)	(0.03)	(0.03)	(0.04)	(0.05)	(0.05)	(0.05)	(0.04)	(0.00)	(0.00)	(0.40)
	年齢構成比	0%	6%	6%	6%	10%	6%	6%	10%	13%	13%	13%	10%	0%	0%	100%
手足口病	報告数	4	11	62	22	14	5	3	2	2	1	0	0	0	0	126
	(定点あたり)	(0.05)	(0.14)	(0.81)	(0.29)	(0.18)	(0.06)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(1.64)
	年齢構成比	3%	9%	49%	17%	11%	4%	2%	2%	2%	1%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	6	16	3	0	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.00)	(0.08)	(0.21)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	24%	64%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	22	11	0	7	2	1	0	2	0	2	0	2	52
	(定点あたり)	(0.00)	(0.04)	(0.29)	(0.14)	(0.00)	(0.09)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.03)	(0.68)
	年齢構成比	0%	6%	42%	21%	0%	13%	4%	2%	0%	4%	0%	4%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	3	0	0	1	2	1	2	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	0%	10%	30%	0%	0%	10%	20%	10%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	6	11	13	3	3	2	0	0	0	0	0	0	0	0	38
	(定点あたり)	(0.08)	(0.14)	(0.17)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比	16%	29%	34%	8%	8%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	4	0	1	1	0	0	1	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	27%	36%	0%	9%	9%	0%	0%	9%	0%	9%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	2	11	9	3	4	4	3	9	0	5	55
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.03)	(0.14)	(0.12)	(0.04)	(0.05)	(0.05)	(0.04)	(0.12)	(0.00)	(0.06)	(0.71)
	年齢構成比	0%	0%	2%	7%	4%	20%	16%	5%	7%	7%	5%	16%	0%	9%	100%
感染性胃腸炎	報告数	0	9	14	13	13	15	9	10	5	4	2	14	3	16	127
	(定点あたり)	(0.00)	(0.12)	(0.18)	(0.17)	(0.17)	(0.19)	(0.12)	(0.13)	(0.06)	(0.05)	(0.03)	(0.18)	(0.04)	(0.21)	(1.65)
	年齢構成比	0%	7%	11%	10%	10%	12%	7%	8%	4%	3%	2%	11%	2%	13%	100%
水痘	報告数	0	0	1	1	2	1	0	2	1	0	2	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	9%	9%	18%	9%	0%	18%	9%	0%	18%	9%	0%	0%	100%
手足口病	報告数	4	7	34	12	5	3	2	1	1	1	0	0	0	0	70
	(定点あたり)	(0.05)	(0.09)	(0.44)	(0.16)	(0.06)	(0.04)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.91)
	年齢構成比	6%	10%	49%	17%	7%	4%	3%	1%	1%	1%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	1	10	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	9%	91%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	9	8	0	5	0	0	0	2	0	1	0	1	28
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.10)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.36)
	年齢構成比	0%	7%	32%	29%	0%	18%	0%	0%	0%	7%	0%	4%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	2	0	0	0	0	1	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	25%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	13	14	5	4	0	0	0	0	0	0	0	0	0	41
	(定点あたり)	(0.06)	(0.17)	(0.18)	(0.06)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比	12%	32%	34%	12%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	5	2	1	0	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.06)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	18%	45%	18%	9%	0%	9%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	0	0	4	2	2	9	0	4	5	2	7	37
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.05)	(0.03)	(0.03)	(0.12)	(0.00)	(0.05)	(0.06)	(0.03)	(0.09)	(0.48)
	年齢構成比	0%	0%	5%	0%	0%	11%	5%	5%	24%	0%	11%	14%	5%	19%	100%
感染性胃腸炎	報告数	1	13	26	11	11	12	7	5	3	9	6	12	2	21	139
	(定点あたり)	(0.01)	(0.17)	(0.34)	(0.14)	(0.14)	(0.16)	(0.09)	(0.06)	(0.04)	(0.12)	(0.08)	(0.16)	(0.03)	(0.27)	(1.81)
	年齢構成比	1%	9%	19%	8%	8%	9%	5%	4%	2%	6%	4%	9%	1%	15%	100%
水痘	報告数	0	2	1	1	1	1	2	1	3	4	2	2	0	0	20
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	10%	5%	5%	5%	5%	10%	5%	15%	20%	10%	10%	0%	0%	100%
手足口病	報告数	0	4	28	10	9	2	1	1	1	0	0	0	0	0	56
	(定点あたり)	(0.00)	(0.05)	(0.36)	(0.13)	(0.12)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.73)
	年齢構成比	0%	7%	50%	18%	16%	4%	2%	2%	2%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	6	3	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.06)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	36%	43%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	13	3	0	2	2	1	0	0	0	1	0	1	24
	(定点あたり)	(0.00)	(0.01)	(0.17)	(0.04)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.31)
	年齢構成比	0%	4%	54%	13%	0%	8%	8%	4%	0%	0%	0%	4%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	0	1	2	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	0%	17%	17%	0%	0%	17%	33%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。