

2017年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	3	2	2	3	1	3	4	1	13	1	2	1	3	0	2	1	0	44
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.02)	(0.03)	(0.01)	(0.10)	(0.01)	(0.02)	(0.01)	(0.02)	(0.00)	(0.02)	(0.01)	(0.00)	(0.35)
	年齢構成比	0%	0%	5%	7%	5%	5%	7%	2%	7%	9%	2%	30%	2%	5%	2%	7%	0%	5%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.11)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	29%	29%	14%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	2	1	0	1	1	2	1	1	9	1	0	0	2	0	0	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(0.07)	(0.01)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	10%	5%	0%	5%	5%	10%	5%	5%	43%	5%	0%	0%	10%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	1	1	2	2	0	1	3	0	4	0	2	1	1	0	2	1	0	23
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.02)	(0.02)	(0.00)	(0.01)	(0.02)	(0.00)	(0.03)	(0.00)	(0.02)	(0.01)	(0.01)	(0.00)	(0.02)	(0.01)	(0.00)	(0.19)
	年齢構成比	0%	0%	9%	4%	4%	9%	9%	0%	4%	13%	0%	17%	0%	9%	4%	4%	0%	9%	4%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	17%	33%	17%	17%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	13	10	10	5	0	0	0	0	0	0	0	0	0	0	38
	(定点あたり)	(0.17)	(0.13)	(0.13)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比	34%	26%	26%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	9	4	3	2	0	0	0	0	0	1	0	0	21
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.05)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	10%	43%	19%	14%	10%	0%	0%	0%	0%	0%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	8	15	15	14	15	10	13	9	14	1	16	134
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.11)	(0.20)	(0.20)	(0.18)	(0.20)	(0.13)	(0.17)	(0.12)	(0.18)	(0.01)	(0.21)	(1.76)
	年齢構成比	0%	0%	3%	6%	11%	11%	10%	11%	7%	10%	7%	10%	1%	12%	100%
感染性胃腸炎	報告数	3	30	43	33	28	32	25	20	12	9	11	34	15	37	332
	(定点あたり)	(0.04)	(0.39)	(0.57)	(0.43)	(0.37)	(0.42)	(0.33)	(0.26)	(0.16)	(0.12)	(0.14)	(0.45)	(0.20)	(0.49)	(4.37)
	年齢構成比	1%	9%	13%	10%	8%	10%	8%	6%	4%	3%	3%	10%	5%	11%	100%
水痘	報告数	2	0	1	2	3	1	6	3	6	1	5	5	0	0	35
	(定点あたり)	(0.03)	(0.00)	(0.01)	(0.03)	(0.04)	(0.01)	(0.08)	(0.04)	(0.08)	(0.01)	(0.07)	(0.07)	(0.00)	(0.00)	(0.46)
	年齢構成比	6%	0%	3%	6%	9%	3%	17%	9%	17%	3%	14%	14%	0%	0%	100%
手足口病	報告数	1	3	24	10	13	2	5	3	0	0	1	0	0	1	63
	(定点あたり)	(0.01)	(0.04)	(0.32)	(0.13)	(0.17)	(0.03)	(0.07)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.83)
	年齢構成比	2%	5%	38%	16%	21%	3%	8%	5%	0%	0%	2%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	9	1	1	1	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.08)	(0.12)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	33%	50%	6%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	9	7	5	1	0	2	0	0	0	0	0	1	29
	(定点あたり)	(0.00)	(0.05)	(0.12)	(0.09)	(0.07)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.38)
	年齢構成比	0%	14%	31%	24%	17%	3%	0%	7%	0%	0%	0%	0%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	3	4	5	3	1	1	5	1	0	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.07)	(0.04)	(0.01)	(0.01)	(0.07)	(0.01)	(0.00)	(0.32)
	年齢構成比	0%	0%	0%	0%	4%	13%	17%	21%	13%	4%	4%	21%	4%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	5	7	3	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.03)	(0.07)	(0.09)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	12%	29%	41%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	3	1	1	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	50%	30%	10%	10%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	6	8	8	7	9	3	8	6	9	0	7	73
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.11)	(0.11)	(0.09)	(0.12)	(0.04)	(0.11)	(0.08)	(0.12)	(0.00)	(0.09)	(0.96)
	年齢構成比	0%	0%	3%	8%	11%	11%	10%	12%	4%	11%	8%	12%	0%	10%	100%
感染性胃腸炎	報告数	1	17	27	20	15	16	13	11	9	5	7	15	9	17	182
	(定点あたり)	(0.01)	(0.22)	(0.36)	(0.26)	(0.20)	(0.21)	(0.17)	(0.14)	(0.12)	(0.07)	(0.09)	(0.20)	(0.12)	(0.22)	(2.39)
	年齢構成比	1%	9%	15%	11%	8%	9%	7%	6%	5%	3%	4%	8%	5%	9%	100%
水痘	報告数	1	0	1	1	1	1	2	2	4	0	3	1	0	0	17
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(0.05)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	6%	0%	6%	6%	6%	6%	12%	12%	24%	0%	18%	6%	0%	0%	100%
手足口病	報告数	0	2	11	7	4	1	2	2	0	0	1	0	0	1	31
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.09)	(0.05)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.41)
	年齢構成比	0%	6%	35%	23%	13%	3%	6%	6%	0%	0%	3%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	7	0	1	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	20%	70%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	5	5	5	1	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.07)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	11%	28%	28%	28%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	3	2	0	1	1	1	1	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	0%	0%	10%	30%	20%	0%	10%	10%	10%	10%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	11	5	3	2	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.14)	(0.07)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	52%	24%	14%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	4	1	2	1	0	0	0	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	18%	36%	9%	18%	9%	0%	0%	0%	0%	0%	9%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	7	7	7	6	7	5	3	5	1	9	61
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.09)	(0.09)	(0.09)	(0.08)	(0.09)	(0.07)	(0.04)	(0.07)	(0.01)	(0.12)	(0.80)
	年齢構成比	0%	0%	3%	3%	11%	11%	11%	10%	11%	8%	5%	8%	2%	15%	100%
感染性胃腸炎	報告数	2	13	16	13	13	16	12	9	3	4	4	19	6	20	150
	(定点あたり)	(0.03)	(0.17)	(0.21)	(0.17)	(0.17)	(0.21)	(0.16)	(0.12)	(0.04)	(0.05)	(0.05)	(0.25)	(0.08)	(0.26)	(1.97)
	年齢構成比	1%	9%	11%	9%	9%	11%	8%	6%	2%	3%	3%	13%	4%	13%	100%
水痘	報告数	1	0	0	1	2	0	4	1	2	1	2	4	0	0	18
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.05)	(0.01)	(0.03)	(0.01)	(0.03)	(0.05)	(0.00)	(0.00)	(0.24)
	年齢構成比	6%	0%	0%	6%	11%	0%	22%	6%	11%	6%	11%	22%	0%	0%	100%
手足口病	報告数	1	1	13	3	9	1	3	1	0	0	0	0	0	0	32
	(定点あたり)	(0.01)	(0.01)	(0.17)	(0.04)	(0.12)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比	3%	3%	41%	9%	28%	3%	9%	3%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	2	1	0	1	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	50%	25%	13%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	4	2	0	0	0	2	0	0	0	0	0	1	11
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比	0%	18%	36%	18%	0%	0%	0%	18%	0%	0%	0%	0%	0%	9%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	1	3	3	0	0	4	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.04)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	0%	0%	7%	14%	7%	21%	21%	0%	0%	29%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。