

2017年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	4	1	3	7	3	3	6	2	3	5	5	3	5	3	2	3	1	0	59
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.02)	(0.06)	(0.02)	(0.02)	(0.05)	(0.02)	(0.02)	(0.04)	(0.04)	(0.02)	(0.04)	(0.02)	(0.02)	(0.02)	(0.01)	(0.00)	(0.47)
	年齢構成比	0%	0%	7%	2%	5%	12%	5%	5%	10%	3%	5%	8%	8%	5%	8%	5%	3%	5%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	0%	25%	25%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	0	2	2	1	0	5	2	2	5	2	2	1	1	2	2	0	0	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.02)	(0.01)	(0.00)	(0.04)	(0.02)	(0.02)	(0.04)	(0.02)	(0.02)	(0.01)	(0.01)	(0.02)	(0.02)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	3%	0%	7%	7%	3%	0%	17%	7%	7%	17%	7%	7%	3%	3%	7%	7%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	3	1	1	5	2	3	1	0	1	0	3	1	4	2	0	1	1	0	29
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.04)	(0.02)	(0.02)	(0.01)	(0.00)	(0.01)	(0.00)	(0.02)	(0.01)	(0.03)	(0.02)	(0.00)	(0.01)	(0.01)	(0.00)	(0.23)
	年齢構成比	0%	0%	10%	3%	3%	17%	7%	10%	3%	0%	3%	0%	10%	3%	14%	7%	0%	3%	3%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	11	6	21	9	3	1	0	0	0	0	0	0	0	0	51
	(定点あたり)	(0.14)	(0.08)	(0.27)	(0.12)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.66)
	年齢構成比	22%	12%	41%	18%	6%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	2	2	2	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	11%	11%	11%	22%	22%	22%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	1	3	13	26	21	8	14	9	2	17	4	15	134
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.04)	(0.17)	(0.34)	(0.27)	(0.10)	(0.18)	(0.12)	(0.03)	(0.22)	(0.05)	(0.19)	(1.74)
	年齢構成比	1%	0%	1%	2%	10%	19%	16%	6%	10%	7%	1%	13%	3%	11%	100%
感染性胃腸炎	報告数	3	23	65	37	44	24	26	20	5	8	11	24	18	54	362
	(定点あたり)	(0.04)	(0.30)	(0.84)	(0.48)	(0.57)	(0.31)	(0.34)	(0.26)	(0.06)	(0.10)	(0.14)	(0.31)	(0.23)	(0.70)	(4.70)
	年齢構成比	1%	6%	18%	10%	12%	7%	7%	6%	1%	2%	3%	7%	5%	15%	100%
水痘	報告数	0	0	3	2	3	4	3	5	5	5	1	6	0	0	37
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.05)	(0.04)	(0.06)	(0.06)	(0.06)	(0.01)	(0.08)	(0.00)	(0.00)	(0.48)
	年齢構成比	0%	0%	8%	5%	8%	11%	8%	14%	14%	14%	3%	16%	0%	0%	100%
手足口病	報告数	0	3	21	16	8	0	2	0	0	0	0	0	0	0	50
	(定点あたり)	(0.00)	(0.04)	(0.27)	(0.21)	(0.10)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.65)
	年齢構成比	0%	6%	42%	32%	16%	0%	4%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	8	12	1	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.10)	(0.16)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	38%	57%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	8	4	5	2	1	0	0	1	1	0	0	2	28
	(定点あたり)	(0.00)	(0.05)	(0.10)	(0.05)	(0.06)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.36)
	年齢構成比	0%	14%	29%	14%	18%	7%	4%	0%	0%	4%	4%	0%	0%	7%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	0	1	0	0	3	0	1	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.10)
	年齢構成比	0%	0%	0%	13%	0%	13%	13%	0%	13%	0%	0%	38%	0%	13%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	6	3	10	5	0	1	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.08)	(0.04)	(0.13)	(0.06)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	24%	12%	40%	20%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	0	2	1	2	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	0%	0%	33%	17%	33%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	0	1	5	18	15	4	6	3	1	7	3	6	70
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.01)	(0.06)	(0.23)	(0.19)	(0.05)	(0.08)	(0.04)	(0.01)	(0.09)	(0.04)	(0.08)	(0.91)
	年齢構成比	1%	0%	0%	1%	7%	26%	21%	6%	9%	4%	1%	10%	4%	9%	100%
感染性胃腸炎	報告数	1	12	39	16	26	6	17	13	5	2	7	11	10	29	194
	(定点あたり)	(0.01)	(0.16)	(0.51)	(0.21)	(0.34)	(0.08)	(0.22)	(0.17)	(0.06)	(0.03)	(0.09)	(0.14)	(0.13)	(0.38)	(2.52)
	年齢構成比	1%	6%	20%	8%	13%	3%	9%	7%	3%	1%	4%	6%	5%	15%	100%
水痘	報告数	0	0	2	1	1	1	2	1	3	1	1	3	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	13%	6%	6%	6%	13%	6%	19%	6%	6%	19%	0%	0%	100%
手足口病	報告数	0	3	12	9	3	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.04)	(0.16)	(0.12)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比	0%	11%	44%	33%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	6	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	36%	55%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	5	4	2	1	0	0	0	0	1	0	0	1	15
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比	0%	7%	33%	27%	13%	7%	0%	0%	0%	0%	7%	0%	0%	7%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	1	0	1	0	0	2	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	20%	20%	0%	20%	0%	0%	40%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	3	11	4	3	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.06)	(0.04)	(0.14)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	19%	12%	42%	15%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	8	8	6	4	8	6	1	10	1	9	64
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.10)	(0.10)	(0.08)	(0.05)	(0.10)	(0.08)	(0.01)	(0.13)	(0.01)	(0.12)	(0.83)
	年齢構成比	0%	0%	2%	3%	13%	13%	9%	6%	13%	9%	2%	16%	2%	14%	100%
感染性胃腸炎	報告数	2	11	26	21	18	18	9	7	0	6	4	13	8	25	168
	(定点あたり)	(0.03)	(0.14)	(0.34)	(0.27)	(0.23)	(0.23)	(0.12)	(0.09)	(0.00)	(0.08)	(0.05)	(0.17)	(0.10)	(0.32)	(2.18)
	年齢構成比	1%	7%	15%	13%	11%	11%	5%	4%	0%	4%	2%	8%	5%	15%	100%
水痘	報告数	0	0	1	1	2	3	1	4	2	4	0	3	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.01)	(0.05)	(0.03)	(0.05)	(0.00)	(0.04)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	0%	5%	5%	10%	14%	5%	19%	10%	19%	0%	14%	0%	0%	100%
手足口病	報告数	0	0	9	7	5	0	2	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.09)	(0.06)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	0%	39%	30%	22%	0%	9%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	6	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	40%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	3	0	3	1	1	0	0	1	0	0	0	1	13
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.17)
	年齢構成比	0%	23%	23%	0%	23%	8%	8%	0%	0%	8%	0%	0%	0%	8%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	0	0	0	0	0	1	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.04)
	年齢構成比	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。