

2017年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	3	6	1	7	8	6	15	10	5	12	2	3	15	13	3	4	1	4	119
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.05)	(0.01)	(0.06)	(0.06)	(0.05)	(0.12)	(0.08)	(0.04)	(0.10)	(0.02)	(0.02)	(0.12)	(0.10)	(0.02)	(0.03)	(0.01)	(0.03)	(0.96)
	年齢構成比	0%	1%	3%	5%	1%	6%	7%	5%	13%	8%	4%	10%	2%	3%	13%	11%	3%	3%	1%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	1	2	1	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	17%	33%	17%	17%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	1	4	0	4	5	1	8	4	3	7	2	1	6	7	1	1	1	1	58
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.04)	(0.01)	(0.06)	(0.03)	(0.02)	(0.06)	(0.02)	(0.01)	(0.05)	(0.06)	(0.01)	(0.01)	(0.01)	(0.01)	(0.47)
	年齢構成比	0%	2%	2%	7%	0%	7%	9%	2%	14%	7%	5%	12%	3%	2%	10%	12%	2%	2%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	25%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	2	1	3	3	5	7	6	2	5	0	2	9	6	2	3	0	3	61
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.01)	(0.02)	(0.02)	(0.04)	(0.06)	(0.05)	(0.02)	(0.04)	(0.00)	(0.02)	(0.07)	(0.05)	(0.02)	(0.02)	(0.00)	(0.02)	(0.49)
	年齢構成比	0%	0%	3%	3%	2%	5%	5%	8%	11%	10%	3%	8%	0%	3%	15%	10%	3%	5%	0%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	9	9	15	6	2	0	0	0	0	0	0	0	0	0	41
	(定点あたり)	(0.12)	(0.12)	(0.19)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比	22%	22%	37%	15%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	7	7	2	2	2	1	1	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.09)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	8%	29%	29%	8%	8%	8%	4%	4%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	7	18	15	10	20	18	12	14	6	14	139
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.09)	(0.23)	(0.19)	(0.13)	(0.26)	(0.23)	(0.16)	(0.18)	(0.08)	(0.18)	(1.81)
	年齢構成比	0%	0%	1%	2%	5%	13%	11%	7%	14%	13%	9%	10%	4%	10%	100%
感染性胃腸炎	報告数	6	45	89	65	51	43	32	21	16	14	14	38	14	53	501
	(定点あたり)	(0.08)	(0.58)	(1.16)	(0.84)	(0.66)	(0.56)	(0.42)	(0.27)	(0.21)	(0.18)	(0.18)	(0.49)	(0.18)	(0.69)	(6.51)
	年齢構成比	1%	9%	18%	13%	10%	9%	6%	4%	3%	3%	3%	8%	3%	11%	100%
水痘	報告数	1	1	2	5	1	3	4	3	9	5	2	4	0	0	40
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.06)	(0.01)	(0.04)	(0.05)	(0.04)	(0.12)	(0.06)	(0.03)	(0.05)	(0.00)	(0.00)	(0.52)
	年齢構成比	3%	3%	5%	13%	3%	8%	10%	8%	23%	13%	5%	10%	0%	0%	100%
手足口病	報告数	0	3	11	13	8	3	0	1	0	2	0	0	0	1	42
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.17)	(0.10)	(0.04)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.55)
	年齢構成比	0%	7%	26%	31%	19%	7%	0%	2%	0%	5%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	2	2	0	0	0	0	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	17%	17%	0%	0%	100%
突発性発しん	報告数	1	9	11	1	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.12)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	41%	50%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	1	10	3	2	0	0	0	0	0	0	0	0	2	19
	(定点あたり)	(0.01)	(0.01)	(0.13)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.25)
	年齢構成比	5%	5%	53%	16%	11%	0%	0%	0%	0%	0%	0%	0%	0%	11%	100%
流行性耳下腺炎	報告数	0	0	2	0	1	2	0	3	2	0	4	1	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.04)	(0.03)	(0.00)	(0.05)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	0%	13%	0%	7%	13%	0%	20%	13%	0%	27%	7%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	4	4	7	4	1	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.05)	(0.05)	(0.09)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	20%	20%	35%	20%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	5	1	0	0	1	1	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.06)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	7%	36%	36%	7%	0%	0%	7%	7%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	4	9	9	4	8	8	8	8	3	6	68
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.12)	(0.12)	(0.05)	(0.10)	(0.10)	(0.10)	(0.10)	(0.04)	(0.08)	(0.88)
	年齢構成比	0%	0%	0%	1%	6%	13%	13%	6%	12%	12%	12%	12%	4%	9%	100%
感染性胃腸炎	報告数	0	23	45	39	27	23	18	10	8	7	7	19	5	20	251
	(定点あたり)	(0.00)	(0.30)	(0.58)	(0.51)	(0.35)	(0.30)	(0.23)	(0.13)	(0.10)	(0.09)	(0.09)	(0.25)	(0.06)	(0.26)	(3.26)
	年齢構成比	0%	9%	18%	16%	11%	9%	7%	4%	3%	3%	3%	8%	2%	8%	100%
水痘	報告数	0	0	2	1	0	0	2	1	5	3	0	4	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.06)	(0.04)	(0.00)	(0.05)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	0%	11%	6%	0%	0%	11%	6%	28%	17%	0%	22%	0%	0%	100%
手足口病	報告数	0	2	8	10	6	2	0	1	0	1	0	0	0	0	30
	(定点あたり)	(0.00)	(0.03)	(0.10)	(0.13)	(0.08)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	7%	27%	33%	20%	7%	0%	3%	0%	3%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	100%
突発性発しん	報告数	1	3	7	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.04)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	9%	27%	64%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	0	1	0	0	0	0	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.09)
	年齢構成比	0%	0%	71%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	14%	100%
流行性耳下腺炎	報告数	0	0	2	0	0	1	0	2	0	0	2	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	25%	0%	0%	13%	0%	25%	0%	0%	25%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	5	8	2	1	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.06)	(0.06)	(0.10)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	24%	24%	38%	10%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	2	1	2	2	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	20%	20%	10%	20%	20%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	3	9	6	6	12	10	4	6	3	8	71
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.12)	(0.08)	(0.08)	(0.16)	(0.13)	(0.05)	(0.08)	(0.04)	(0.10)	(0.92)
	年齢構成比	0%	0%	3%	3%	4%	13%	8%	8%	17%	14%	6%	8%	4%	11%	100%
感染性胃腸炎	報告数	6	22	44	26	24	20	14	11	8	7	7	19	9	33	250
	(定点あたり)	(0.08)	(0.29)	(0.57)	(0.34)	(0.31)	(0.26)	(0.18)	(0.14)	(0.10)	(0.09)	(0.09)	(0.25)	(0.12)	(0.43)	(3.25)
	年齢構成比	2%	9%	18%	10%	10%	8%	6%	4%	3%	3%	3%	8%	4%	13%	100%
水痘	報告数	1	1	0	4	1	3	2	2	4	2	2	0	0	0	22
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.05)	(0.01)	(0.04)	(0.03)	(0.03)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	5%	0%	18%	5%	14%	9%	9%	18%	9%	9%	0%	0%	0%	100%
手足口病	報告数	0	1	3	3	2	1	0	0	0	1	0	0	0	1	12
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	8%	25%	25%	17%	8%	0%	0%	0%	8%	0%	0%	0%	8%	100%
伝染性紅斑	報告数	0	0	0	0	2	1	0	0	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	0%	50%	25%	0%	0%	0%	0%	0%	25%	0%	0%	100%
突発性発しん	報告数	0	6	4	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.08)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	55%	36%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	1	5	3	1	0	0	0	0	0	0	0	0	1	12
	(定点あたり)	(0.01)	(0.01)	(0.06)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	8%	8%	42%	25%	8%	0%	0%	0%	0%	0%	0%	0%	0%	8%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	1	2	0	2	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	0%	0%	14%	14%	0%	14%	29%	0%	29%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。