

2018年 第05週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 10 | 56 | 153 | 202 | 257 | 363 | 448 | 470 | 410 | 386 | 305 | 1129 | 310 | 217 | 291 | 388 | 265 | 192 | 128 | 141 | 6121 |
| | (定点あたり) | (0.08) | (0.44) | (1.21) | (1.60) | (2.04) | (2.88) | (3.56) | (3.73) | (3.25) | (3.06) | (2.42) | (8.96) | (2.46) | (1.72) | (2.31) | (3.08) | (2.10) | (1.52) | (1.02) | (1.12) | (48.58) |
| | 年齢構成比 | 0% | 1% | 2% | 3% | 4% | 6% | 7% | 8% | 7% | 6% | 5% | 18% | 5% | 4% | 5% | 6% | 4% | 3% | 2% | 2% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) | (0.11) | (0.06) | (0.06) | (0.00) | (0.00) | (0.50) |
| | 年齢構成比 | 0% | 0% | 11% | 11% | 0% | 0% | 0% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 22% | 22% | 11% | 11% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 4 | 27 | 87 | 112 | 143 | 181 | 232 | 238 | 220 | 206 | 167 | 607 | 191 | 104 | 110 | 165 | 122 | 92 | 54 | 48 | 3110 |
| | (定点あたり) | (0.03) | (0.21) | (0.69) | (0.89) | (1.13) | (1.44) | (1.84) | (1.89) | (1.75) | (1.63) | (1.33) | (4.82) | (1.52) | (0.83) | (0.87) | (1.31) | (0.97) | (0.73) | (0.43) | (0.38) | (24.68) |
| | 年齢構成比 | 0% | 1% | 3% | 4% | 5% | 6% | 7% | 8% | 7% | 7% | 5% | 20% | 6% | 3% | 4% | 5% | 4% | 3% | 2% | 2% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.33) |
| | 年齢構成比 | 0% | 0% | 17% | 0% | 0% | 0% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 17% | 17% | 0% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 6 | 29 | 66 | 90 | 114 | 182 | 216 | 232 | 190 | 180 | 138 | 522 | 119 | 113 | 181 | 223 | 143 | 100 | 74 | 93 | 3011 |
| | (定点あたり) | (0.05) | (0.23) | (0.52) | (0.71) | (0.90) | (1.44) | (1.71) | (1.84) | (1.51) | (1.43) | (1.10) | (4.14) | (0.94) | (0.90) | (1.44) | (1.77) | (1.13) | (0.79) | (0.59) | (0.74) | (23.90) |
| | 年齢構成比 | 0% | 1% | 2% | 3% | 4% | 6% | 7% | 8% | 6% | 6% | 5% | 17% | 4% | 4% | 6% | 7% | 5% | 3% | 2% | 3% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 33% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第05週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 3 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| | (定点あたり) | (0.04) | (0.05) | (0.08) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 23% | 31% | 46% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 2 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 0% | 0% | 33% | 17% | 0% | 17% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 4 | 16 | 15 | 12 | 16 | 14 | 10 | 4 | 10 | 3 | 13 | 119 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.05) | (0.21) | (0.19) | (0.16) | (0.21) | (0.18) | (0.13) | (0.05) | (0.13) | (0.04) | (0.17) | (1.55) |
| | 年齢構成比 | 0% | 0% | 2% | 3% | 13% | 13% | 10% | 13% | 12% | 8% | 3% | 8% | 3% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 13 | 42 | 40 | 32 | 24 | 27 | 18 | 18 | 13 | 10 | 32 | 14 | 51 | 336 |
| | (定点あたり) | (0.03) | (0.17) | (0.55) | (0.52) | (0.42) | (0.31) | (0.35) | (0.23) | (0.23) | (0.17) | (0.13) | (0.42) | (0.18) | (0.66) | (4.36) |
| | 年齢構成比 | 1% | 4% | 13% | 12% | 10% | 7% | 8% | 5% | 5% | 4% | 3% | 10% | 4% | 15% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 6 | 2 | 0 | 1 | 1 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.01) | (0.08) | (0.03) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 7% | 14% | 7% | 43% | 14% | 0% | 7% | 7% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 20% | 40% | 40% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 1 | 5 | 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| | (定点あたり) | (0.01) | (0.06) | (0.22) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.31) |
| | 年齢構成比 | 4% | 21% | 71% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.05) |
| | 年齢構成比 | 0% | 0% | 25% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 2 | 0 | 0 | 1 | 2 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.01) | (0.01) | (0.00) | (0.03) | (0.00) | (0.00) | (0.01) | (0.03) | (0.12) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 22% | 11% | 11% | 0% | 22% | 0% | 0% | 11% | 22% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第05週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 3 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.04) | (0.04) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.10) |
| | 年齢構成比 | 38% | 38% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 4 | 11 | 13 | 5 | 6 | 7 | 6 | 0 | 2 | 1 | 3 | 59 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.05) | (0.14) | (0.17) | (0.06) | (0.08) | (0.09) | (0.08) | (0.00) | (0.03) | (0.01) | (0.04) | (0.77) |
| | 年齢構成比 | 0% | 0% | 2% | 7% | 19% | 22% | 8% | 10% | 12% | 10% | 0% | 3% | 2% | 5% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 7 | 21 | 20 | 16 | 10 | 13 | 9 | 12 | 8 | 5 | 21 | 4 | 19 | 166 |
| | (定点あたり) | (0.01) | (0.09) | (0.27) | (0.26) | (0.21) | (0.13) | (0.17) | (0.12) | (0.16) | (0.10) | (0.06) | (0.27) | (0.05) | (0.25) | (2.16) |
| | 年齢構成比 | 1% | 4% | 13% | 12% | 10% | 6% | 8% | 5% | 7% | 5% | 3% | 13% | 2% | 11% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 2 | 0 | 1 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.05) | (0.03) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 11% | 44% | 22% | 0% | 11% | 11% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 25% | 50% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 1 | 3 | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.01) | (0.04) | (0.12) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 7% | 21% | 64% | 0% | 7% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.01) | (0.01) | (0.09) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 29% | 14% | 0% | 0% | 29% | 0% | 0% | 14% | 14% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第05週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 20% | 80% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 40% | 20% | 0% | 0% | 40% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 0 | 5 | 2 | 7 | 10 | 7 | 4 | 4 | 8 | 2 | 10 | 60 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.06) | (0.03) | (0.09) | (0.13) | (0.09) | (0.05) | (0.05) | (0.10) | (0.03) | (0.13) | (0.78) |
| | 年齢構成比 | 0% | 0% | 2% | 0% | 8% | 3% | 12% | 17% | 12% | 7% | 7% | 13% | 3% | 17% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 6 | 21 | 20 | 16 | 14 | 14 | 9 | 6 | 5 | 5 | 11 | 10 | 32 | 170 |
| | (定点あたり) | (0.01) | (0.08) | (0.27) | (0.26) | (0.21) | (0.18) | (0.18) | (0.12) | (0.08) | (0.06) | (0.06) | (0.14) | (0.13) | (0.42) | (2.21) |
| | 年齢構成比 | 1% | 4% | 12% | 12% | 9% | 8% | 8% | 5% | 4% | 3% | 3% | 6% | 6% | 19% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 20% | 40% | 0% | 40% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.03) | (0.10) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.13) |
| | 年齢構成比 | 0% | 20% | 80% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.04) |
| | 年齢構成比 | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 50% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。