

2019年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 1 | 1 | 7 | 10 | 5 | 10 | 4 | 7 | 1 | 7 | 34 | 22 | 17 | 14 | 6 | 7 | 10 | 4 | 2 | 169 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.06) | (0.08) | (0.04) | (0.08) | (0.03) | (0.06) | (0.01) | (0.06) | (0.27) | (0.18) | (0.14) | (0.11) | (0.05) | (0.06) | (0.08) | (0.03) | (0.02) | (1.35) |
| | 年齢構成比 | 0% | 1% | 1% | 4% | 6% | 3% | 6% | 2% | 4% | 1% | 4% | 20% | 13% | 10% | 8% | 4% | 4% | 6% | 2% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 33% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 3 | 8 | 4 | 3 | 1 | 4 | 0 | 4 | 20 | 12 | 8 | 7 | 0 | 3 | 4 | 3 | 1 | 85 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.02) | (0.06) | (0.03) | (0.02) | (0.01) | (0.03) | (0.00) | (0.03) | (0.16) | (0.10) | (0.06) | (0.06) | (0.00) | (0.02) | (0.03) | (0.02) | (0.01) | (0.68) |
| | 年齢構成比 | 0% | 0% | 0% | 4% | 9% | 5% | 4% | 1% | 5% | 0% | 5% | 24% | 14% | 9% | 8% | 0% | 4% | 5% | 4% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 1 | 1 | 4 | 2 | 1 | 7 | 3 | 3 | 1 | 3 | 14 | 10 | 9 | 7 | 6 | 4 | 6 | 1 | 1 | 84 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.03) | (0.02) | (0.01) | (0.06) | (0.02) | (0.02) | (0.01) | (0.02) | (0.11) | (0.08) | (0.07) | (0.06) | (0.05) | (0.03) | (0.05) | (0.01) | (0.01) | (0.67) |
| | 年齢構成比 | 0% | 1% | 1% | 5% | 2% | 1% | 8% | 4% | 4% | 1% | 4% | 17% | 12% | 11% | 8% | 7% | 5% | 7% | 1% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 1 | 5 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.01) | (0.07) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.13) |
| | 年齢構成比 | 10% | 50% | 30% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 10 | 4 | 3 | 3 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 24 |
| | (定点あたり) | (0.00) | (0.00) | (0.13) | (0.05) | (0.04) | (0.04) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.32) |
| | 年齢構成比 | 0% | 0% | 42% | 17% | 13% | 13% | 13% | 0% | 0% | 0% | 0% | 4% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 2 | 6 | 6 | 13 | 9 | 8 | 7 | 7 | 7 | 5 | 4 | 1 | 14 | 89 |
| | (定点あたり) | (0.00) | (0.03) | (0.08) | (0.08) | (0.17) | (0.12) | (0.11) | (0.09) | (0.09) | (0.09) | (0.07) | (0.05) | (0.01) | (0.18) | (1.17) |
| | 年齢構成比 | 0% | 2% | 7% | 7% | 15% | 10% | 9% | 8% | 8% | 8% | 6% | 4% | 1% | 16% | 100% |
| 感染性胃腸炎 | 報告数 | 6 | 36 | 91 | 71 | 69 | 49 | 29 | 21 | 17 | 21 | 12 | 30 | 8 | 38 | 498 |
| | (定点あたり) | (0.08) | (0.47) | (1.20) | (0.93) | (0.91) | (0.64) | (0.38) | (0.28) | (0.22) | (0.28) | (0.16) | (0.39) | (0.11) | (0.50) | (6.55) |
| | 年齢構成比 | 1% | 7% | 18% | 14% | 14% | 10% | 6% | 4% | 3% | 4% | 2% | 6% | 2% | 8% | 100% |
| 水痘 | 報告数 | 1 | 2 | 1 | 0 | 1 | 4 | 2 | 2 | 5 | 1 | 1 | 2 | 0 | 0 | 22 |
| | (定点あたり) | (0.01) | (0.03) | (0.01) | (0.00) | (0.01) | (0.05) | (0.03) | (0.03) | (0.07) | (0.01) | (0.01) | (0.03) | (0.00) | (0.00) | (0.29) |
| | 年齢構成比 | 5% | 9% | 5% | 0% | 5% | 18% | 9% | 9% | 23% | 5% | 5% | 9% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 7 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.00) | (0.09) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.13) |
| | 年齢構成比 | 0% | 0% | 70% | 0% | 20% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 5 | 1 | 8 | 10 | 11 | 3 | 6 | 1 | 3 | 3 | 0 | 0 | 51 |
| | (定点あたり) | (0.00) | (0.00) | (0.07) | (0.01) | (0.11) | (0.13) | (0.14) | (0.04) | (0.08) | (0.01) | (0.04) | (0.04) | (0.00) | (0.00) | (0.67) |
| | 年齢構成比 | 0% | 0% | 10% | 2% | 16% | 20% | 22% | 6% | 12% | 2% | 6% | 6% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 7 | 19 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.09) | (0.25) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.36) |
| | 年齢構成比 | 0% | 26% | 70% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 33% | 33% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 33% | 33% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 75% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 8 | 1 | 1 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.00) | (0.00) | (0.11) | (0.01) | (0.01) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.20) |
| | 年齢構成比 | 0% | 0% | 53% | 7% | 7% | 13% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 2 | 2 | 4 | 9 | 5 | 5 | 3 | 2 | 4 | 3 | 3 | 1 | 6 | 49 |
| | (定点あたり) | (0.00) | (0.03) | (0.03) | (0.05) | (0.12) | (0.07) | (0.07) | (0.04) | (0.03) | (0.05) | (0.04) | (0.04) | (0.01) | (0.08) | (0.64) |
| | 年齢構成比 | 0% | 4% | 4% | 8% | 18% | 10% | 10% | 6% | 4% | 8% | 6% | 6% | 2% | 12% | 100% |
| 感染性胃腸炎 | 報告数 | 5 | 19 | 56 | 40 | 35 | 23 | 16 | 12 | 7 | 9 | 6 | 19 | 3 | 14 | 264 |
| | (定点あたり) | (0.07) | (0.25) | (0.74) | (0.53) | (0.46) | (0.30) | (0.21) | (0.16) | (0.09) | (0.12) | (0.08) | (0.25) | (0.04) | (0.18) | (3.47) |
| | 年齢構成比 | 2% | 7% | 21% | 15% | 13% | 9% | 6% | 5% | 3% | 3% | 2% | 7% | 1% | 5% | 100% |
| 水痘 | 報告数 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.03) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 11% | 0% | 0% | 11% | 11% | 11% | 22% | 11% | 11% | 11% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 5 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.07) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 63% | 0% | 25% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 1 | 1 | 3 | 6 | 7 | 2 | 3 | 0 | 2 | 2 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.04) | (0.08) | (0.09) | (0.03) | (0.04) | (0.00) | (0.03) | (0.03) | (0.00) | (0.00) | (0.36) |
| | 年齢構成比 | 0% | 0% | 4% | 4% | 11% | 22% | 26% | 7% | 11% | 0% | 7% | 7% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 4 | 13 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.05) | (0.17) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.24) |
| | 年齢構成比 | 0% | 22% | 72% | 0% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.01) | (0.03) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 17% | 33% | 33% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 2 | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.04) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 22% | 33% | 22% | 11% | 0% | 0% | 0% | 0% | 0% | 11% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 4 | 2 | 4 | 4 | 3 | 4 | 5 | 3 | 2 | 1 | 0 | 8 | 40 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.03) | (0.05) | (0.05) | (0.04) | (0.05) | (0.07) | (0.04) | (0.03) | (0.01) | (0.00) | (0.11) | (0.53) |
| | 年齢構成比 | 0% | 0% | 10% | 5% | 10% | 10% | 8% | 10% | 13% | 8% | 5% | 3% | 0% | 20% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 17 | 35 | 31 | 34 | 26 | 13 | 9 | 10 | 12 | 6 | 11 | 5 | 24 | 234 |
| | (定点あたり) | (0.01) | (0.22) | (0.46) | (0.41) | (0.45) | (0.34) | (0.17) | (0.12) | (0.13) | (0.16) | (0.08) | (0.14) | (0.07) | (0.32) | (3.08) |
| | 年齢構成比 | 0% | 7% | 15% | 13% | 15% | 11% | 6% | 4% | 4% | 5% | 3% | 5% | 2% | 10% | 100% |
| 水痘 | 報告数 | 1 | 2 | 0 | 0 | 1 | 3 | 1 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 13 |
| | (定点あたり) | (0.01) | (0.03) | (0.00) | (0.00) | (0.01) | (0.04) | (0.01) | (0.01) | (0.04) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 8% | 15% | 0% | 0% | 8% | 23% | 8% | 8% | 23% | 0% | 0% | 8% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 4 | 0 | 5 | 4 | 4 | 1 | 3 | 1 | 1 | 1 | 0 | 0 | 24 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.00) | (0.07) | (0.05) | (0.05) | (0.01) | (0.04) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.32) |
| | 年齢構成比 | 0% | 0% | 17% | 0% | 21% | 17% | 17% | 4% | 13% | 4% | 4% | 4% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.04) | (0.08) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 33% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。