

2019年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 1 | 2 | 0 | 5 | 2 | 10 | 18 | 9 | 15 | 8 | 15 | 5 | 5 | 6 | 1 | 2 | 0 | 0 | 0 | 104 |
| | (定点あたり) | (0.00) | (0.01) | (0.02) | (0.00) | (0.04) | (0.02) | (0.08) | (0.14) | (0.07) | (0.12) | (0.06) | (0.12) | (0.04) | (0.04) | (0.05) | (0.01) | (0.02) | (0.00) | (0.00) | (0.00) | (0.83) |
| | 年齢構成比 | 0% | 1% | 2% | 0% | 5% | 2% | 10% | 17% | 9% | 14% | 8% | 14% | 5% | 5% | 6% | 1% | 2% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.12) | (0.00) | (0.06) | (0.00) | (0.00) | (0.35) |
| | 年齢構成比 | 0% | 0% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 17% | 0% | 17% | 33% | 0% | 17% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 1 | 1 | 0 | 3 | 2 | 2 | 10 | 5 | 9 | 7 | 10 | 0 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 55 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.02) | (0.02) | (0.02) | (0.08) | (0.04) | (0.07) | (0.06) | (0.08) | (0.00) | (0.02) | (0.02) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.44) |
| | 年齢構成比 | 0% | 2% | 2% | 0% | 5% | 4% | 4% | 18% | 9% | 16% | 13% | 18% | 0% | 4% | 4% | 0% | 2% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.00) | (0.00) | (0.24) |
| | 年齢構成比 | 0% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 0% | 25% | 0% | 25% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 1 | 0 | 2 | 0 | 8 | 8 | 4 | 6 | 1 | 5 | 5 | 3 | 4 | 1 | 1 | 0 | 0 | 0 | 49 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.02) | (0.00) | (0.06) | (0.06) | (0.03) | (0.05) | (0.01) | (0.04) | (0.04) | (0.02) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.39) |
| | 年齢構成比 | 0% | 0% | 2% | 0% | 4% | 0% | 16% | 16% | 8% | 12% | 2% | 10% | 10% | 6% | 8% | 2% | 2% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.04) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 60% | 0% | 40% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 6 | 24 | 14 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 49 |
| | (定点あたり) | (0.00) | (0.08) | (0.31) | (0.18) | (0.03) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.64) |
| | 年齢構成比 | 0% | 12% | 49% | 29% | 4% | 4% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 4 | 8 | 9 | 23 | 23 | 23 | 15 | 13 | 8 | 12 | 17 | 1 | 13 | 169 |
| | (定点あたり) | (0.00) | (0.05) | (0.10) | (0.12) | (0.30) | (0.30) | (0.30) | (0.19) | (0.17) | (0.10) | (0.16) | (0.22) | (0.01) | (0.17) | (2.19) |
| | 年齢構成比 | 0% | 2% | 5% | 5% | 14% | 14% | 14% | 9% | 8% | 5% | 7% | 10% | 1% | 8% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 30 | 58 | 39 | 55 | 38 | 47 | 25 | 33 | 29 | 16 | 31 | 1 | 48 | 452 |
| | (定点あたり) | (0.03) | (0.39) | (0.75) | (0.51) | (0.71) | (0.49) | (0.61) | (0.32) | (0.43) | (0.38) | (0.21) | (0.40) | (0.01) | (0.62) | (5.87) |
| | 年齢構成比 | 0% | 7% | 13% | 9% | 12% | 8% | 10% | 6% | 7% | 6% | 4% | 7% | 0% | 11% | 100% |
| 水痘 | 報告数 | 1 | 0 | 3 | 2 | 2 | 2 | 6 | 0 | 5 | 2 | 2 | 1 | 0 | 0 | 26 |
| | (定点あたり) | (0.01) | (0.00) | (0.04) | (0.03) | (0.03) | (0.03) | (0.08) | (0.00) | (0.06) | (0.03) | (0.03) | (0.01) | (0.00) | (0.00) | (0.34) |
| | 年齢構成比 | 4% | 0% | 12% | 8% | 8% | 8% | 23% | 0% | 19% | 8% | 8% | 4% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 3 | 17 | 90 | 35 | 3 | 4 | 2 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 158 |
| | (定点あたり) | (0.04) | (0.22) | (1.17) | (0.45) | (0.04) | (0.05) | (0.03) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (2.05) |
| | 年齢構成比 | 2% | 11% | 57% | 22% | 2% | 3% | 1% | 1% | 1% | 1% | 0% | 0% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 2 | 5 | 9 | 11 | 10 | 7 | 9 | 7 | 4 | 2 | 0 | 0 | 67 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.06) | (0.12) | (0.14) | (0.13) | (0.09) | (0.12) | (0.09) | (0.05) | (0.03) | (0.00) | (0.00) | (0.87) |
| | 年齢構成比 | 0% | 1% | 3% | 7% | 13% | 16% | 15% | 10% | 13% | 10% | 6% | 3% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 12 | 9 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28 |
| | (定点あたり) | (0.00) | (0.16) | (0.12) | (0.06) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.36) |
| | 年齢構成比 | 0% | 43% | 32% | 18% | 4% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 1 | 2 | 10 | 7 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 26 |
| | (定点あたり) | (0.01) | (0.03) | (0.13) | (0.09) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.34) |
| | 年齢構成比 | 4% | 8% | 38% | 27% | 8% | 12% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.05) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.10) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 13% | 25% | 0% | 50% | 0% | 0% | 0% | 13% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 3 | 14 | 10 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 31 |
| | (定点あたり) | (0.00) | (0.04) | (0.18) | (0.13) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.40) |
| | 年齢構成比 | 0% | 10% | 45% | 32% | 3% | 6% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 4 | 5 | 5 | 13 | 17 | 15 | 9 | 6 | 3 | 7 | 9 | 0 | 5 | 98 |
| | (定点あたり) | (0.00) | (0.05) | (0.06) | (0.06) | (0.17) | (0.22) | (0.19) | (0.12) | (0.08) | (0.04) | (0.09) | (0.12) | (0.00) | (0.06) | (1.27) |
| | 年齢構成比 | 0% | 4% | 5% | 5% | 13% | 17% | 15% | 9% | 6% | 3% | 7% | 9% | 0% | 5% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 13 | 32 | 24 | 30 | 26 | 29 | 16 | 11 | 20 | 10 | 16 | 1 | 16 | 246 |
| | (定点あたり) | (0.03) | (0.17) | (0.42) | (0.31) | (0.39) | (0.34) | (0.38) | (0.21) | (0.14) | (0.26) | (0.13) | (0.21) | (0.01) | (0.21) | (3.19) |
| | 年齢構成比 | 1% | 5% | 13% | 10% | 12% | 11% | 12% | 7% | 4% | 8% | 4% | 7% | 0% | 7% | 100% |
| 水痘 | 報告数 | 0 | 0 | 3 | 2 | 1 | 1 | 3 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.03) | (0.01) | (0.01) | (0.04) | (0.00) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 0% | 21% | 14% | 7% | 7% | 21% | 0% | 14% | 7% | 7% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 2 | 11 | 53 | 20 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 91 |
| | (定点あたり) | (0.03) | (0.14) | (0.69) | (0.26) | (0.01) | (0.03) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (1.18) |
| | 年齢構成比 | 2% | 12% | 58% | 22% | 1% | 2% | 1% | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 2 | 3 | 4 | 7 | 5 | 4 | 6 | 3 | 4 | 0 | 0 | 0 | 39 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.04) | (0.05) | (0.09) | (0.06) | (0.05) | (0.08) | (0.04) | (0.05) | (0.00) | (0.00) | (0.00) | (0.51) |
| | 年齢構成比 | 0% | 3% | 5% | 8% | 10% | 18% | 13% | 10% | 15% | 8% | 10% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 3 | 6 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.04) | (0.08) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 23% | 46% | 15% | 8% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 1 | 4 | 4 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.05) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 0% | 8% | 33% | 33% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 25% | 0% | 0% | 75% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 50% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 3 | 10 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.04) | (0.13) | (0.05) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.23) |
| | 年齢構成比 | 0% | 17% | 56% | 22% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 3 | 4 | 10 | 6 | 8 | 6 | 7 | 5 | 5 | 8 | 1 | 8 | 71 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.05) | (0.13) | (0.08) | (0.10) | (0.08) | (0.09) | (0.06) | (0.06) | (0.10) | (0.01) | (0.10) | (0.92) |
| | 年齢構成比 | 0% | 0% | 4% | 6% | 14% | 8% | 11% | 8% | 10% | 7% | 7% | 11% | 1% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 0 | 17 | 26 | 15 | 25 | 12 | 18 | 9 | 22 | 9 | 6 | 15 | 0 | 32 | 206 |
| | (定点あたり) | (0.00) | (0.22) | (0.34) | (0.19) | (0.32) | (0.16) | (0.23) | (0.12) | (0.29) | (0.12) | (0.08) | (0.19) | (0.00) | (0.42) | (2.68) |
| | 年齢構成比 | 0% | 8% | 13% | 7% | 12% | 6% | 9% | 4% | 11% | 4% | 3% | 7% | 0% | 16% | 100% |
| 水痘 | 報告数 | 1 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 3 | 1 | 1 | 1 | 0 | 0 | 12 |
| | (定点あたり) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.04) | (0.00) | (0.04) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 8% | 0% | 0% | 0% | 8% | 8% | 25% | 0% | 25% | 8% | 8% | 8% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 6 | 37 | 15 | 2 | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 67 |
| | (定点あたり) | (0.01) | (0.08) | (0.48) | (0.19) | (0.03) | (0.03) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.87) |
| | 年齢構成比 | 1% | 9% | 55% | 22% | 3% | 3% | 1% | 1% | 0% | 1% | 0% | 0% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 2 | 5 | 4 | 5 | 3 | 3 | 4 | 0 | 2 | 0 | 0 | 28 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.03) | (0.06) | (0.05) | (0.06) | (0.04) | (0.04) | (0.05) | (0.00) | (0.03) | (0.00) | (0.00) | (0.36) |
| | 年齢構成比 | 0% | 0% | 0% | 7% | 18% | 14% | 18% | 11% | 11% | 14% | 0% | 7% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 9 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.00) | (0.12) | (0.04) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.19) |
| | 年齢構成比 | 0% | 60% | 20% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 1 | 1 | 6 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 14 |
| | (定点あたり) | (0.01) | (0.01) | (0.08) | (0.04) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.18) |
| | 年齢構成比 | 7% | 7% | 43% | 21% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 7% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 25% | 0% | 0% | 0% | 25% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。