

2019年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 10 | 32 | 86 | 99 | 93 | 140 | 167 | 175 | 146 | 137 | 119 | 415 | 73 | 140 | 146 | 212 | 116 | 61 | 40 | 24 | 2431 |
| | (定点あたり) | (0.08) | (0.26) | (0.69) | (0.80) | (0.75) | (1.13) | (1.35) | (1.41) | (1.18) | (1.10) | (0.96) | (3.35) | (0.59) | (1.13) | (1.18) | (1.71) | (0.94) | (0.49) | (0.32) | (0.19) | (19.60) |
| | 年齢構成比 | 0% | 1% | 4% | 4% | 4% | 6% | 7% | 7% | 6% | 6% | 5% | 17% | 3% | 6% | 6% | 9% | 5% | 3% | 2% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 7 | 19 | 42 | 55 | 54 | 81 | 79 | 89 | 75 | 82 | 66 | 228 | 48 | 70 | 60 | 96 | 56 | 28 | 19 | 14 | 1268 |
| | (定点あたり) | (0.06) | (0.15) | (0.34) | (0.44) | (0.44) | (0.65) | (0.64) | (0.72) | (0.60) | (0.66) | (0.53) | (1.84) | (0.39) | (0.56) | (0.48) | (0.77) | (0.45) | (0.23) | (0.15) | (0.11) | (10.23) |
| | 年齢構成比 | 1% | 1% | 3% | 4% | 4% | 6% | 6% | 7% | 6% | 6% | 5% | 18% | 4% | 6% | 5% | 8% | 4% | 2% | 1% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 3 | 13 | 44 | 44 | 39 | 59 | 88 | 86 | 71 | 55 | 53 | 187 | 25 | 70 | 86 | 116 | 60 | 33 | 21 | 10 | 1163 |
| | (定点あたり) | (0.02) | (0.10) | (0.35) | (0.35) | (0.31) | (0.48) | (0.71) | (0.69) | (0.57) | (0.44) | (0.43) | (1.51) | (0.20) | (0.56) | (0.69) | (0.94) | (0.48) | (0.27) | (0.17) | (0.08) | (9.38) |
| | 年齢構成比 | 0% | 1% | 4% | 4% | 3% | 5% | 8% | 7% | 6% | 5% | 5% | 16% | 2% | 6% | 7% | 10% | 5% | 3% | 2% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 8 | 4 | 8 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 34 |
| | (定点あたり) | (0.11) | (0.05) | (0.11) | (0.17) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.45) |
| | 年齢構成比 | 24% | 12% | 24% | 38% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 7 | 6 | 9 | 7 | 3 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 40 |
| | (定点あたり) | (0.00) | (0.03) | (0.09) | (0.08) | (0.12) | (0.09) | (0.04) | (0.03) | (0.03) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.53) |
| | 年齢構成比 | 0% | 5% | 18% | 15% | 23% | 18% | 8% | 5% | 5% | 0% | 0% | 5% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 1 | 3 | 7 | 16 | 19 | 37 | 19 | 12 | 11 | 6 | 11 | 13 | 2 | 16 | 173 |
| | (定点あたり) | (0.01) | (0.04) | (0.09) | (0.21) | (0.25) | (0.49) | (0.25) | (0.16) | (0.14) | (0.08) | (0.14) | (0.17) | (0.03) | (0.21) | (2.28) |
| | 年齢構成比 | 1% | 2% | 4% | 9% | 11% | 21% | 11% | 7% | 6% | 3% | 6% | 8% | 1% | 9% | 100% |
| 感染性胃腸炎 | 報告数 | 4 | 28 | 60 | 53 | 51 | 46 | 41 | 28 | 18 | 15 | 13 | 32 | 8 | 60 | 457 |
| | (定点あたり) | (0.05) | (0.37) | (0.79) | (0.70) | (0.67) | (0.61) | (0.54) | (0.37) | (0.24) | (0.20) | (0.17) | (0.42) | (0.11) | (0.79) | (6.01) |
| | 年齢構成比 | 1% | 6% | 13% | 12% | 11% | 10% | 9% | 6% | 4% | 3% | 3% | 7% | 2% | 13% | 100% |
| 水痘 | 報告数 | 0 | 2 | 3 | 0 | 1 | 1 | 3 | 3 | 4 | 4 | 3 | 7 | 0 | 0 | 31 |
| | (定点あたり) | (0.00) | (0.03) | (0.04) | (0.00) | (0.01) | (0.01) | (0.04) | (0.04) | (0.05) | (0.05) | (0.04) | (0.09) | (0.00) | (0.00) | (0.41) |
| | 年齢構成比 | 0% | 6% | 10% | 0% | 3% | 3% | 10% | 10% | 13% | 13% | 10% | 23% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 4 | 7 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.09) | (0.04) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比 | 0% | 0% | 25% | 44% | 19% | 6% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 1 | 1 | 4 | 5 | 7 | 3 | 3 | 0 | 1 | 2 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.05) | (0.07) | (0.09) | (0.04) | (0.04) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.36) |
| | 年齢構成比 | 0% | 0% | 4% | 4% | 15% | 19% | 26% | 11% | 11% | 0% | 4% | 7% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 3 | 7 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.04) | (0.09) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 21% | 50% | 14% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 4 | 2 | 4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| | (定点あたり) | (0.05) | (0.03) | (0.05) | (0.11) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.24) |
| | 年齢構成比 | 22% | 11% | 22% | 44% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 4 | 1 | 6 | 3 | 2 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 22 |
| | (定点あたり) | (0.00) | (0.03) | (0.05) | (0.01) | (0.08) | (0.04) | (0.03) | (0.01) | (0.03) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.29) |
| | 年齢構成比 | 0% | 9% | 18% | 5% | 27% | 14% | 9% | 5% | 9% | 0% | 0% | 5% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 1 | 1 | 5 | 14 | 11 | 19 | 12 | 6 | 3 | 3 | 7 | 9 | 1 | 6 | 98 |
| | (定点あたり) | (0.01) | (0.01) | (0.07) | (0.18) | (0.14) | (0.25) | (0.16) | (0.08) | (0.04) | (0.04) | (0.09) | (0.12) | (0.01) | (0.08) | (1.29) |
| | 年齢構成比 | 1% | 1% | 5% | 14% | 11% | 19% | 12% | 6% | 3% | 3% | 7% | 9% | 1% | 6% | 100% |
| 感染性胃腸炎 | 報告数 | 3 | 13 | 32 | 29 | 33 | 25 | 22 | 14 | 8 | 4 | 9 | 19 | 2 | 21 | 234 |
| | (定点あたり) | (0.04) | (0.17) | (0.42) | (0.38) | (0.43) | (0.33) | (0.29) | (0.18) | (0.11) | (0.05) | (0.12) | (0.25) | (0.03) | (0.28) | (3.08) |
| | 年齢構成比 | 1% | 6% | 14% | 12% | 14% | 11% | 9% | 6% | 3% | 2% | 4% | 8% | 1% | 9% | 100% |
| 水痘 | 報告数 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 1 | 2 | 4 | 1 | 5 | 0 | 0 | 17 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.03) | (0.01) | (0.03) | (0.05) | (0.01) | (0.07) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 12% | 0% | 0% | 0% | 12% | 6% | 12% | 24% | 6% | 29% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 2 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.05) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 25% | 50% | 13% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 1 | 4 | 5 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.05) | (0.07) | (0.03) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 7% | 29% | 36% | 14% | 7% | 0% | 0% | 7% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 3 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.04) | (0.03) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.09) |
| | 年齢構成比 | 0% | 43% | 29% | 14% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 4 | 2 | 4 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| | (定点あたり) | (0.05) | (0.03) | (0.05) | (0.07) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比 | 25% | 13% | 25% | 31% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 3 | 5 | 3 | 4 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.07) | (0.04) | (0.05) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.24) |
| | 年齢構成比 | 0% | 0% | 17% | 28% | 17% | 22% | 6% | 6% | 0% | 0% | 0% | 6% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 2 | 2 | 2 | 8 | 18 | 7 | 6 | 8 | 3 | 4 | 4 | 1 | 10 | 75 |
| | (定点あたり) | (0.00) | (0.03) | (0.03) | (0.03) | (0.11) | (0.24) | (0.09) | (0.08) | (0.11) | (0.04) | (0.05) | (0.05) | (0.01) | (0.13) | (0.99) |
| | 年齢構成比 | 0% | 3% | 3% | 3% | 11% | 24% | 9% | 8% | 11% | 4% | 5% | 5% | 1% | 13% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 15 | 28 | 24 | 18 | 21 | 19 | 14 | 10 | 11 | 4 | 13 | 6 | 39 | 223 |
| | (定点あたり) | (0.01) | (0.20) | (0.37) | (0.32) | (0.24) | (0.28) | (0.25) | (0.18) | (0.13) | (0.14) | (0.05) | (0.17) | (0.08) | (0.51) | (2.93) |
| | 年齢構成比 | 0% | 7% | 13% | 11% | 8% | 9% | 9% | 6% | 4% | 5% | 2% | 6% | 3% | 17% | 100% |
| 水痘 | 報告数 | 0 | 2 | 1 | 0 | 1 | 1 | 1 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.03) | (0.01) | (0.00) | (0.01) | (0.01) | (0.01) | (0.03) | (0.03) | (0.00) | (0.03) | (0.03) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 14% | 7% | 0% | 7% | 7% | 7% | 14% | 14% | 0% | 14% | 14% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 2 | 3 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.04) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 25% | 38% | 25% | 0% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 1 | 1 | 3 | 1 | 2 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.04) | (0.01) | (0.03) | (0.01) | (0.03) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 8% | 8% | 23% | 8% | 15% | 8% | 15% | 0% | 8% | 8% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 0 | 5 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.07) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.09) |
| | 年齢構成比 | 0% | 0% | 71% | 14% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。