

2022年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 | |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) | (0.00) | (0.01) | (0.02) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 29% | 0% | 14% | 29% | 0% | 0% | 0% | 0% | 14% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 | |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 67% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 | |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 25% | 0% | 0% | 0% | 0% | 25% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2022年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | | 14歳 | 19歳 | |
| RSウイルス感染症 | 報告数 | 3 | 5 | 10 | 11 | 5 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 40 |
| | (定点あたり) | (0.04) | (0.07) | (0.13) | (0.14) | (0.07) | (0.05) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.53) |
| | 年齢構成比 | 8% | 13% | 25% | 28% | 13% | 10% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 2 | 3 | 11 | 11 | 15 | 10 | 6 | 5 | 5 | 4 | 2 | 8 | 1 | 10 | 93 |
| | (定点あたり) | (0.03) | (0.04) | (0.14) | (0.14) | (0.20) | (0.13) | (0.08) | (0.07) | (0.07) | (0.05) | (0.03) | (0.11) | (0.01) | (0.13) | (1.22) |
| | 年齢構成比 | 2% | 3% | 12% | 12% | 16% | 11% | 6% | 5% | 5% | 4% | 2% | 9% | 1% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 5 | 13 | 11 | 5 | 10 | 10 | 0 | 6 | 2 | 6 | 14 | 4 | 7 | 94 |
| | (定点あたり) | (0.01) | (0.07) | (0.17) | (0.14) | (0.07) | (0.13) | (0.13) | (0.00) | (0.08) | (0.03) | (0.08) | (0.18) | (0.05) | (0.09) | (1.24) |
| | 年齢構成比 | 1% | 5% | 14% | 12% | 5% | 11% | 11% | 0% | 6% | 2% | 6% | 15% | 4% | 7% | 100% |
| 水痘 | 報告数 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 0% | 25% | 0% | 0% | 25% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 2 | 13 | 68 | 46 | 20 | 7 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 163 |
| | (定点あたり) | (0.03) | (0.17) | (0.89) | (0.61) | (0.26) | (0.09) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (2.14) |
| | 年齢構成比 | 1% | 8% | 42% | 28% | 12% | 4% | 1% | 2% | 0% | 0% | 0% | 0% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 1 | 9 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.01) | (0.12) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 0% | 8% | 75% | 8% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 4 | 8 | 5 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 24 |
| | (定点あたり) | (0.00) | (0.05) | (0.11) | (0.07) | (0.07) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.32) |
| | 年齢構成比 | 0% | 17% | 33% | 21% | 21% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2022年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | | 14歳 | 19歳 | |
| RSウイルス感染症 | 報告数 | 1 | 2 | 5 | 9 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| | (定点あたり) | (0.01) | (0.03) | (0.07) | (0.12) | (0.03) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.28) |
| | 年齢構成比 | 5% | 10% | 24% | 43% | 10% | 5% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 1 | 2 | 5 | 5 | 10 | 4 | 2 | 3 | 2 | 3 | 1 | 2 | 1 | 4 | 45 |
| | (定点あたり) | (0.01) | (0.03) | (0.07) | (0.07) | (0.13) | (0.05) | (0.03) | (0.04) | (0.03) | (0.04) | (0.01) | (0.03) | (0.01) | (0.05) | (0.59) |
| | 年齢構成比 | 2% | 4% | 11% | 11% | 22% | 9% | 4% | 7% | 4% | 7% | 2% | 4% | 2% | 9% | 100% |
| 感染性胃腸炎 | 報告数 | 0 | 2 | 10 | 4 | 4 | 8 | 4 | 0 | 3 | 2 | 5 | 8 | 3 | 2 | 55 |
| | (定点あたり) | (0.00) | (0.03) | (0.13) | (0.05) | (0.05) | (0.11) | (0.05) | (0.00) | (0.04) | (0.03) | (0.07) | (0.11) | (0.04) | (0.03) | (0.72) |
| | 年齢構成比 | 0% | 4% | 18% | 7% | 7% | 15% | 7% | 0% | 5% | 4% | 9% | 15% | 5% | 4% | 100% |
| 水痘 | 報告数 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 0% | 25% | 0% | 0% | 25% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 8 | 39 | 19 | 10 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 83 |
| | (定点あたり) | (0.00) | (0.11) | (0.51) | (0.25) | (0.13) | (0.07) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (1.09) |
| | 年齢構成比 | 0% | 10% | 47% | 23% | 12% | 6% | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.09) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.09) |
| | 年齢構成比 | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 2 | 4 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 13 |
| | (定点あたり) | (0.00) | (0.03) | (0.05) | (0.04) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.17) |
| | 年齢構成比 | 0% | 15% | 31% | 23% | 23% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 8% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2022年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 2 | 3 | 5 | 2 | 3 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| | (定点あたり) | (0.03) | (0.04) | (0.07) | (0.03) | (0.04) | (0.04) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比 | 11% | 16% | 26% | 11% | 16% | 16% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 1 | 1 | 6 | 6 | 5 | 6 | 4 | 2 | 3 | 1 | 1 | 6 | 0 | 6 | 48 |
| | (定点あたり) | (0.01) | (0.01) | (0.08) | (0.08) | (0.07) | (0.08) | (0.05) | (0.03) | (0.04) | (0.01) | (0.01) | (0.08) | (0.00) | (0.08) | (0.63) |
| | 年齢構成比 | 2% | 2% | 13% | 13% | 10% | 13% | 8% | 4% | 6% | 2% | 2% | 13% | 0% | 13% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 3 | 3 | 7 | 1 | 2 | 6 | 0 | 3 | 0 | 1 | 6 | 1 | 5 | 39 |
| | (定点あたり) | (0.01) | (0.04) | (0.04) | (0.09) | (0.01) | (0.03) | (0.08) | (0.00) | (0.04) | (0.00) | (0.01) | (0.08) | (0.01) | (0.07) | (0.51) |
| | 年齢構成比 | 3% | 8% | 8% | 18% | 3% | 5% | 15% | 0% | 8% | 0% | 3% | 15% | 3% | 13% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 手足口病 | 報告数 | 2 | 5 | 29 | 27 | 10 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 80 |
| | (定点あたり) | (0.03) | (0.07) | (0.38) | (0.36) | (0.13) | (0.03) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (1.05) |
| | 年齢構成比 | 3% | 6% | 36% | 34% | 13% | 3% | 3% | 3% | 0% | 0% | 0% | 0% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 1 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比 | 0% | 20% | 40% | 20% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 2 | 4 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| | (定点あたり) | (0.00) | (0.03) | (0.05) | (0.03) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.14) |
| | 年齢構成比 | 0% | 18% | 36% | 18% | 18% | 0% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。