

2022年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20~ | 30~ | 40~ | 50~ | 60~ | 70~ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 1 | 3 | 2 | 1 | 2 | 5 | 3 | 6 | 3 | 14 | 4 | 4 | 4 | 5 | 1 | 2 | 0 | 1 | 61 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.02) | (0.02) | (0.01) | (0.02) | (0.04) | (0.02) | (0.05) | (0.02) | (0.11) | (0.03) | (0.03) | (0.03) | (0.04) | (0.01) | (0.02) | (0.00) | (0.01) | (0.49) |
| | 年齢構成比 | 0% | 0% | 2% | 5% | 3% | 2% | 3% | 8% | 5% | 10% | 5% | 23% | 7% | 7% | 7% | 8% | 2% | 3% | 0% | 2% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(2) 男性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20~ | 30~ | 40~ | 50~ | 60~ | 70~ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 3 | 3 | 1 | 1 | 8 | 3 | 3 | 2 | 1 | 1 | 0 | 0 | 1 | 32 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.02) | (0.00) | (0.01) | (0.01) | (0.02) | (0.02) | (0.01) | (0.01) | (0.06) | (0.02) | (0.02) | (0.02) | (0.01) | (0.01) | (0.00) | (0.00) | (0.01) | (0.26) |
| | 年齢構成比 | 0% | 0% | 0% | 9% | 0% | 3% | 3% | 9% | 9% | 3% | 3% | 25% | 9% | 9% | 6% | 3% | 3% | 0% | 0% | 3% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(3) 女性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20~ | 30~ | 40~ | 50~ | 60~ | 70~ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 2 | 0 | 5 | 2 | 6 | 1 | 1 | 2 | 4 | 0 | 2 | 0 | 0 | 29 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.02) | (0.00) | (0.01) | (0.02) | (0.00) | (0.04) | (0.02) | (0.05) | (0.01) | (0.01) | (0.02) | (0.03) | (0.00) | (0.02) | (0.00) | (0.00) | (0.23) |
| | 年齢構成比 | 0% | 0% | 3% | 0% | 7% | 0% | 3% | 7% | 0% | 17% | 7% | 21% | 3% | 3% | 7% | 14% | 0% | 7% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2022年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 5 | 1 | 3 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 16 |
| | (定点あたり) | (0.07) | (0.01) | (0.04) | (0.00) | (0.03) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.21) |
| | 年齢構成比 | 31% | 6% | 19% | 0% | 13% | 13% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 6% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 9 | 4 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| | (定点あたり) | (0.00) | (0.01) | (0.12) | (0.05) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比 | 0% | 6% | 56% | 25% | 6% | 0% | 0% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 1 | 0 | 4 | 5 | 3 | 10 | 3 | 4 | 4 | 1 | 5 | 7 | 3 | 9 | 59 |
| | (定点あたり) | (0.01) | (0.00) | (0.05) | (0.07) | (0.04) | (0.13) | (0.04) | (0.05) | (0.05) | (0.01) | (0.07) | (0.09) | (0.04) | (0.12) | (0.78) |
| | 年齢構成比 | 2% | 0% | 7% | 8% | 5% | 17% | 5% | 7% | 7% | 2% | 8% | 12% | 5% | 15% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 8 | 28 | 20 | 13 | 13 | 13 | 13 | 7 | 8 | 3 | 14 | 1 | 11 | 153 |
| | (定点あたり) | (0.01) | (0.11) | (0.37) | (0.26) | (0.17) | (0.17) | (0.17) | (0.17) | (0.09) | (0.11) | (0.04) | (0.18) | (0.01) | (0.14) | (2.01) |
| | 年齢構成比 | 1% | 5% | 18% | 13% | 8% | 8% | 8% | 8% | 5% | 5% | 2% | 9% | 1% | 7% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 1 | 3 | 1 | 2 | 2 | 1 | 0 | 0 | 2 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.04) | (0.01) | (0.03) | (0.03) | (0.01) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 0% | 0% | 0% | 8% | 25% | 8% | 17% | 17% | 8% | 0% | 0% | 17% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 4 | 30 | 16 | 9 | 5 | 2 | 0 | 2 | 0 | 1 | 0 | 0 | 2 | 71 |
| | (定点あたり) | (0.00) | (0.05) | (0.39) | (0.21) | (0.12) | (0.07) | (0.03) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.03) | (0.93) |
| | 年齢構成比 | 0% | 6% | 42% | 23% | 13% | 7% | 3% | 0% | 3% | 0% | 1% | 0% | 0% | 3% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 1 | 2 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.01) | (0.03) | (0.07) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.13) |
| | 年齢構成比 | 10% | 20% | 50% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 1 | 4 | 4 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.05) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 0% | 8% | 33% | 33% | 0% | 0% | 0% | 17% | 0% | 8% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2022年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 1 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 |
| | (定点あたり) | (0.01) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.08) |
| | 年齢構成比 | 17% | 0% | 33% | 0% | 17% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 17% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.07) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.09) |
| | 年齢構成比 | 0% | 0% | 71% | 14% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 1 | 0 | 2 | 3 | 3 | 4 | 2 | 2 | 1 | 0 | 3 | 4 | 1 | 3 | 29 |
| | (定点あたり) | (0.01) | (0.00) | (0.03) | (0.04) | (0.04) | (0.05) | (0.03) | (0.03) | (0.01) | (0.00) | (0.04) | (0.05) | (0.01) | (0.04) | (0.38) |
| | 年齢構成比 | 3% | 0% | 7% | 10% | 10% | 14% | 7% | 7% | 3% | 0% | 10% | 14% | 3% | 10% | 100% |
| 感染性胃腸炎 | 報告数 | 0 | 3 | 18 | 13 | 7 | 7 | 6 | 7 | 3 | 5 | 2 | 11 | 1 | 8 | 91 |
| | (定点あたり) | (0.00) | (0.04) | (0.24) | (0.17) | (0.09) | (0.09) | (0.08) | (0.09) | (0.04) | (0.07) | (0.03) | (0.14) | (0.01) | (0.11) | (1.20) |
| | 年齢構成比 | 0% | 3% | 20% | 14% | 8% | 8% | 7% | 8% | 3% | 5% | 2% | 12% | 1% | 9% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 2 | 1 | 0 | 0 | 2 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.01) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 22% | 11% | 11% | 22% | 11% | 0% | 0% | 22% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 18 | 9 | 5 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 39 |
| | (定点あたり) | (0.00) | (0.01) | (0.24) | (0.12) | (0.07) | (0.04) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.51) |
| | 年齢構成比 | 0% | 3% | 46% | 23% | 13% | 8% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 1 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.01) | (0.01) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 17% | 17% | 50% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 1 | 2 | 3 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 11% | 22% | 33% | 0% | 0% | 0% | 22% | 0% | 11% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2022年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | | 14歳 | 19歳 | |
| RSウイルス感染症 | 報告数 | 4 | 1 | 1 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.05) | (0.01) | (0.01) | (0.00) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.13) |
| | 年齢構成比 | 40% | 10% | 10% | 0% | 10% | 20% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 4 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.04) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 11% | 44% | 33% | 0% | 0% | 0% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 2 | 0 | 6 | 1 | 2 | 3 | 1 | 2 | 3 | 2 | 6 | 30 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.03) | (0.00) | (0.08) | (0.01) | (0.03) | (0.04) | (0.01) | (0.03) | (0.04) | (0.03) | (0.08) | (0.39) |
| | 年齢構成比 | 0% | 0% | 7% | 7% | 0% | 20% | 3% | 7% | 10% | 3% | 7% | 10% | 7% | 20% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 5 | 10 | 7 | 6 | 6 | 7 | 6 | 4 | 3 | 1 | 3 | 0 | 3 | 62 |
| | (定点あたり) | (0.01) | (0.07) | (0.13) | (0.09) | (0.08) | (0.08) | (0.09) | (0.08) | (0.05) | (0.04) | (0.01) | (0.04) | (0.00) | (0.04) | (0.82) |
| | 年齢構成比 | 2% | 8% | 16% | 11% | 10% | 10% | 11% | 10% | 6% | 5% | 2% | 5% | 0% | 5% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 33% | 33% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 3 | 12 | 7 | 4 | 2 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 32 |
| | (定点あたり) | (0.00) | (0.04) | (0.16) | (0.09) | (0.05) | (0.03) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.42) |
| | 年齢構成比 | 0% | 9% | 38% | 22% | 13% | 6% | 0% | 0% | 6% | 0% | 3% | 0% | 0% | 3% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 25% | 50% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 67% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。