

上杉放射線測定所

2013年07月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間			
1	28.1	28.2	28.1	28.2	28.3	28.6	28.7	28.4	28.6	28.5	28.4	28.4	28.5	28.5	28.5	28.8	28.6	28.5	28.6	28.5	28.5	28.5	28.6	28.5	28.7	28.8	28.1	28.5	0.2	24		
2	28.7	28.7	28.7	28.7	28.9	28.8	28.9	28.8	28.8	28.8	28.8	28.8	28.9	28.9	28.8	28.5	28.4	28.4	28.3	28.3	28.4	28.9	28.5	28.3	28.2	29.0	28.2	28.7	0.2	24		
3	28.4	28.4	28.5	28.5	29.5	28.8	32.6	29.8	28.7	28.5	28.4	28.4	28.1	28.2	28.2	28.0	28.1	28.6	29.1	29.1	28.6	28.4	28.4	28.4	32.6	28.0	28.9	1.1	24			
4	28.6	28.7	28.8	28.9	29.7	29.2	29.0	28.9	29.0	29.1	36.8	33.4	30.0	***	***	41.2	46.1	37.1	30.9	31.6	33.3	35.6	37.7	40.4	44.2	46.1	28.6	33.4	5.4	23		
5	42.5	39.3	37.1	36.1	34.9	33.1	29.0	27.9	28.2	27.8	27.6	27.5	27.4	***	27.5	27.4	27.5	27.6	27.7	27.6	27.6	27.6	27.5	27.6	27.5	42.5	30.1	4.5	24			
6	27.5	27.3	27.3	27.3	27.1	27.0	27.3	27.2	27.3	27.5	27.5	27.4	27.5	27.6	27.6	27.5	28.4	28.9	27.7	27.4	27.5	27.5	27.2	27.1	27.4	29.4	27.0	27.5	0.5	24		
7	27.5	27.6	27.6	27.6	27.8	27.9	27.9	27.6	27.6	27.5	27.5	27.4	27.8	27.9	27.9	32.2	32.2	32.6	29.2	28.5	28.5	29.0	29.4	29.6	29.7	32.6	27.5	28.5	1.4	24		
8	29.8	29.7	29.0	28.8	28.7	28.6	28.7	28.7	28.4	28.3	28.1	28.3	28.3	28.3	28.5	28.4	28.3	28.2	28.0	28.3	28.0	28.7	29.1	29.5	30.2	30.2	28.0	28.7	0.6	24		
9	30.4	30.6	31.1	31.0	30.8	31.2	31.3	30.6	30.3	29.8	29.0	28.9	29.0	29.1	28.9	28.7	28.4	28.3	28.2	28.0	28.6	28.1	29.9	30.1	30.5	31.3	28.2	29.7	1.0	24		
10	30.5	30.9	30.8	31.3	31.4	31.6	31.1	30.1	29.4	29.2	29.2	28.0	28.1	29.2	29.5	29.6	28.3	28.3	28.2	29.0	29.3	30.2	30.5	30.9	31.6	29.0	30.0	30.0	0.9	24		
11	31.6	31.5	31.5	30.7	30.1	29.8	29.5	29.4	29.1	29.3	29.5	29.6	29.4	29.6	29.7	29.9	29.7	29.9	29.4	29.3	29.2	29.8	30.2	30.8	31.3	31.6	29.1	30.0	0.8	24		
12	31.3	30.7	30.1	30.0	29.8	29.7	29.7	29.4	29.4	29.2	29.3	28.3	29.4	29.4	29.5	29.6	29.7	29.9	29.9	29.9	29.6	29.5	29.6	30.3	30.8	31.3	29.2	29.8	0.5	24		
13	31.0	30.7	30.5	30.2	30.5	31.4	31.6	31.0	29.9	29.9	29.9	30.7	30.5	30.3	38.6	33.5	30.3	29.0	30.3	30.7	29.4	28.4	28.4	28.3	28.7	38.6	28.3	30.6	2.0	24		
14	28.8	29.2	29.2	29.4	29.5	29.8	30.2	30.4	30.6	30.3	29.8	30.0	31.0	29.0	28.8	40.9	36.2	30.3	28.7	28.6	28.6	28.6	28.8	29.0	28.9	40.9	28.6	30.2	2.7	24		
15	29.3	29.8	29.8	30.0	29.6	29.3	28.3	27.6	27.9	28.0	28.7	28.7	28.2	28.8	29.0	29.0	28.1	28.0	28.2	28.1	28.2	28.2	28.5	28.5	28.5	31.5	27.6	28.8	0.9	24		
16	28.8	29.0	29.1	29.2	29.2	29.4	29.9	29.7	29.1	28.6	28.5	28.5	28.5	28.2	28.0	27.9	28.0	28.4	28.1	28.3	28.1	28.3	28.8	29.2	30.1	30.1	27.9	28.8	0.7	24		
17	30.2	30.5	31.3	31.4	31.2	30.8	30.3	30.0	29.4	28.8	28.5	28.3	28.6	28.7	28.7	28.5	28.5	28.5	28.5	28.5	28.6	28.0	28.8	28.7	28.5	31.4	28.3	29.4	1.0	24		
18	28.4	28.7	28.9	29.4	29.8	29.7	33.1	36.2	31.0	28.7	28.4	28.1	28.1	27.9	28.0	28.2	28.4	28.3	28.5	28.2	28.3	28.2	27.8	27.9	36.2	27.8	29.1	1.9	24			
19	27.7	27.9	27.9	27.8	27.7	27.7	27.9	27.8	27.8	27.8	27.8	27.8	27.9	28.0	28.0	28.0	27.9	28.0	28.0	28.0	27.9	27.7	27.8	28.1	28.5	28.5	27.7	27.9	0.2	24		
20	28.4	28.8	29.2	29.5	29.6	30.1	30.4	30.1	29.5	29.7	29.6	28.4	28.8	28.8	29.1	29.4	29.4	28.0	28.0	28.9	28.7	29.4	29.6	29.9	30.5	30.5	28.4	29.4	0.5	24		
21	30.5	31.1	31.3	31.8	32.3	32.3	32.3	31.8	31.2	30.5	30.3	30.2	29.9	30.1	30.2	30.1	29.7	30.0	30.0	30.0	30.9	31.3	31.3	31.9	32.3	32.3	28.7	31.0	0.9	24		
22	32.3	33.2	33.8	33.6	33.5	33.7	33.4	33.1	32.1	31.6	31.1	30.0	29.7	35.1	33.3	30.1	29.4	28.8	28.1	28.2	28.5	29.2	29.6	30.1	35.1	28.1	31.3	2.1	24			
23	30.4	30.7	30.8	31.2	31.8	32.4	32.4	31.9	31.9	30.4	29.7	29.2	29.2	28.7	28.7	28.7	28.7	28.6	28.7	28.8	28.8	29.3	30.1	30.4	30.5	32.4	28.6	30.1	1.3	24		
24	31.2	31.4	31.4	32.4	31.8	31.0	36.8	38.0	35.0	31.2	29.6	28.2	29.2	29.2	29.5	29.6	29.4	28.9	28.8	28.9	28.8	28.9	31.6	32.1	38.0	28.6	31.1	2.5	24			
25	30.3	29.7	29.6	29.5	29.8	29.9	30.0	29.4	29.5	29.5	29.3	29.2	29.4	29.4	29.5	36.4	32.2	30.1	29.8	29.8	30.4	30.0	29.8	30.1	30.3	36.4	29.2	30.1	1.5	24		
26	31.0	31.1	30.8	31.4	32.3	32.1	32.4	32.2	31.9	31.9	31.0	30.5	30.1	29.8	29.8	30.1	29.8	30.6	32.1	32.1	32.1	32.0	32.3	32.6	32.7	32.7	29.8	31.4	1.0	24		
27	33.0	33.2	33.2	32.8	32.9	33.0	33.5	33.3	33.2	32.8	32.2	30.8	30.5	30.4	30.4	30.6	30.6	30.6	30.6	30.1	29.7	30.0	30.6	30.7	31.1	33.5	29.7	31.6	1.3	24		
28	31.7	31.3	31.9	32.0	32.6	32.5	32.8	32.9	32.5	31.1	30.0	30.1	30.2	30.2	30.1	46.4	62.0	62.0	43.2	30.3	30.3	30.3	29.9	29.8	62.0	29.8	33.6	7.3	24			
29	30.1	31.5	30.0	30.2	30.4	34.3	40.7	38.5	36.3	34.1	32.1	31.3	30.1	28.7	28.5	28.3	29.0	28.7	33.0	30.8	29.2	29.2	29.2	29.5	40.7	28.3	31.4	3.3	24			
30	29.7	30.2	30.7	31.1	31.2	31.7	32.1	32.0	32.1	31.5	31.3	30.0	30.0	30.1	29.3	29.1	28.9	28.9	28.9	28.8	28.8	28.8	28.9	29.5	32.1	28.6	30.1	1.2	24			
31	29.4	30.1	30.6	30.8	31.3	31.8	31.7	32.1	32.3	32.1	31.3	30.6	30.5	30.3	30.2	30.3	29.6	30.1	29.7	29.2	29.3	29.8	30.9	35.1	35.1	29.2	30.8	1.3	24			
最大値	42.5	39.3	37.1	36.1	34.9	34.3	40.7	38.5	36.3	34.1	36.8	33.4	31.0	35.1	41.2	46.1	46.4	62.0	43.2	33.3	35.6	37.7	40.4	44.2	62.0	27.0	33.6					
最小値	27.5	27.3	27.3	27.3	27.1	27.0	27.3	27.2	27.3	27.5	27.5	27.4	27.4	27.4	27.5	27.4	27.5	27.6	27.7	27.6	27.5	27.5	27.2	27.1	27.4	27.0	27.0	27.5				
平均値	30.2	30.3	30.3	30.4	30.5	30.6	31.1	30.8	30.2	29.7	29.7	29.3	29.2	29.2	29.8	30.4	30.2	30.1	29.6	29.3	29.3	29.6	29.9	30.4	30.0	30.0	30.0	30.0				
標準偏差	2.7	2.2	2.0	1.8	1.8	1.8	2.8	2.8	2.2	1.7	1.9	1.3	1.0	1.4	2.9	4.0	3.7	6.0	2.8	1.5	1.5	1.9	2.3	3.1	3.1	2.6	2.6					
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	743			
有効測定日数	31																															
測定時間	743																															
測定値合計	22297.7																															
欠測時間数	1																															
1時間間の最大値	62.0																															
1時間間の最小値	27.0																															
平均値	30.0																															
日平均値の最大値	33.6																															
日平均値の最小値	27.5																															
TOTAL	96	101	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

上杉放射線測定所

2013年08月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均値	最大値	最小値	平均値	標準偏差	測定時間
1	32.2	31.4	31.1	31.0	37.5	49.4	54.0	57.0	58.7	48.2	44.8	39.1	33.5	30.0	29.0	29.0	28.7	28.4	28.1	28.0	28.2	28.7	28.9	29.1	58.7	28.0	36.0	10.2	24	
2	29.5	29.8	30.0	30.0	30.3	30.2	30.2	30.0	29.6	29.3	30.0	28.6	28.0	27.7	27.8	28.2	28.6	28.1	27.8	28.1	28.1	28.2	28.4	28.4	28.4	30.3	27.7	29.0	0.9	24
3	28.8	28.7	28.9	28.9	29.2	29.4	29.3	29.0	28.4	28.2	28.2	28.4	28.0	28.1	28.1	28.2	28.2	27.8	28.0	28.0	28.0	28.6	28.8	29.1	29.1	29.4	27.8	28.6	0.5	24
4	30.0	30.3	30.5	30.7	30.8	31.4	31.9	32.2	31.3	30.8	30.2	29.6	29.5	29.4	29.2	31.5	30.5	31.4	30.1	30.1	29.2	28.8	28.9	29.0	29.0	36.5	28.6	30.5	1.7	24
5	29.2	29.1	29.0	29.1	29.0	28.7	28.5	28.9	29.0	28.7	28.5	28.5	28.9	28.6	29.0	28.7	28.9	28.8	28.0	30.1	31.5	33.4	30.9	29.4	33.4	28.0	29.4	1.2	24	
6	29.0	29.2	29.7	29.6	29.7	30.3	30.4	30.6	29.8	29.4	28.9	28.8	28.9	28.8	28.7	28.7	28.5	28.4	28.4	28.7	28.4	29.4	29.8	29.5	30.6	28.4	29.3	0.6	24	
7	30.0	30.6	30.5	30.8	30.9	31.3	31.1	30.9	30.8	30.4	29.4	29.2	29.3	28.9	28.7	28.3	28.3	28.0	28.0	28.9	29.2	30.0	29.8	30.6	31.3	28.0	29.8	1.0	24	
8	30.6	31.0	31.5	32.0	32.1	32.8	32.7	32.3	31.9	31.5	30.5	30.2	29.5	29.7	29.9	29.5	50.2	48.5	34.4	30.2	30.2	29.5	29.6	30.0	30.0	50.2	29.5	32.5	5.4	24
9	30.4	30.5	30.7	30.9	31.2	31.3	31.6	31.7	32.0	31.8	31.2	31.0	30.6	30.2	30.3	30.3	30.1	30.1	30.1	30.1	30.3	31.0	31.2	31.6	31.9	32.0	30.1	30.9	0.6	24
10	32.0	32.6	33.1	33.6	33.7	33.9	34.5	35.1	34.5	33.7	32.2	31.1	31.1	31.0	30.8	30.3	30.0	29.8	30.3	30.3	30.6	30.8	31.1	31.3	35.1	29.8	32.0	1.6	24	
11	31.3	31.8	31.9	32.2	32.2	32.6	33.0	33.5	33.2	31.6	30.8	30.6	30.1	30.1	29.6	29.5	29.3	29.1	29.0	29.0	29.2	29.8	30.0	30.0	30.0	33.5	29.0	30.8	1.5	24
12	30.2	30.5	30.9	31.1	31.2	31.5	31.0	30.7	30.0	29.5	29.4	28.6	29.6	29.5	29.6	29.5	29.2	29.3	29.1	29.3	29.3	29.8	30.3	30.4	31.5	29.1	30.0	0.7	24	
13	30.3	30.9	30.9	31.4	31.7	31.4	31.6	31.6	31.3	31.0	30.5	30.2	29.8	29.8	29.7	29.6	29.7	29.6	29.7	29.5	29.7	30.0	29.9	30.4	30.3	31.7	29.5	30.5	0.7	24
14	30.5	31.0	31.0	31.2	31.5	31.8	31.8	31.8	31.9	31.0	30.3	28.8	30.0	30.1	30.1	29.9	29.9	29.8	29.8	30.1	30.2	30.5	30.9	31.4	31.9	29.8	30.7	0.7	24	
15	31.7	32.0	32.3	32.8	33.0	33.2	33.7	33.5	32.4	31.7	31.7	31.7	31.1	30.8	30.7	30.8	31.2	30.7	30.7	29.9	30.4	30.6	30.9	31.5	33.7	29.9	31.6	1.1	24	
16	31.5	32.1	32.4	32.8	32.8	32.8	32.8	31.8	31.1	31.3	31.0	30.6	30.5	30.5	30.7	30.6	30.3	30.6	30.6	31.0	31.1	31.4	31.8	31.5	30.9	32.8	30.3	31.4	0.8	24
17	30.1	29.9	30.1	30.1	29.9	30.0	30.2	30.4	30.0	30.2	30.1	29.9	30.0	29.9	29.6	29.4	29.1	29.1	29.0	28.9	29.1	29.3	29.1	29.1	29.1	30.4	28.9	29.7	0.5	24
18	29.1	29.3	29.2	29.5	29.7	30.1	30.1	30.0	29.8	29.4	29.5	28.6	29.7	29.6	29.7	29.7	29.6	29.6	29.9	30.3	30.6	30.9	31.1	30.8	31.1	29.1	29.9	0.5	24	
19	30.6	30.7	30.4	30.4	30.4	30.3	30.3	29.9	30.1	29.6	29.6	29.6	29.6	29.8	29.7	29.6	29.6	29.5	29.7	30.5	31.2	30.9	29.7	29.7	31.2	29.5	30.1	0.5	24	
20	29.7	29.8	29.8	29.8	29.9	29.8	29.9	30.1	29.9	29.9	29.8	29.8	30.1	30.0	29.9	30.4	30.1	30.1	29.9	30.3	31.1	31.3	31.8	31.8	31.8	29.7	30.2	0.6	24	
21	31.7	32.0	31.7	31.7	31.0	30.8	31.5	31.6	31.0	30.5	30.9	30.6	30.8	30.6	30.7	31.5	30.6	30.0	30.0	30.0	30.0	30.5	31.3	31.8	31.8	31.8	29.7	30.2	0.6	24
22	32.3	32.2	33.0	33.2	33.2	33.9	34.0	33.7	32.1	31.2	31.4	31.1	30.8	31.1	30.6	31.7	31.2	31.1	31.0	31.2	31.3	31.8	32.5	32.3	34.0	30.6	32.0	1.0	24	
23	32.7	33.2	33.5	33.3	33.2	33.2	32.9	31.9	30.9	30.5	30.5	30.1	29.9	29.9	30.3	30.0	30.3	30.7	34.6	36.4	37.5	34.2	31.6	30.2	37.5	29.9	32.1	2.1	24	
24	29.7	29.7	30.0	30.1	30.1	30.9	32.5	32.8	30.8	30.1	29.5	29.7	30.3	30.5	29.7	29.4	29.5	29.6	29.9	30.2	30.3	30.7	31.1	31.2	32.8	29.4	30.3	0.9	24	
25	31.5	31.0	29.5	29.2	29.5	33.3	34.7	34.3	41.8	40.2	40.4	35.5	32.2	29.3	28.4	28.3	28.5	28.6	28.6	28.7	28.6	28.8	29.0	28.8	41.8	28.3	31.6	4.2	24	
26	29.0	29.4	29.6	29.9	30.2	30.5	30.4	30.4	30.5	30.4	29.5	29.7	29.3	28.7	28.8	28.8	28.6	28.6	28.5	28.9	29.2	29.5	29.7	29.8	30.5	28.5	29.5	0.7	24	
27	30.1	30.2	30.0	30.8	30.4	30.4	30.6	30.5	30.2	29.0	28.7	28.5	28.5	28.5	28.4	28.5	28.5	28.6	28.7	28.7	28.9	29.2	29.3	29.7	30.8	28.4	29.4	0.8	24	
28	30.0	30.3	30.3	30.8	30.9	31.2	31.5	31.4	31.3	30.7	30.8	30.3	30.0	30.0	30.0	30.0	29.4	29.4	29.2	29.7	30.0	30.0	30.4	31.0	31.5	29.2	30.4	0.7	24	
29	30.7	31.4	31.7	32.4	32.7	32.7	32.4	32.3	31.3	31.0	31.1	30.5	30.1	29.6	29.4	29.4	29.4	29.3	29.3	29.3	29.3	29.6	29.7	29.4	32.7	29.3	30.6	1.3	24	
30	29.3	29.2	29.1	29.2	29.2	29.2	29.2	29.5	29.5	29.2	29.1	29.2	29.4	29.4	29.9	30.3	29.6	29.5	29.0	29.3	29.1	29.1	29.2	29.0	30.3	29.0	29.3	0.3	24	
31	28.9	29.2	29.0	29.0	29.0	28.9	28.8	28.8	28.9	28.8	29.0	29.0	28.1	29.1	29.0	28.8	28.9	31.1	34.6	38.0	35.5	30.7	29.3	28.7	38.0	28.7	30.0	2.5	24	
最大値	32.7	33.2	33.5	33.6	37.5	49.4	54.0	57.0	58.7	48.2	44.8	39.1	33.5	31.1	30.8	31.7	50.2	48.5	34.6	38.0	37.5	34.2	32.5	32.3	58.7	36.0	36.0		744	
最小値	28.8	28.7	28.9	28.9	29.0	28.9	28.8	28.8	28.4	28.2	28.2	28.4	28.0	27.7	27.8	28.2	28.2	27.8	27.8	28.0	28.1	28.2	28.4	28.4	28.4	27.7	28.6			
平均値	30.4	30.6	30.7	30.9	31.2	31.9	32.2	32.2	32.1	31.2	30.9	30.3	29.9	29.7	29.5	29.6	30.4	30.1	29.8	30.0	30.2	30.2	30.2	30.2	30.2	30.6	30.6			
標準偏差	1.1	1.2	1.3	1.4	1.8	3.6	4.4	4.9	5.5	3.8	3.3	2.1	1.1	0.8	0.8	1.0	4.0	3.5	1.8	2.1	1.9	1.3	1.0	1.1	1.1	2.8				
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744	
有効測定日数	31																													
測定時間	744																													
欠測時間数	0																													
測定値合計	22768.0																													
1時間間の最大値	58.7																													
1時間間の最小値	27.7																													
平均値	30.6																													
日平均値の最大値	36.0																													
日平均値の最小値	28.6																													
日平均値の標準偏差	111/01																													
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

