

倉梯放射線測定所

2013年07月

単位:nGy/h

時刻 日	測定時間																				測定時間	標準偏差	平均値	最小値	最大値							
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20						21	22	23	24			
1	48.0	48.5	48.5	48.4	48.4	48.4	48.7	48.9	47.8	47.3	47.1	46.2	46.7	47.3	47.3	47.1	47.4	47.2	47.3	47.3	47.3	47.6	47.6	47.4	48.9	46.2	47.7	0.7	23			
2	47.5	47.5	47.8	47.4	47.6	47.8	48.0	47.7	47.8	47.8	47.7	47.7	47.7	47.7	47.7	47.7	47.6	47.5	47.6	47.5	48.0	47.9	47.5	47.6	48.0	47.3	47.7	0.2	24			
3	47.5	47.6	47.7	50.1	50.6	50.9	52.9	49.3	49.2	48.2	47.4	47.4	47.4	47.3	47.3	47.2	47.2	51.7	53.2	49.4	47.6	46.9	46.9	46.9	53.2	46.9	48.7	1.9	24			
4	47.1	47.1	47.1	47.7	47.7	47.9	47.8	47.6	47.6	47.4	47.7	47.6	47.6	47.7	47.9	50.0	65.5	57.1	50.2	48.6	49.0	53.6	59.3	60.2	68.2	47.1	51.5	6.4	24			
5	62.5	58.2	56.9	55.9	54.9	53.5	48.4	47.0	46.5	46.4	46.4	46.4	46.4	46.4	46.4	46.4	46.3	46.2	46.3	46.3	46.3	46.3	46.2	46.3	62.5	46.1	49.1	4.9	24			
6	46.2	46.3	46.3	46.2	46.3	46.3	46.4	46.4	46.2	46.3	46.3	46.4	46.4	46.4	46.4	46.2	46.2	46.8	46.6	46.8	47.3	47.2	46.9	46.6	46.6	46.2	46.5	0.3	24			
7	46.9	46.9	46.8	46.8	47.0	47.4	47.4	47.1	46.9	47.0	46.9	46.9	46.9	46.9	46.9	46.9	50.9	51.7	48.4	47.3	47.6	48.2	48.7	49.2	49.6	51.7	46.8	47.8	1.4	24		
8	50.0	50.1	49.8	49.5	49.0	49.4	48.9	47.2	47.5	47.3	47.0	46.9	47.0	47.0	47.2	47.0	47.0	46.7	46.5	46.8	47.0	47.8	48.1	48.4	50.1	46.5	47.9	1.2	24			
9	49.1	49.5	49.7	49.9	49.9	49.8	50.4	50.2	49.4	48.9	48.1	47.6	47.5	47.7	47.0	47.1	47.1	47.1	47.3	47.8	48.3	48.6	48.8	49.1	50.4	47.0	48.6	1.2	24			
10	49.6	50.2	50.3	50.3	50.3	51.1	51.2	50.6	48.9	48.9	48.5	48.1	48.1	48.4	48.5	48.1	47.9	47.7	48.2	48.7	49.4	50.0	50.0	50.4	51.2	47.7	49.2	1.1	24			
11	50.4	51.1	51.6	51.8	51.8	51.5	50.4	48.4	48.4	48.7	48.4	48.3	48.3	48.3	48.3	48.3	48.3	48.3	48.2	48.3	49.1	49.5	49.5	50.0	49.9	48.0	49.4	1.3	24			
12	50.7	50.9	51.0	50.6	50.1	50.2	49.8	48.6	48.4	48.4	48.4	48.3	48.0	48.0	48.1	48.1	48.5	48.4	48.4	48.3	48.2	48.3	49.6	49.7	49.7	48.0	49.1	1.0	24			
13	50.4	50.9	50.9	51.0	51.2	51.6	51.3	51.0	50.5	49.3	49.0	49.1	49.6	48.9	48.5	48.4	48.4	47.9	47.6	48.4	48.5	47.9	47.9	48.2	48.7	51.6	47.6	49.4	1.3	24		
14	48.9	49.1	49.4	49.9	50.2	50.5	50.6	50.7	50.7	50.7	50.2	49.7	54.2	50.2	48.4	49.1	49.8	48.2	47.9	48.4	48.7	48.8	49.1	54.2	47.9	48.7	49.7	1.3	24			
15	49.3	50.3	53.3	50.2	48.5	48.0	47.7	47.4	47.3	47.2	47.2	47.8	47.9	48.1	48.1	48.1	47.3	47.0	47.3	47.5	47.7	47.4	47.4	48.2	53.3	47.0	48.1	1.4	24			
16	48.5	48.7	48.7	48.8	48.8	49.3	49.1	49.0	49.6	49.6	48.6	48.2	48.0	47.8	47.7	47.5	47.5	47.7	47.8	48.2	48.8	49.3	49.5	49.9	49.9	47.5	48.7	0.7	24			
17	50.1	50.1	50.6	50.9	51.3	51.6	51.7	51.1	49.4	48.3	48.3	48.2	48.2	48.2	48.1	49.4	49.2	48.6	48.5	48.9	49.0	49.3	49.0	49.0	51.7	48.1	49.5	1.2	24			
18	48.6	48.3	48.2	48.6	49.5	49.2	52.7	53.0	49.5	47.9	47.6	47.6	47.5	47.3	47.5	47.4	47.4	47.7	47.8	47.9	47.9	47.7	47.5	47.5	53.0	47.3	48.4	1.5	24			
19	47.7	47.6	47.5	47.6	48.0	48.2	48.0	47.5	47.5	47.6	47.7	47.9	47.7	47.9	47.7	47.8	47.7	47.6	47.4	47.5	47.7	48.0	48.2	48.3	48.3	47.4	47.8	0.3	24			
20	48.5	48.6	48.0	49.0	49.4	49.3	49.1	49.3	49.6	49.2	49.2	48.8	48.8	48.7	48.8	48.8	48.3	48.0	48.2	48.3	49.4	49.5	49.6	50.0	48.0	48.9	0.5	24				
21	49.6	50.1	50.2	50.4	51.0	51.4	51.4	52.0	51.8	50.5	49.9	49.6	49.5	49.3	49.1	49.0	49.0	49.0	48.2	48.3	49.6	50.3	50.3	50.5	52.0	48.8	50.1	0.9	24			
22	51.1	51.6	52.1	52.5	53.1	53.2	53.6	53.4	52.3	50.6	50.6	50.3	49.5	62.4	55.7	50.6	49.2	48.7	48.0	48.2	48.4	48.6	49.1	62.4	48.0	51.3	3.2	24				
23	49.6	50.2	50.9	51.3	51.6	51.3	51.7	51.3	51.0	50.0	48.9	48.6	48.5	48.1	48.3	48.1	48.1	48.0	48.0	48.2	48.8	49.3	49.2	49.6	51.7	48.0	49.5	1.3	24			
24	50.0	50.5	51.6	52.6	52.6	52.2	60.8	62.2	55.2	50.9	49.7	49.1	49.0	49.0	49.1	48.9	48.2	48.2	48.2	48.2	48.2	50.4	50.3	49.0	62.2	48.2	51.0	3.7	24			
25	48.7	48.8	48.8	49.5	49.8	50.2	50.2	49.9	48.7	49.2	49.2	48.8	48.8	48.7	48.8	60.7	57.0	51.1	49.3	48.9	49.6	49.7	49.6	60.7	48.7	50.3	2.8	24				
26	49.5	49.6	50.6	50.8	51.0	50.9	51.4	51.7	51.8	51.6	51.3	50.5	49.6	49.7	49.1	49.4	50.5	50.3	51.5	51.4	50.8	51.4	51.5	51.5	51.8	49.1	50.7	0.8	24			
27	51.4	51.9	51.9	52.0	52.2	52.1	52.9	52.8	52.7	52.8	51.9	50.5	49.7	49.1	49.4	49.4	49.4	49.3	49.4	48.8	49.4	49.7	50.2	50.3	52.9	48.8	50.8	1.5	24			
28	50.8	50.9	51.2	51.3	51.3	51.4	51.8	52.1	52.0	50.9	50.6	49.6	49.2	49.3	49.0	49.0	65.7	88.6	68.1	54.5	51.0	50.9	50.2	50.4	88.6	49.0	53.7	8.8	24			
29	50.5	50.3	50.0	52.9	54.8	60.3	60.8	58.2	57.7	57.1	55.2	56.5	54.4	50.9	48.8	48.3	48.3	48.3	49.1	52.6	51.9	50.5	49.8	49.9	60.8	48.3	52.9	3.9	24			
30	49.9	50.2	50.1	50.3	50.8	51.2	50.9	54.0	55.6	52.1	50.7	50.4	49.5	48.7	48.5	48.0	47.9	48.0	47.8	48.0	48.5	48.7	49.3	49.3	55.6	47.8	49.9	1.9	24			
31	49.6	49.7	49.9	49.5	50.2	50.6	51.6	51.2	53.7	60.6	56.7	52.5	51.2	48.3	47.6	48.1	47.4	47.6	47.5	47.7	48.6	49.2	53.8	69.0	69.0	47.4	51.3	4.9	24			
最大値	62.5	58.2	56.9	55.9	54.9	60.3	60.8	62.2	57.7	60.6	56.7	56.5	54.4	62.4	60.7	65.5	65.7	88.6	68.1	54.5	53.6	59.3	60.2	69.0	88.6	46.1	53.7					
最小値	46.2	46.3	46.3	46.2	46.3	46.3	46.4	46.4	46.2	46.3	46.3	46.4	46.4	46.4	46.4	46.2	46.2	46.8	46.6	46.8	47.3	47.2	46.9	46.6	46.6	46.2	46.5					
平均値	49.6	49.7	50.0	50.1	50.3	50.5	50.9	50.5	50.0	49.6	49.1	48.7	48.7	48.7	48.7	49.1	49.2	49.5	48.8	48.5	48.8	49.2	49.4	50.3	48.5	49.5	49.5					
標準偏差	2.7	2.1	2.1	2.0	2.0	2.5	3.2	3.4	2.8	3.0	2.3	2.0	1.9	2.8	3.3	3.6	3.7	7.4	3.8	1.6	1.4	2.2	2.5	5.0	1.6	49.5	3.2					
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31	31	743				
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31	31	743				
測定値合計	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	36797.9	
測定時間	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	
測定値の最大値	62.5	58.2	56.9	55.9	54.9	60.3	60.8	62.2	57.7	60.6	56.7	56.5	54.4	62.4	60.7	65.5	65.7	88.6	68.1	54.5	53.6	59.3	60.2	69.0	88.6	46.1	53.7					
測定値の最小値	46.2	46.3	46.3	46.2	46.3	46.3	46.4	46.4	46.2	46.3	46.3	46.4	46.4	46.4	46.4	46.2	46.2	46.8	46.6	46.8	47.3	47.2	46.9	46.6	46.6	46.2	46.5					
測定値の平均値	49.6	49.7	50.0	50.1	50.3	50.5	50.9	50.5	50.0	49.6	49.1	48.7	48.7	48.7	48.7	49.1	49.2	49.5	48.8	48.5	48.8	49.2	49.4	50.3	48.5	49.5	49.5					
測定値の標準偏差	2.7	2.1	2.1	2.0	2.0	2.5	3.2	3.4	2.8	3.0	2.3	2.0	1.9	2.8	3.3	3.6	3.7	7.4	3.8	1.6	1.4	2.2	2.5	5.0	1.6	49.5	3.2					
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31	31	743				
測定値の最大値	62.5	58.2	56.9	55.9	54.9	60.3	60.8	62.2	57.7	60.6	56.7	56.5	54.4	62.4	60.7	65.5	65.7	88.6	68.1	54.5	53.6</											

