



島放射線測定所

2014年07月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間		
1	38.5	38.9	38.6	38.6	38.6	38.4	38.3	38.4	36.7	35.1	34.3	34.3	34.2	34.2	34.3	34.1	34.2	34.4	34.7	34.6	34.8	35.2	35.9	36.6	38.9	34.1	36.1	1.9	24		
2	37.0	37.7	37.8	37.8	38.2	38.1	37.8	37.6	36.2	35.6	35.4	35.3	35.2	35.4	35.3	35.2	35.6	36.1	36.2	36.4	36.4	36.8	38.0	39.1	39.1	35.2	36.7	1.2	24		
3	39.9	40.4	40.4	40.4	39.5	39.4	38.1	36.3	36.4	38.7	40.1	***	38.4	42.3	43.1	43.0	44.0	44.1	44.7	44.1	45.4	43.6	38.1	37.0	45.4	36.3	40.7	2.8	23		
4	38.1	36.3	36.6	36.4	38.2	42.8	40.4	37.2	35.0	34.4	34.3	34.5	34.6	34.4	34.7	34.8	37.0	50.4	41.9	37.6	37.2	37.0	37.7	37.8	50.4	34.3	37.5	3.6	24		
5	37.7	37.9	38.3	38.5	39.0	40.1	38.8	37.4	36.7	38.6	39.6	36.9	37.1	41.5	40.4	37.1	36.2	36.0	36.2	36.7	37.7	38.8	40.5	40.8	41.5	36.0	38.3	1.6	24		
6	41.2	40.6	39.4	39.9	39.4	39.6	38.8	37.0	35.9	35.3	35.4	35.3	35.3	***	36.9	37.7	42.9	45.2	47.4	49.6	46.1	45.5	42.7	40.5	49.8	35.3	40.3	4.2	23		
7	36.9	37.2	41.3	39.1	37.7	36.5	35.6	37.4	40.1	40.3	38.1	35.3	34.3	33.7	33.6	33.9	34.1	34.4	34.7	36.0	36.5	38.1	39.5	39.2	41.3	33.6	36.6	2.3	24		
8	41.2	42.5	40.9	40.7	41.0	40.3	40.6	38.6	34.9	34.6	34.0	34.2	34.6	34.4	34.0	33.9	34.5	34.6	35.9	35.6	35.7	37.1	38.9	38.7	42.5	33.9	37.1	3.0	24		
9	38.3	38.4	39.9	39.8	40.3	40.1	***	37.2	***	34.6	34.3	***	***	33.9	34.0	34.0	34.0	34.5	35.1	***	34.1	***	35.1	35.4	40.3	33.9	*36.3	2.5	18		
10	35.4	35.3	35.5	35.6	37.1	36.4	35.5	35.7	37.3	38.5	35.8	34.8	34.6	35.0	35.8	34.8	34.1	34.4	35.2	36.0	37.0	38.5	41.6	39.4	41.6	34.1	36.2	1.8	24		
11	36.0	35.4	35.6	35.9	36.6	36.0	35.5	35.0	34.1	33.8	34.1	34.3	34.2	34.6	34.6	34.5	34.6	35.0	35.4	35.8	36.2	37.1	37.7	38.2	38.2	33.8	35.4	1.2	24		
12	38.4	38.6	38.5	38.4	38.5	38.7	38.9	39.0	38.3	37.9	37.5	36.8	36.8	36.8	36.8	37.0	37.2	37.1	36.8	37.0	37.9	39.1	40.2	40.6	40.9	40.9	36.8	38.2	1.2	24	
13	41.5	41.9	41.2	40.7	41.6	41.8	43.4	46.9	51.1	53.7	49.5	40.4	36.4	36.3	36.6	37.1	38.3	38.5	36.8	35.4	35.0	35.2	36.0	37.0	53.7	35.0	40.5	5.2	24		
14	38.2	39.5	40.2	46.1	48.8	43.6	37.9	36.8	36.0	35.4	34.8	34.7	34.7	34.5	34.6	34.7	35.3	35.8	36.2	36.2	36.4	37.1	38.1	38.6	46.8	34.5	37.7	3.7	24		
15	37.8	37.9	38.1	38.5	38.8	39.1	39.2	39.2	39.0	38.4	36.4	35.2	35.5	35.5	35.6	35.2	35.5	35.3	35.1	36.9	37.8	38.7	39.8	40.1	40.0	40.1	35.2	37.6	1.6	23	
16	40.3	40.6	40.8	40.4	38.4	36.9	35.3	34.9	33.8	33.9	33.8	33.9	34.0	34.3	34.4	34.8	34.8	35.4	36.1	36.2	36.5	37.4	38.3	39.1	40.8	33.8	36.4	2.4	24		
17	39.3	39.7	40.0	40.7	41.5	42.3	42.3	39.2	36.1	35.1	35.0	34.9	34.3	34.4	34.1	34.0	34.3	35.0	36.2	37.5	38.0	39.5	39.5	39.5	42.3	34.0	37.6	2.8	24		
18	40.1	41.1	41.4	41.7	41.1	40.8	41.1	39.7	37.2	36.1	35.1	35.0	35.1	35.4	35.5	35.6	36.6	46.5	47.0	39.5	37.0	36.7	36.9	40.7	47.0	35.0	38.9	3.4	24		
19	45.0	40.5	38.9	38.8	39.0	39.2	39.0	38.8	38.1	37.0	36.2	36.0	36.3	36.8	42.7	44.2	41.4	42.1	40.3	37.1	36.7	37.0	37.4	37.6	45.0	36.0	39.0	2.5	24		
20	37.7	37.8	38.1	38.5	38.8	39.1	39.2	39.2	39.0	38.4	36.4	36.2	36.2	35.7	35.7	35.5	35.3	35.3	35.1	35.3	36.0	36.8	37.5	38.0	39.2	35.1	37.1	1.5	24		
21	38.1	37.9	37.9	38.1	38.5	38.3	38.5	38.8	38.5	37.4	36.8	36.4	36.4	36.3	36.4	36.2	36.1	36.1	36.8	38.1	38.6	39.1	38.9	38.2	39.1	36.1	37.6	1.0	24		
22	38.0	37.9	37.6	37.6	37.9	38.5	38.4	37.9	35.2	34.6	34.7	34.8	34.6	34.6	34.6	***	35.0	35.3	36.2	36.8	37.9	38.3	38.9	39.6	39.6	34.6	36.8	1.7	22		
23	40.0	40.1	40.9	41.5	41.8	42.0	41.7	40.9	38.5	35.3	34.6	34.6	34.6	34.8	35.1	35.4	34.9	35.3	36.0	36.2	36.3	37.2	39.2	40.9	42.0	34.5	37.8	2.9	24		
24	41.8	43.0	43.8	44.2	45.0	45.8	45.5	44.6	41.1	38.4	36.3	35.4	35.4	35.7	35.7	35.1	34.5	34.7	34.9	35.0	35.5	36.0	36.4	36.8	45.8	34.5	38.8	4.2	24		
25	37.8	39.0	39.8	40.8	42.0	42.0	41.1	40.7	38.0	35.6	35.0	34.9	34.9	35.1	35.1	35.0	34.9	34.8	35.5	36.3	37.4	39.1	40.1	41.5	42.0	34.8	37.8	2.7	24		
26	42.6	43.1	43.9	44.3	44.6	44.4	44.2	42.5	37.0	36.4	36.3	36.3	36.7	36.6	36.3	35.7	35.3	35.3	35.5	35.7	35.0	35.6	35.5	35.4	44.6	35.3	38.5	3.8	24		
27	35.6	36.9	37.1	37.6	37.7	38.2	38.4	38.9	42.5	43.6	38.9	35.8	35.2	35.3	35.2	35.4	35.3	34.9	35.0	34.8	34.9	35.0	35.1	35.2	43.6	34.8	36.8	2.4	24		
28	35.8	36.0	36.4	36.6	36.8	37.0	38.2	37.8	35.1	33.8	33.6	33.8	33.6	33.7	33.9	34.1	34.0	34.4	34.7	34.6	34.9	35.4	35.8	36.3	38.2	33.6	35.3	1.4	24		
29	36.9	37.5	37.9	38.2	38.1	38.3	38.4	37.9	36.6	34.6	34.6	34.8	34.7	34.7	34.7	34.6	34.8	34.9	35.3	35.4	35.6	35.6	35.6	35.8	36.4	34.6	36.1	1.4	24		
30	36.2	36.6	37.2	37.4	38.0	38.6	39.0	37.3	34.7	34.1	34.2	34.3	34.4	34.4	34.5	34.4	34.3	34.6	35.1	35.0	35.2	35.0	35.2	36.0	36.1	39.0	34.1	35.7	1.5	24	
31	36.1	36.1	36.9	37.9	38.0	38.4	37.9	36.1	34.6	34.5	34.9	35.0	35.0	35.2	35.1	34.8	34.3	34.6	35.5	39.1	36.7	36.0	36.1	36.5	39.5	34.3	36.3	1.5	24		
最大値	45.0	43.1	43.9	46.1	48.8	45.8	45.5	46.9	51.1	53.7	49.5	40.4	38.4	42.3	43.1	44.2	44.0	50.4	47.4	49.8	46.1	45.5	42.7	41.5	53.7	40.7	40.7				
最小値	35.4	35.3	35.5	35.6	36.6	36.0	35.3	34.9	33.8	33.8	33.6	33.8	33.6	33.7	33.6	33.9	34.0	34.4	34.7	34.6	34.1	35.0	35.1	35.2	43.6	33.6	35.3				
平均値	38.6	38.8	39.1	39.4	39.7	39.7	39.2	38.5	37.4	36.8	36.1	35.3	35.2	35.5	35.8	35.7	35.9	37.1	37.2	37.1	37.1	37.7	38.0	38.3	38.3	37.5	37.5				
標準偏差	2.3	2.2	2.1	2.4	2.7	2.4	2.5	2.6	3.3	3.8	3.0	1.3	1.1	1.9	2.4	2.4	2.5	4.1	3.5	3.0	2.6	2.4	2.0	1.9	3.1	2.9					
測定時間	31	31	31	31	31	31	30	31	30	31	29	30	30	30	29	30	31	31	31	31	30	30	30	31	31	31	733				
有効測定日数	30	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	
測定値ランク	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
測定値合計	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	27476.1	
1時間間の最大値	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	
1時間間の最小値	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6
平均値	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5	37.5
日平均値の最大値	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7	40.7
日平均値の最小値	35.3	35.3	35.3																												

島放射線測定所

2014年08月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	37.2	37.5	37.6	38.3	38.7	39.3	39.2	39.4	37.9	38.1	35.0	34.9	34.8	34.7	34.7	34.7	34.9	36.5	37.3	38.8	39.6	40.9	41.4	42.0	43.0	34.8	37.6	2.3	24	
2	42.9	42.7	42.6	42.9	43.1	43.1	42.2	39.4	36.6	36.0	35.6	35.8	35.3	34.8	34.9	35.2	35.2	35.6	35.6	36.0	36.2	36.8	37.3	37.6	37.6	38.1	34.7	38.1	3.2	24
3	37.6	37.3	37.3	36.8	36.0	34.1	33.6	33.5	33.4	33.5	33.3	33.4	34.5	34.6	34.6	34.9	34.9	34.9	35.9	36.2	36.5	37.1	37.0	36.5	35.9	37.6	33.3	35.4	1.5	24
4	36.2	37.5	36.6	35.9	36.1	37.4	38.1	37.8	35.1	34.1	33.8	33.8	33.9	33.8	33.5	33.5	33.5	34.0	34.4	34.5	34.6	34.6	34.5	34.6	34.6	34.6	33.5	35.1	1.6	24
5	34.7	34.7	34.8	34.7	35.0	34.7	35.0	35.2	34.0	33.7	33.7	33.7	33.6	33.7	33.7	33.9	33.9	34.3	34.3	34.6	34.7	34.8	34.7	34.7	34.7	35.6	33.6	35.4	0.6	24
6	34.9	35.1	38.3	41.2	39.7	36.7	34.9	34.2	33.6	33.3	33.6	34.0	36.3	36.5	34.4	34.0	34.1	34.2	34.2	34.8	35.2	36.1	36.4	36.7	37.2	41.2	33.3	35.7	2.0	24
7	36.9	36.8	36.2	35.3	35.8	36.1	35.5	35.1	34.0	33.6	33.3	33.6	33.9	34.0	34.0	34.1	34.1	34.5	35.0	35.7	36.4	37.4	38.6	39.1	39.1	39.1	33.3	35.4	1.6	24
8	39.6	39.8	40.2	40.8	40.9	40.9	41.2	40.1	37.9	36.2	35.7	34.4	33.7	33.7	35.0	39.1	39.3	38.3	37.1	37.6	38.5	37.0	36.5	36.5	37.9	37.9	33.7	37.9	2.3	24
9	36.6	36.2	35.9	36.1	35.9	35.8	36.2	36.5	38.0	39.8	41.4	41.8	43.0	44.5	41.7	36.8	35.4	35.2	34.9	34.3	34.0	33.9	33.9	34.1	44.5	33.9	37.2	3.1	24	
10	35.0	35.6	36.2	36.9	37.3	36.5	34.9	35.7	36.9	39.0	41.9	46.3	52.1	60.7	53.5	47.8	41.9	37.1	35.4	34.9	34.9	34.7	34.7	34.7	34.7	34.7	34.7	39.8	7.2	24
11	34.5	34.4	34.6	35.1	36.2	36.9	36.9	35.2	34.0	33.5	33.6	33.6	33.7	33.6	33.3	33.4	33.9	34.3	34.6	34.5	34.5	34.7	34.8	34.9	35.5	36.9	33.5	34.6	1.0	24
12	36.1	36.9	37.4	37.4	37.4	37.5	38.0	41.2	40.7	38.1	36.4	35.1	34.9	34.4	34.5	35.0	34.9	34.8	35.3	36.3	37.5	38.2	39.4	40.0	41.2	34.4	37.1	2.1	24	
13	40.2	40.4	40.5	40.6	40.9	40.8	41.0	40.4	38.9	36.3	34.6	34.6	34.8	34.7	37.9	36.2	36.2	36.4	37.0	37.6	38.3	39.2	40.2	40.9	41.0	34.5	38.2	2.4	24	
14	41.6	42.2	42.7	43.1	43.5	43.6	44.3	44.0	41.7	40.9	39.1	46.4	51.5	48.1	40.2	35.9	34.4	34.7	35.9	36.9	37.3	37.4	36.0	34.9	34.9	34.4	40.7	4.5	24	
15	35.0	35.0	34.7	34.6	35.8	38.4	39.3	39.6	36.7	35.9	34.6	33.2	33.3	33.3	33.3	33.4	33.8	34.5	35.6	37.1	38.6	35.7	35.7	35.8	35.7	33.2	35.6	1.9	24	
16	36.6	37.3	38.7	38.9	36.9	35.2	35.4	36.7	36.0	38.2	37.5	35.1	37.3	44.4	43.0	44.8	50.3	52.5	52.5	51.5	52.2	43.1	38.0	36.8	36.8	35.1	41.2	6.2	24	
17	36.9	37.1	36.9	37.5	38.3	41.8	47.2	47.8	44.1	38.6	35.3	34.4	34.5	39.9	36.8	35.8	34.9	34.5	35.6	36.3	36.2	36.7	36.9	37.3	47.8	34.4	38.0	3.7	24	
18	37.2	37.5	37.6	36.9	35.9	35.5	34.8	33.6	33.3	33.4	33.4	33.4	33.5	33.6	33.8	33.8	33.7	34.2	34.5	34.4	34.4	34.6	34.5	34.4	34.4	37.6	33.3	34.8	1.4	24
19	34.4	34.3	34.6	34.7	34.9	35.4	35.8	35.0	34.1	33.9	33.9	34.1	34.0	34.0	34.1	34.2	34.2	34.7	35.0	35.2	35.5	35.6	36.2	36.7	36.7	33.9	34.8	0.8	24	
20	36.9	37.2	37.8	37.8	37.9	37.8	37.6	35.8	34.2	33.8	34.0	34.0	34.3	34.1	34.1	34.3	34.3	34.7	35.7	36.7	37.7	38.0	38.7	39.7	39.7	33.8	36.1	1.9	24	
21	39.9	40.6	40.9	40.5	40.9	40.7	40.1	39.2	36.2	34.6	34.3	34.1	34.3	34.2	34.3	34.1	34.3	34.5	35.1	35.7	36.8	37.5	38.0	38.5	38.5	40.9	34.1	37.1	2.7	24
22	39.0	39.3	38.6	38.4	38.1	38.4	37.8	36.7	34.4	34.1	33.8	33.9	34.2	35.5	34.7	34.3	34.5	34.8	35.5	35.8	36.7	37.3	37.4	37.0	39.3	33.8	36.3	1.9	24	
23	37.1	37.4	37.5	38.0	38.5	38.5	38.4	37.8	37.2	35.8	35.4	35.6	35.4	35.8	35.6	36.9	36.7	36.0	36.3	36.9	37.2	35.8	35.2	35.5	35.9	35.2	36.8	1.3	24	
24	35.3	35.8	36.2	36.2	36.6	37.0	37.3	37.9	37.4	36.4	35.6	35.7	43.3	61.8	58.2	47.1	44.1	41.4	42.9	40.3	40.9	39.1	43.8	39.4	61.8	35.3	40.8	6.8	24	
25	38.5	38.3	37.7	37.0	37.0	37.0	37.3	37.3	36.2	35.4	35.3	35.3	35.1	34.6	34.5	34.4	34.7	45.0	59.5	51.9	41.1	37.3	36.9	36.9	36.9	34.4	38.5	5.9	24	
26	37.2	37.6	37.4	37.6	37.8	37.5	38.3	37.4	34.7	34.2	34.0	34.4	34.7	43.7	43.7	44.3	39.2	35.6	35.0	34.9	34.7	34.8	35.7	36.8	36.8	44.3	34.0	37.0	2.8	24
27	36.8	36.9	37.3	38.5	37.8	37.1	36.3	35.5	34.2	34.0	34.0	34.1	34.3	34.1	34.5	34.4	34.1	34.5	35.8	35.8	35.0	35.0	35.0	34.8	34.8	38.5	34.0	35.4	1.4	24
28	35.0	37.9	39.0	37.4	37.8	43.5	44.6	43.2	39.4	35.8	34.3	33.7	33.3	33.5	33.6	33.7	33.5	33.9	34.3	34.6	34.8	35.4	35.9	36.3	44.6	33.3	36.4	3.3	24	
29	36.6	36.6	36.5	36.6	36.5	36.8	37.0	37.0	35.3	34.3	34.1	34.0	33.8	34.0	33.6	33.7	33.6	34.4	35.1	35.8	36.5	36.6	36.6	37.1	37.1	37.1	33.6	35.5	1.3	24
30	37.5	37.9	38.6	38.8	38.3	38.0	38.2	37.7	37.3	36.2	35.5	35.4	35.4	35.1	35.0	34.9	34.9	34.7	34.7	34.8	34.8	34.7	35.3	35.9	38.8	34.7	36.2	1.5	24	
31	36.4	36.8	37.0	37.1	37.1	36.6	36.0	36.6	35.7	35.1	35.2	35.5	35.7	35.1	35.0	34.9	34.8	34.9	34.8	34.8	34.9	35.0	35.4	35.8	36.3	37.1	34.8	35.8	0.8	24
最大値	42.9	42.7	42.7	43.1	43.5	43.6	47.2	47.8	44.1	40.9	41.9	46.4	52.1	61.8	58.2	47.8	50.3	52.5	51.9	52.2	43.1	38.0	36.8	42.0	43.8	41.2	41.2		744	
最小値	34.4	34.3	34.6	34.1	33.6	34.1	33.6	33.5	33.4	33.3	33.3	33.3	33.3	33.3	33.3	33.4	33.5	33.9	34.3	34.3	34.3	34.0	33.9	33.9	34.1	33.2	33.2	34.4		
平均値	37.1	37.4	37.7	37.8	37.8	38.0	38.3	37.8	36.4	35.5	35.2	35.4	36.2	37.7	36.8	36.3	35.9	36.2	37.0	37.1	37.1	36.7	36.8	36.9	36.8	36.9	36.9	36.9		
標準偏差	2.1	2.1	2.1	2.2	2.2	2.5	3.2	3.1	2.5	2.0	2.1	3.3	4.8	7.4	5.7	4.0	3.6	3.8	5.4	4.2	3.4	2.1	2.2	2.0	2.0	2.0	3.6			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
測定時間	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744		
測定値合計	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3	27435.3		
測定値の最大値	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8	61.8		
測定値の最小値	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2		
平均値	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9		
測定値の最大値	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2		
測定値の最小値	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4	34.4		
局番/項目コード	114/01	114/01	114/01																											

島放射線測定所

2014年09月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	37.3	37.7	38.1	38.9	38.8	39.0	39.5	39.7	38.8	37.9	37.0	36.4	36.1	36.2	40.9	38.1	36.2	36.7	36.8	37.8	37.2	37.7	38.0	38.1	40.9	36.1	38.0	1.2	24	
2	38.0	37.6	37.9	37.9	38.1	38.1	38.1	37.8	36.8	35.8	35.4	34.9	34.5	34.3	34.4	34.4	34.6	34.7	35.2	36.2	36.2	37.3	38.2	38.8	39.2	39.2	34.3	36.6	1.6	24
3	39.3	39.4	39.0	38.4	34.1	37.0	35.3	34.9	34.4	34.1	34.6	34.6	34.5	34.2	34.3	34.3	34.4	34.5	35.2	35.1	34.3	34.3	34.7	35.1	39.4	34.1	35.6	1.8	24	
4	34.9	35.1	35.1	35.1	36.9	36.3	35.4	35.4	35.7	34.6	35.1	34.7	34.5	34.7	34.6	34.6	34.6	34.5	35.3	35.4	35.4	36.0	36.0	36.0	35.6	34.6	35.3	0.6	24	
5	35.6	36.8	36.8	39.4	38.1	37.3	36.7	39.9	38.0	39.6	37.1	35.9	35.2	35.0	35.3	35.2	35.2	35.2	35.5	35.6	36.0	36.0	36.5	37.0	37.4	39.9	35.0	36.8	1.5	24
6	37.8	38.1	38.3	38.6	39.0	39.2	39.6	40.0	39.8	38.2	37.4	37.0	36.6	36.6	36.9	43.4	51.5	55.1	55.1	51.4	43.3	42.2	39.7	37.5	36.6	55.1	36.6	40.6	5.1	24
7	36.3	36.0	35.9	36.3	36.6	36.9	37.3	37.1	36.5	36.0	35.2	35.3	35.3	35.5	35.4	35.5	35.4	35.2	35.6	35.8	36.0	36.4	36.3	36.3	36.2	36.0	36.0	0.6	24	
8	36.9	37.0	37.3	37.1	37.0	37.0	37.1	37.0	36.3	35.7	34.8	34.4	34.3	34.8	34.8	35.1	34.9	35.3	35.4	35.6	35.4	35.6	36.0	36.5	36.7	34.4	35.9	1.0	24	
9	36.9	36.8	36.7	37.2	37.3	37.2	37.0	36.8	34.9	34.1	34.0	34.1	34.3	34.3	34.4	34.5	34.3	34.7	35.0	35.5	36.1	36.4	36.7	37.4	37.4	34.0	35.7	1.3	24	
10	37.7	37.8	37.9	37.8	38.0	38.0	37.8	37.9	37.2	36.9	36.4	35.9	35.6	35.7	35.5	35.3	36.0	36.8	37.4	37.5	36.8	37.5	36.8	37.5	38.4	38.4	35.3	37.1	1.0	24
11	38.5	39.0	39.4	39.8	39.7	39.7	40.0	39.5	39.2	39.8	39.6	39.8	34.6	34.3	34.7	34.7	34.8	35.0	35.3	35.5	35.9	35.9	36.3	36.3	36.9	40.0	34.3	37.0	2.0	24
12	37.2	37.6	38.0	38.0	38.0	38.4	38.5	38.1	37.3	35.0	34.5	34.6	34.7	34.8	34.8	34.8	35.0	35.0	35.5	35.8	35.6	35.9	36.1	36.5	36.5	38.5	34.5	36.2	1.5	24
13	37.0	37.0	37.3	37.8	38.1	38.6	38.7	38.1	36.7	35.5	35.4	35.4	35.5	35.5	35.3	35.0	34.9	35.0	35.1	35.6	35.2	35.1	35.6	36.7	36.7	35.9	36.3	1.2	24	
14	37.0	37.1	37.6	38.2	38.3	38.7	38.6	38.5	38.2	38.4	38.5	38.5	38.6	38.5	38.5	38.5	38.3	38.3	38.1	38.1	38.4	38.4	38.0	38.7	38.8	38.7	35.1	36.4	1.2	24
15	37.1	37.5	37.9	38.1	37.9	38.2	38.3	38.4	37.9	37.5	36.6	36.4	36.0	36.2	36.2	36.2	36.2	36.3	36.3	36.3	36.9	36.7	40.2	40.6	40.9	40.9	36.4	37.9	1.4	24
16	40.9	40.8	40.7	40.7	40.8	41.2	41.4	40.9	38.8	38.3	34.8	35.0	34.3	34.2	34.2	34.3	34.6	34.8	35.2	35.3	35.5	35.6	36.2	36.4	36.4	41.4	34.2	37.2	2.8	24
17	36.7	36.8	37.3	37.4	38.0	38.4	38.3	38.2	37.1	35.5	34.7	34.6	34.6	34.7	34.5	34.5	34.6	34.9	35.6	35.2	34.5	34.7	35.8	36.1	36.4	34.5	35.9	1.4	24	
18	36.3	35.8	35.3	35.1	35.3	35.5	35.6	35.3	34.5	35.3	35.7	34.7	34.4	34.3	34.6	34.6	34.8	35.3	35.4	35.4	35.6	36.0	36.3	36.8	37.1	37.1	34.3	35.4	0.7	24
19	37.6	38.0	38.2	38.6	39.0	39.4	39.4	39.8	39.2	38.2	38.4	38.4	34.8	34.5	34.6	34.5	34.5	34.5	35.1	35.8	36.2	36.9	37.5	37.7	38.2	39.8	34.5	37.0	1.8	24
20	38.7	39.3	39.6	39.6	40.0	40.1	40.3	39.4	38.2	35.8	35.7	35.4	35.3	35.4	35.6	35.8	35.4	35.3	35.4	35.8	36.5	36.9	37.5	38.1	40.3	40.3	35.3	37.2	1.9	24
21	38.6	39.1	39.8	40.5	40.3	40.3	40.6	40.9	40.4	38.9	38.1	38.4	38.1	38.0	38.0	38.0	38.8	38.8	38.9	38.5	38.5	38.5	37.0	37.3	38.0	40.9	35.8	37.9	1.9	24
22	38.3	38.6	38.7	38.8	39.1	39.4	39.6	39.5	38.6	36.9	36.2	35.1	35.2	35.0	35.0	34.9	34.9	35.0	35.3	35.6	36.0	36.4	36.7	37.1	39.6	36.0	34.9	36.8	1.8	24
23	37.2	37.7	38.1	38.2	37.9	38.3	38.5	38.5	37.8	38.8	38.3	38.6	38.7	38.8	37.0	37.0	38.5	38.8	37.6	38.6	38.9	38.5	38.5	39.8	39.8	38.8	36.3	37.8	1.0	24
24	39.7	39.5	39.2	39.4	39.2	38.9	38.5	37.5	36.0	34.9	35.2	35.2	34.8	34.8	35.0	34.8	35.0	35.3	37.5	38.0	38.5	37.9	41.0	42.9	42.9	34.7	37.4	2.3	24	
25	43.8	38.6	36.9	38.7	41.1	40.1	38.3	37.6	35.8	34.9	35.4	35.2	36.7	37.2	36.6	37.8	38.3	38.7	38.7	38.4	35.2	34.5	34.5	34.5	34.5	43.8	34.5	37.1	2.2	24
26	34.3	34.3	35.1	35.2	34.7	34.5	34.5	34.4	33.8	34.0	33.9	34.0	34.2	34.2	34.3	34.2	34.0	34.6	35.1	35.4	36.0	36.5	36.8	37.0	37.0	37.0	34.8	34.8	0.9	24
27	36.8	36.9	37.2	37.2	37.4	37.3	37.4	37.3	36.3	35.1	35.0	35.3	35.5	35.6	35.8	35.7	35.6	36.5	37.1	37.9	38.3	39.3	39.5	39.5	39.4	39.5	35.0	36.9	1.3	24
28	39.4	39.2	39.1	39.1	39.3	39.6	39.6	39.4	38.4	35.3	35.1	35.2	35.2	35.2	35.1	35.2	35.0	34.9	35.0	34.8	34.7	34.8	34.7	35.0	39.6	34.7	36.5	2.1	24	
29	35.2	35.0	34.8	34.8	35.1	35.2	35.2	35.2	34.3	34.2	34.4	34.4	34.3	34.5	34.4	34.4	34.5	34.6	35.0	35.4	35.4	36.3	36.7	36.8	37.0	37.0	34.2	35.1	0.8	24
30	37.1	37.5	37.6	38.0	38.3	38.4	38.9	38.5	36.7	34.5	34.3	34.6	34.4	34.4	34.4	34.3	34.6	34.9	35.0	35.2	35.8	36.0	36.7	37.3	38.9	34.3	36.1	1.6	24	
31	43.8	40.8	40.7	40.7	41.1	41.2	41.4	40.9	38.8	38.3	34.8	35.0	34.3	34.2	34.2	34.3	34.6	34.8	35.2	35.3	35.5	35.6	36.2	36.4	36.4	41.4	34.2	37.2	2.8	24
最大値	43.8	40.8	40.7	40.7	41.1	41.2	41.4	40.9	38.8	38.3	34.8	35.0	34.3	34.2	34.2	34.3	34.6	34.8	35.2	35.3	35.5	35.6	36.2	36.4	36.4	41.4	34.2	37.2	2.8	24
最小値	34.3	34.3	34.3	34.8	34.8	34.7	34.5	34.4	33.8	34.0	33.9	34.0	34.2	34.2	34.3	34.2	34.0	34.6	35.1	35.4	36.0	36.5	36.8	37.0	37.0	37.0	34.8	34.8	0.9	24
平均値	37.6	37.6	37.6	37.8	38.0	38.2	38.2	38.1	38.0	37.0	35.9	35.5	35.3	35.1	35.3	35.4	35.5	35.7	36.1	36.4	36.3	36.4	36.7	37.1	37.4	38.8	34.8	36.7	1.6	24
標準偏差	1.8	1.5	1.5	1.5	1.5	1.6	1.7	1.7	1.7	1.5	1.1	0.8	0.8	1.0	1.3	1.8	3.1	3.7	3.0	1.7	1.6	1.5	1.6	1.8	1.8	33.8	34.8	36.7	2.1	24
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720	
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	114/01
測定値ラック	0	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	TOTAL	
時間数	0	0	0	0	0	0	0	0	0	324	385	8	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	720	
出現割合(%)	0	0	0	0	0	0	0	0	0	45	53.472	1.111	0	0.417	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100	
日平均値の最大値	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6	40.6
日平均値の最小値	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8
日平均値の平均値	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7	36.7
日平均値の標準偏差	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6





