

地頭放射線測定所

2015年08月

単位:nGy/h

時刻 日	測定時間																								測定時間 間	標準偏差	平均値	最小値	最大値	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24						
1	39.6	39.9	40.5	40.9	41.3	41.5	41.8	40.6	39.9	40.0	40.2	40.2	40.0	39.2	39.0	38.7	38.7	38.4	38.2	38.1	38.4	39.3	40.2	40.2	41.8	38.1	39.8	1.1	24	
2	40.4	40.7	41.2	41.2	41.1	41.3	41.1	41.0	40.4	40.5	40.4	39.9	39.9	39.7	39.7	39.8	38.8	38.4	38.5	38.3	38.2	38.3	38.9	38.5	41.3	38.2	39.8	1.1	24	
3	38.8	39.3	39.3	39.6	39.9	40.6	40.8	39.9	39.6	40.0	40.1	39.9	40.0	40.1	46.8	48.9	55.7	42.5	42.5	39.5	38.9	39.1	39.4	39.7	55.7	38.8	41.7	4.5	24	
4	39.8	39.8	40.0	39.9	40.1	40.1	40.1	40.2	40.8	40.8	40.6	40.6	40.1	39.8	39.8	39.5	39.1	38.6	38.8	38.7	38.3	39.7	39.3	40.6	40.8	38.6	39.9	0.6	24	
5	40.9	41.3	41.6	41.9	42.0	42.3	42.4	41.7	40.9	40.1	40.1	40.1	40.2	40.6	40.0	39.8	39.6	39.3	38.9	38.5	38.9	39.6	39.8	40.1	42.4	38.5	40.5	1.1	24	
6	40.8	41.0	41.0	41.4	41.6	41.9	41.8	41.1	40.5	39.7	39.6	39.5	39.3	39.4	39.5	39.5	39.0	38.8	38.6	38.6	39.6	40.3	40.5	41.0	41.9	38.6	40.2	1.0	24	
7	40.9	41.1	41.5	42.2	42.1	41.6	41.1	40.4	39.6	39.4	39.1	39.3	39.3	39.2	39.0	38.6	38.7	38.5	38.5	38.9	39.2	39.2	39.9	40.3	42.2	38.5	39.9	1.2	24	
8	40.6	40.5	40.0	40.3	40.4	40.8	41.1	40.6	39.8	39.3	39.3	39.3	39.3	39.1	39.0	39.2	39.1	38.9	38.8	38.9	38.9	39.2	39.7	39.8	41.1	38.8	39.7	0.7	24	
9	40.4	40.6	41.0	41.3	41.4	41.5	41.3	40.4	40.2	40.2	40.2	40.3	40.3	40.2	40.0	39.7	39.4	39.2	39.1	38.9	39.1	39.5	40.0	40.3	41.5	38.9	40.2	0.8	24	
10	40.7	40.8	40.8	40.9	41.3	41.4	41.5	40.4	40.7	40.7	40.5	40.2	40.6	40.0	39.8	39.5	39.4	39.2	38.8	38.7	39.3	39.7	39.9	40.1	41.5	38.7	40.2	0.8	24	
11	40.1	40.4	40.8	41.2	41.3	41.7	41.7	41.3	41.1	39.7	39.6	39.9	39.7	39.6	39.1	39.2	39.0	39.0	38.7	38.8	39.7	39.7	40.0	40.5	41.0	41.7	38.7	40.1	0.9	24
12	41.5	41.8	42.1	42.1	42.5	42.6	42.2	42.4	42.2	42.2	41.6	41.3	41.7	41.5	41.2	41.2	41.1	40.7	40.7	44.4	46.1	43.9	42.5	43.3	46.1	40.7	42.2	1.2	24	
13	44.6	41.9	39.9	38.9	39.9	40.3	39.9	39.8	39.4	39.5	39.5	43.5	44.0	41.5	40.4	39.9	41.2	53.4	51.6	51.9	44.1	41.2	40.0	40.7	53.4	38.9	42.4	4.1	24	
14	41.2	40.0	38.5	38.5	38.5	38.6	38.9	41.7	41.5	39.3	38.3	38.2	38.0	37.8	37.9	37.7	37.7	37.7	37.8	38.1	38.4	38.7	39.1	39.6	41.7	37.7	38.9	1.2	24	
15	39.6	40.1	40.2	40.1	40.2	40.3	40.0	39.8	39.6	39.5	39.0	39.2	39.2	39.0	38.7	38.7	38.6	38.5	38.2	38.5	39.0	39.3	39.7	40.4	40.4	38.2	39.4	0.7	24	
16	40.3	40.4	41.1	41.4	41.4	41.2	40.7	40.7	40.1	39.8	39.9	40.2	40.1	40.2	40.4	39.5	39.2	39.3	39.2	40.6	41.4	40.5	40.4	40.5	41.4	39.2	40.3	0.6	24	
17	40.1	40.2	42.3	43.1	42.2	40.3	39.5	39.5	39.7	39.4	39.1	39.1	40.3	39.8	41.0	57.7	62.6	47.6	40.0	37.8	37.8	38.0	38.0	38.0	38.1	62.6	37.8	41.8	6.1	24
18	38.0	38.4	38.0	37.9	38.0	38.2	38.2	38.3	38.3	38.4	38.3	38.1	37.9	38.0	38.0	38.0	37.8	37.8	37.8	38.0	38.4	38.6	38.9	39.3	39.3	37.8	38.2	0.3	24	
19	39.9	40.0	40.3	40.2	40.7	40.4	40.8	40.2	39.3	49.7	44.6	39.4	38.1	37.6	37.8	37.6	37.5	37.4	37.6	38.0	38.4	38.8	39.5	40.3	49.7	37.4	39.8	2.7	24	
20	41.7	42.7	41.6	40.6	40.5	42.9	45.9	47.3	42.4	40.1	39.7	39.0	38.3	38.4	38.9	38.9	38.6	63.7	63.7	51.5	42.2	40.8	40.5	40.2	63.7	38.3	43.0	5.6	24	
21	39.4	39.2	39.2	39.2	39.1	39.4	42.2	40.8	39.3	39.1	39.0	38.7	38.5	38.2	38.2	38.1	38.0	37.9	38.1	38.1	38.0	37.9	37.9	37.9	40.0	42.2	37.9	38.9	1.0	24
22	39.1	37.8	37.5	40.4	40.9	39.1	39.1	43.1	40.2	37.7	37.4	37.4	37.5	37.6	37.5	37.6	37.5	37.4	37.2	37.3	37.3	37.5	37.6	37.9	38.2	37.2	37.7	0.3	24	
23	38.0	38.2	37.9	37.8	38.2	38.2	38.2	38.1	37.6	37.6	37.6	37.4	37.5	37.4	37.4	37.8	37.6	37.5	37.4	37.2	37.3	37.3	37.5	37.6	37.9	38.2	37.2	37.7	0.3	24
24	37.8	38.2	38.5	38.5	38.7	39.2	39.6	38.8	38.0	37.8	38.0	38.1	37.8	37.9	37.8	37.8	37.6	37.5	37.6	37.8	38.1	38.6	38.7	39.0	39.6	37.5	38.2	0.6	24	
25	39.5	39.7	40.7	43.5	41.6	40.5	40.6	40.4	41.3	40.8	39.1	38.4	38.1	37.6	37.5	38.0	39.8	41.2	39.8	38.6	38.0	37.7	38.8	41.1	43.5	37.5	39.7	1.5	24	
26	38.5	37.4	37.3	37.1	37.2	37.2	37.1	37.2	37.5	37.7	37.9	37.7	38.0	38.2	38.1	38.3	37.7	37.5	37.4	37.4	37.2	37.3	37.5	37.5	37.8	38.5	37.1	37.6	0.4	24
27	38.1	38.3	38.5	38.1	38.6	39.1	39.4	38.9	38.4	38.0	37.9	38.0	38.1	38.3	38.2	38.3	37.9	38.0	37.8	37.9	38.4	38.6	38.9	39.4	39.4	37.8	38.4	0.5	24	
28	39.7	39.6	39.8	39.9	39.9	40.0	40.2	40.4	40.1	39.7	39.3	39.4	39.4	39.3	39.5	39.5	39.0	38.9	38.8	39.0	39.7	40.1	40.5	40.9	40.9	38.8	39.7	0.5	24	
29	40.2	40.4	40.9	41.2	43.2	43.5	42.5	42.2	41.6	40.7	40.2	39.7	39.6	39.6	39.4	39.6	39.4	41.5	41.5	40.2	40.2	40.4	40.4	43.8	43.8	39.4	41.0	1.4	24	
30	42.4	46.0	47.0	45.3	40.9	44.4	43.0	39.8	38.3	37.5	37.7	37.9	37.7	38.2	38.3	37.6	37.5	37.7	37.5	37.5	37.5	37.6	37.7	37.7	47.0	37.5	39.7	3.1	24	
31	38.0	38.0	38.6	39.5	39.3	38.6	42.9	42.5	39.6	38.8	38.9	39.1	39.3	39.4	38.7	39.0	39.0	38.9	38.4	38.4	38.4	39.1	39.4	39.9	42.9	38.0	39.3	1.2	24	
最大値	44.6	46.0	47.0	45.3	43.2	44.4	45.9	47.3	42.4	49.7	44.6	43.5	44.0	41.5	46.8	57.7	62.6	53.4	63.7	51.9	46.1	43.9	43.8	43.5	63.7	43.0	43.0			
最小値	37.8	37.4	37.3	37.1	37.2	37.2	37.1	37.2	37.5	37.5	37.4	37.4	37.5	37.4	37.4	37.6	37.4	37.4	37.3	37.2	37.2	37.3	37.5	37.7	37.7	37.1	37.6			
平均値	40.0	40.1	40.3	40.5	40.4	40.6	40.8	40.6	40.0	39.8	39.4	39.3	39.3	39.1	39.3	39.8	40.1	40.2	39.9	39.5	39.2	39.2	39.6	40.0	40.0	39.9	39.9			
標準偏差	1.5	1.7	1.9	1.8	1.5	1.6	1.7	1.8	1.3	2.2	1.4	1.2	1.4	1.1	1.7	3.9	5.3	4.4	5.1	3.5	1.9	1.3	1.4	1.4	1.4	2.5				
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744			
有効測定日数	31																													
測定時間	744																													
測定値合計	29670.6																													
1時間間の最大値	63.7																													
1時間間の最小値	37.1																													
平均値	39.9																													
日平均値の最大値	43.0																													
日平均値の最小値	37.6																													
日平均値の範囲	31																													
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

地頭放射線測定所

2015年09月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間					
1	41.0	53.6	61.7	59.5	49.9	44.4	42.2	41.6	41.5	40.4	39.3	38.8	38.1	38.6	38.1	41.0	42.5	38.8	37.5	37.1	37.2	37.6	37.6	38.1	61.7	37.1	42.4	6.9	24					
2	38.1	38.4	38.8	40.0	40.2	39.4	39.0	38.2	37.5	37.3	37.1	37.2	37.1	37.1	37.4	37.1	37.2	37.1	37.0	37.0	37.6	37.9	37.9	38.5	40.5	37.0	38.0	1.1	24					
3	40.5	39.8	39.1	38.7	39.7	39.4	39.4	39.7	39.5	39.2	38.9	38.6	39.2	39.5	38.9	38.5	38.5	38.7	39.0	38.6	38.8	39.2	39.3	39.4	40.5	38.5	39.2	0.5	24					
4	39.6	39.4	38.8	38.8	39.2	39.4	38.9	38.7	38.8	38.7	38.7	38.8	38.2	38.2	38.1	38.2	38.2	38.1	38.0	38.0	38.1	38.4	38.7	38.8	39.8	38.0	38.6	0.5	24					
5	39.2	39.2	39.5	39.7	39.8	39.7	39.9	39.6	39.2	39.2	38.3	38.2	38.2	38.0	38.1	38.2	38.2	38.2	37.9	37.7	37.9	38.1	38.7	39.2	39.6	38.7	38.6	0.8	24					
6	39.6	43.8	46.9	45.2	43.2	40.5	39.7	40.8	53.6	57.9	59.8	62.2	52.9	46.8	42.0	39.4	39.1	38.6	38.3	49.5	55.5	48.1	44.1	51.3	62.2	38.3	46.6	7.2	24					
7	45.4	39.8	39.3	40.9	40.6	41.0	40.8	39.7	38.1	37.3	37.1	37.1	37.3	37.2	37.3	37.3	38.9	41.3	39.0	40.2	46.5	47.3	47.4	47.3	47.4	37.1	40.6	3.6	24					
8	43.1	40.6	42.2	43.1	42.0	40.0	38.4	38.6	38.3	37.9	37.6	38.1	38.0	38.3	38.7	39.7	40.2	46.4	50.0	52.4	47.8	43.9	42.5	42.5	52.4	37.6	41.6	4.0	24					
9	40.2	40.3	40.3	41.0	40.0	39.2	40.7	41.4	41.1	43.1	42.8	41.6	38.9	38.5	39.2	38.0	38.5	38.5	37.9	37.7	37.7	37.5	37.9	38.5	43.1	37.5	39.6	1.6	24					
10	39.4	39.3	39.1	38.9	39.2	39.1	39.4	39.0	38.9	37.7	37.2	37.3	37.6	38.1	38.2	38.6	38.5	37.8	37.8	37.1	37.1	37.4	37.1	37.4	39.4	37.1	38.2	0.9	24					
11	37.6	37.9	38.0	38.0	38.0	38.0	37.9	38.3	38.2	38.1	38.1	37.9	37.9	38.2	38.1	38.1	38.1	38.0	37.8	37.9	38.0	38.4	38.8	38.9	38.9	37.6	38.1	0.3	24					
12	39.1	39.4	39.1	39.2	39.5	39.4	39.5	39.2	39.4	39.4	39.2	39.0	38.9	38.9	38.7	38.6	38.9	39.1	39.4	39.6	40.1	40.3	40.5	40.7	40.7	38.6	39.4	0.5	24					
13	40.6	40.6	40.7	40.3	40.3	40.3	41.2	41.0	39.1	38.6	38.7	38.7	38.4	38.3	38.2	38.1	38.1	37.9	37.8	37.7	37.7	37.9	38.2	38.4	41.2	37.7	39.0	1.2	24					
14	38.5	38.8	39.2	39.2	39.3	39.2	39.3	39.3	39.1	38.5	37.9	37.8	37.9	37.9	37.8	37.9	38.0	37.8	37.8	37.9	38.0	38.0	38.4	38.5	39.3	37.8	38.4	0.6	24					
15	38.7	38.8	39.2	39.3	39.5	39.7	39.7	39.6	39.5	39.1	38.7	38.6	38.5	38.5	38.4	38.4	38.4	38.4	38.3	38.4	38.7	39.0	39.6	40.0	40.0	38.3	39.0	0.5	24					
16	40.2	40.6	40.6	40.9	41.0	41.2	41.7	41.2	40.5	40.2	40.1	39.9	39.2	39.3	40.3	40.0	39.5	39.0	39.3	39.6	39.8	39.8	39.8	39.8	39.8	41.7	39.0	40.2	0.7	24				
17	40.1	40.8	42.0	44.9	45.8	46.5	46.2	45.8	45.6	44.8	44.3	44.7	45.5	42.4	40.5	41.3	42.0	38.7	37.8	37.6	37.5	37.7	37.5	37.5	37.6	46.5	37.5	42.0	3.3	24				
18	37.8	38.0	38.2	37.9	38.4	38.4	38.4	38.2	38.1	38.3	37.8	38.7	38.1	37.7	38.3	38.2	37.6	37.5	39.7	40.1	38.6	37.5	37.3	37.4	40.1	37.3	38.2	0.7	24					
19	37.7	37.6	37.7	37.6	37.7	37.9	38.1	38.1	37.5	37.3	37.3	37.4	37.3	37.2	37.1	37.1	37.0	37.0	37.0	37.1	37.4	37.4	37.5	37.4	37.7	38.1	37.0	37.4	0.3	24				
20	37.8	38.0	37.8	38.0	38.2	38.4	38.5	38.3	37.6	37.3	36.7	36.4	36.7	36.5	36.4	36.6	37.0	37.1	37.0	37.2	37.3	37.5	37.6	37.9	38.5	36.4	37.4	0.7	24					
21	38.0	38.1	38.5	38.5	38.7	39.1	39.3	39.1	38.6	38.2	37.9	37.6	37.4	37.3	37.4	37.5	37.5	37.5	37.5	37.7	37.9	38.2	38.5	38.8	38.8	39.3	37.3	38.2	0.6	24				
22	39.0	38.9	39.2	39.6	39.5	39.6	39.5	39.3	38.2	38.0	38.4	38.0	38.3	38.5	38.4	38.4	38.5	38.3	38.3	38.6	39.0	39.3	39.6	39.9	39.9	38.0	38.9	0.5	24					
23	40.2	40.5	40.4	40.4	40.0	39.9	40.3	40.4	40.2	40.1	39.5	38.8	38.6	38.5	38.6	38.6	38.6	38.6	38.9	39.4	39.6	39.7	39.5	39.5	39.6	40.5	38.5	39.5	0.7	24				
24	39.7	40.3	40.6	41.0	42.6	42.2	42.9	47.4	50.3	51.4	46.2	41.4	39.8	38.9	39.7	40.9	41.2	39.7	38.3	37.8	39.1	41.9	44.6	47.7	51.4	37.8	42.3	3.7	24					
25	51.1	48.9	49.1	48.0	45.9	42.4	41.0	40.2	40.2	43.8	42.1	41.5	41.9	39.6	38.0	38.2	37.6	37.2	38.2	38.0	37.5	37.3	37.3	37.5	51.1	37.2	41.3	4.3	24					
26	37.8	38.1	38.3	38.4	38.6	38.8	39.0	38.6	38.5	38.1	37.7	37.6	37.6	37.5	37.6	37.4	37.4	37.4	37.6	37.8	37.9	38.0	38.4	38.4	38.6	39.0	37.4	38.0	0.5	24				
27	38.9	39.1	39.1	39.0	39.2	39.1	39.1	39.0	38.6	38.2	37.7	37.8	37.7	37.4	37.5	37.4	37.5	37.3	37.3	37.6	37.9	38.2	38.2	38.2	38.4	39.2	37.3	38.2	0.7	24				
28	38.5	38.5	38.4	38.8	38.8	38.7	38.8	38.8	38.6	38.3	38.5	38.3	38.0	37.8	37.8	37.7	37.7	37.7	37.9	38.1	38.4	38.7	38.8	38.8	38.8	38.8	37.7	38.4	0.4	24				
29	39.2	39.1	39.0	38.9	39.0	39.2	39.5	39.4	38.7	38.1	38.5	38.4	38.4	38.6	38.4	38.4	38.2	38.1	38.2	38.3	38.3	38.7	38.6	38.1	39.5	38.1	38.6	0.4	24					
30	37.8	37.7	37.6	37.7	37.5	37.3	37.5	37.6	37.7	37.4	37.8	38.0	37.7	37.8	37.8	38.1	38.0	37.9	38.0	38.2	38.5	38.9	39.3	39.5	39.5	39.5	37.3	38.0	0.6	24				
31																																		
最大値	51.1	53.6	61.7	59.5	49.9	46.5	46.2	47.4	53.6	57.9	59.8	62.2	52.9	46.8	42.0	41.3	42.5	46.4	50.0	52.4	55.5	48.1	47.4	51.3	62.2	38.3	46.6							
最小値	37.6	37.6	37.6	37.5	37.3	37.3	37.3	37.6	37.5	37.3	36.7	36.4	36.7	36.5	36.4	36.6	37.0	37.0	37.0	37.0	37.1	37.3	37.3	37.1	37.4	36.4	37.4	37.4	37.4	37.4	37.4			
平均値	39.8	40.1	40.6	40.7	40.4	39.9	39.8	39.9	40.1	40.1	39.7	39.5	39.0	38.6	38.4	38.4	38.5	38.4	38.5	39.0	39.4	39.3	39.4	39.9	39.9	38.0	38.9	39.5	39.5	39.5	39.5			
標準偏差	2.7	3.3	4.7	4.3	2.7	1.9	1.7	2.1	3.6	4.5	4.4	4.6	3.1	1.9	1.1	1.2	1.4	1.8	2.3	3.4	3.9	2.7	2.4	3.2	3.2	3.6	3.1	3.1	3.1	3.1				
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30			
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
測定時間	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720		
測定値合計	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	28417.4	
測定時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
測定値ラック	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
測定値ラック	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75																		





上杉放射線測定所

2015年09月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	29.4	32.3	35.4	35.1	32.7	30.7	30.5	29.6	29.5	28.9	28.3	27.7	27.4	27.8	27.8	29.1	31.1	28.4	27.1	26.9	27.0	27.6	27.1	27.2	35.4	26.9	29.3	2.5	24	
2	27.5	27.6	27.8	30.3	38.2	33.9	29.9	27.9	27.0	27.1	26.9	26.7	26.8	26.9	27.1	27.1	27.0	27.0	26.9	27.0	27.2	27.6	28.3	31.2	38.2	26.7	28.4	2.7	24	
3	31.6	30.2	29.4	29.9	29.5	28.9	28.6	28.6	28.6	28.6	28.5	28.5	29.2	31.2	29.9	28.3	28.1	28.3	28.5	28.1	28.3	28.5	28.7	29.0	31.6	28.1	29.1	0.9	24	
4	29.2	29.6	29.6	29.3	29.2	29.2	28.9	28.6	28.5	28.3	28.2	28.4	28.6	28.1	27.9	27.8	27.9	28.0	27.8	27.9	28.2	28.4	28.5	28.8	29.6	27.8	28.5	0.6	24	
5	29.2	29.0	29.4	29.6	29.9	29.9	30.2	29.8	28.7	28.1	28.2	28.2	28.0	28.0	28.0	27.9	27.9	28.0	27.6	27.8	28.1	28.3	28.5	29.0	30.2	27.6	28.6	0.8	24	
6	29.4	33.0	37.2	36.8	34.4	31.0	30.1	31.1	35.3	41.3	46.8	52.4	41.8	34.6	30.1	29.8	28.8	28.7	28.4	30.1	38.7	39.7	35.3	32.3	52.4	28.4	34.9	6.1	24	
7	32.5	30.9	31.0	33.8	34.6	34.9	34.5	31.5	30.2	28.9	27.4	28.0	28.6	29.3	27.8	28.2	30.3	30.8	28.3	28.7	31.3	32.4	29.8	34.7	34.9	27.4	30.8	2.4	24	
8	34.8	32.7	28.6	27.3	27.4	28.2	28.9	30.3	29.1	28.0	27.5	30.4	29.7	33.4	33.2	35.4	34.8	35.7	33.3	34.3	34.1	33.3	31.7	30.6	35.7	27.3	31.4	2.8	24	
9	30.1	29.5	29.1	29.3	29.0	29.0	30.8	30.5	30.6	30.6	30.5	29.9	28.2	27.0	26.7	26.8	26.9	27.2	27.3	27.7	27.9	28.4	28.7	28.9	30.8	26.7	28.8	1.4	24	
10	28.9	29.0	28.1	28.4	28.1	28.4	29.4	28.9	28.5	28.3	30.6	29.1	28.4	28.2	28.0	28.1	27.4	27.0	26.9	26.9	27.0	27.1	27.2	27.3	30.6	26.9	28.1	0.9	24	
11	27.6	27.6	27.7	27.8	28.0	28.0	28.1	28.2	28.1	27.8	27.5	27.6	27.6	27.8	27.9	27.9	27.8	27.7	27.7	27.6	27.8	28.1	28.0	28.4	28.4	27.5	27.8	0.2	24	
12	28.7	28.8	29.3	29.4	29.6	29.9	29.5	29.6	29.5	29.4	29.2	28.8	28.7	28.6	28.5	28.4	28.4	28.5	28.9	29.4	29.5	29.6	29.4	29.8	29.9	28.4	29.1	0.5	24	
13	29.8	29.6	30.1	29.9	29.8	30.0	31.2	31.5	30.0	29.0	28.7	28.4	28.3	28.0	28.1	27.8	27.8	27.8	27.6	27.7	27.6	27.9	28.1	28.2	31.5	27.6	28.9	1.2	24	
14	28.3	28.4	28.7	29.0	29.2	29.4	29.7	29.4	28.8	28.1	27.7	27.5	27.6	27.5	27.7	27.6	27.7	27.6	27.5	27.7	27.9	28.3	28.3	29.7	27.5	28.2	0.7	24		
15	28.5	28.9	28.8	29.2	29.2	29.4	29.5	29.4	29.0	28.7	28.4	28.2	28.0	28.2	28.3	28.4	28.2	28.4	28.3	28.5	28.7	28.8	28.9	29.1	29.5	28.0	28.7	0.4	24	
16	29.6	29.7	29.9	29.5	30.0	30.1	30.3	30.0	29.9	29.7	29.8	29.8	28.9	28.9	28.9	28.9	28.9	28.9	28.9	28.8	28.4	28.7	28.8	28.9	29.2	28.1	29.5	0.9	24	
17	29.4	31.7	32.9	31.5	32.6	36.6	38.0	36.9	36.8	37.9	38.2	37.2	34.7	33.1	29.8	27.9	28.4	27.7	27.5	27.4	29.5	30.4	28.9	27.8	38.2	27.4	32.2	3.9	24	
18	27.8	27.8	28.0	28.0	27.7	27.8	28.2	28.2	27.9	27.7	27.4	28.1	29.0	28.1	28.2	28.5	27.7	27.3	29.6	30.0	27.9	27.5	27.6	27.7	30.0	27.3	28.1	0.6	24	
19	28.0	28.2	28.2	28.4	28.4	28.3	28.6	28.7	27.5	27.1	26.8	27.0	27.0	26.9	26.9	26.9	26.9	26.8	26.9	26.9	27.0	27.2	27.3	27.4	28.7	26.8	27.5	0.7	24	
20	27.4	27.6	27.7	27.6	27.7	27.9	28.0	28.0	27.6	27.3	27.1	27.1	27.1	27.1	27.1	27.1	27.2	27.0	26.9	27.0	27.4	27.5	27.6	27.7	28.0	26.9	27.4	0.3	24	
21	27.9	28.0	28.0	28.4	28.4	28.8	28.8	28.5	28.3	27.5	27.3	27.1	27.2	27.2	27.3	27.2	27.2	27.5	27.8	27.9	28.0	28.1	28.3	28.6	28.8	27.1	27.9	0.6	24	
22	28.9	29.0	29.2	29.6	29.9	29.7	29.7	29.8	29.6	28.9	28.0	28.1	28.0	28.3	28.5	28.3	28.3	28.3	28.4	28.5	28.6	29.0	29.1	29.6	29.9	28.0	28.9	0.6	24	
23	29.2	29.7	29.9	30.1	30.4	30.1	31.6	31.6	30.7	30.2	28.7	28.3	28.5	28.3	28.4	28.4	28.4	28.5	28.2	28.2	28.0	27.8	27.8	27.8	31.6	27.8	29.1	1.3	24	
24	27.9	28.5	28.8	29.5	32.8	32.1	33.8	38.3	37.1	35.1	33.4	30.8	29.0	27.9	29.8	32.1	31.6	29.1	27.9	27.6	29.6	31.5	33.8	37.4	38.3	27.6	31.5	3.2	24	
25	40.5	39.2	40.1	39.6	34.9	30.7	28.4	30.7	31.9	30.1	28.3	28.8	30.4	30.2	30.2	28.6	29.2	30.2	29.5	30.2	30.0	28.8	27.5	27.1	40.5	27.1	31.4	4.1	24	
26	27.2	27.5	27.5	27.5	27.8	28.2	28.2	28.0	27.8	27.3	27.2	27.1	27.0	27.1	27.2	27.3	27.3	27.1	27.2	27.2	27.5	27.8	28.0	28.1	28.2	27.0	27.5	0.4	24	
27	28.3	28.5	28.5	28.4	28.5	28.7	28.5	28.3	28.2	27.7	27.3	27.1	27.3	27.5	27.2	27.2	27.3	27.3	27.2	27.6	27.7	27.8	28.1	28.1	28.7	27.1	27.8	0.5	24	
28	28.2	28.3	28.2	28.6	28.6	28.5	28.6	28.6	28.3	28.0	27.8	27.7	27.8	27.8	27.8	27.7	27.6	27.4	27.4	27.7	28.0	28.2	28.3	28.6	28.6	27.4	28.1	0.4	24	
29	28.5	28.7	28.9	29.1	29.3	29.4	29.5	29.3	28.7	28.2	28.1	28.2	28.3	28.3	28.4	28.3	28.2	28.2	28.0	28.2	28.2	28.4	28.5	28.3	29.5	28.0	28.6	0.4	24	
30	27.8	27.7	27.6	27.6	27.4	27.4	27.5	27.6	27.5	27.5	27.8	27.7	27.6	27.5	27.7	27.7	27.8	27.9	27.9	28.2	28.3	28.8	29.1	29.3	29.3	27.4	27.9	0.5	24	
31	40.5	39.2	40.1	39.6	34.9	30.7	28.4	30.7	31.9	30.1	28.3	28.8	30.4	30.2	30.2	28.6	29.2	30.2	29.5	30.2	30.0	28.8	27.5	27.1	40.5	27.1	31.4	4.1	24	
最大値	40.5	39.2	40.1	39.6	34.9	30.7	28.4	30.7	31.9	30.1	28.3	28.8	30.4	30.2	30.2	28.6	29.2	30.2	29.5	30.2	30.0	28.8	27.5	27.1	40.5	27.1	31.4	4.1	24	
最小値	27.2	27.5	27.5	27.5	27.8	28.2	28.2	28.0	27.8	27.3	27.2	27.1	27.0	27.1	27.2	27.3	27.2	27.3	27.3	27.2	27.6	27.7	27.8	28.1	28.7	27.0	27.5	0.4	24	
平均値	29.4	29.6	29.8	29.9	29.6	29.9	29.9	29.9	29.6	29.4	29.2	28.8	28.7	28.6	28.5	28.4	28.4	28.5	28.9	29.4	29.5	29.6	29.4	29.8	29.9	28.4	29.1	0.6	24	
標準偏差	2.6	2.4	2.9	2.8	2.7	2.1	2.2	2.4	2.5	3.2	4.0	4.8	2.9	2.0	1.4	1.8	1.7	1.7	1.2	1.5	2.4	2.5	1.8	2.2	2.9	28.1	2.6	2.6	2.6	24
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720		
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	111/01	
測定値ラフ	0	6	11	11	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL						
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	720	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100	
測定値合計	20974.3																													
測定時間数	0																													
1時間間の最大値	52.4																													
1時間間の最小値	26.7																													
平均値	29.1																													
日平均値の最大値	34.9																													
日平均値の最小値	27.4																													
日平均値	29.1																													
測定項目	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720		