

本庄 放射線測定所

2015年05月

単位: nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	35.8	35.9	36.4	36.7	37.3	37.6	37.6	37.7	36.0	34.9	34.9	35.1	35.3	35.1	35.0	35.0	34.8	34.8	34.9	35.0	35.8	36.4	36.8	37.2	37.7	34.8	35.9	1.0	24	
2	37.3	37.6	37.7	37.8	37.9	38.1	38.0	37.6	36.7	35.6	35.8	35.5	35.5	35.4	35.3	35.3	35.5	35.5	35.1	35.3	36.2	36.4	36.3	36.3	38.1	35.1	36.4	1.0	24	
3	36.4	36.8	37.2	37.4	37.5	37.3	37.0	35.8	35.0	34.7	34.7	34.5	34.5	34.5	34.6	34.6	34.7	34.6	34.6	37.9	38.1	35.6	35.4	36.4	38.3	34.5	36.0	1.3	24	
4	36.4	35.3	34.8	34.7	35.2	41.3	41.1	36.7	36.1	36.2	35.4	34.9	34.9	34.9	35.0	35.2	35.2	35.2	37.0	36.2	35.0	34.7	34.4	34.2	41.3	34.2	35.8	0.8	24	
5	34.1	34.1	34.1	34.1	34.2	34.3	34.2	34.1	34.1	34.3	34.4	34.3	34.5	34.5	34.4	34.5	34.5	34.5	34.3	34.8	35.2	35.5	35.8	36.0	35.8	36.0	34.1	34.6	0.6	24
6	36.3	36.3	36.9	36.9	37.3	37.7	37.6	37.6	37.2	36.0	35.7	35.5	35.6	35.6	35.3	35.3	35.4	35.2	36.5	37.0	38.1	38.4	38.9	39.1	39.1	35.2	36.7	1.2	24	
7	39.4	39.3	38.4	38.3	38.4	38.6	38.7	38.7	37.3	35.3	34.9	35.0	34.9	35.1	34.5	34.3	34.5	34.5	34.9	35.5	36.1	37.0	41.2	41.4	41.4	34.3	36.9	2.2	24	
8	40.4	37.5	36.2	35.4	35.3	35.6	35.7	35.6	34.8	35.1	35.1	34.9	35.0	34.8	34.9	35.1	35.1	34.8	34.8	34.7	35.1	35.7	36.5	36.8	40.4	34.7	35.6	1.2	24	
9	37.0	37.4	37.4	37.4	37.8	37.9	37.8	38.2	38.5	38.2	38.0	37.8	36.7	36.0	35.9	35.0	34.7	35.0	34.8	35.1	35.4	35.8	36.4	36.6	38.5	34.7	36.7	1.3	24	
10	37.0	37.2	37.6	37.6	37.2	36.2	35.4	34.4	34.3	34.6	34.5	34.6	34.5	34.4	34.5	34.5	34.5	34.3	34.1	34.1	34.1	34.0	34.2	34.2	37.6	34.0	35.1	1.3	24	
11	34.1	34.0	34.3	34.6	35.0	35.5	35.7	35.3	34.4	34.5	34.5	35.1	34.8	34.8	34.8	34.8	34.6	34.8	35.0	34.9	35.0	35.6	36.3	36.8	36.8	34.0	37.0	0.6	24	
12	36.2	35.6	34.9	34.8	34.9	34.8	34.8	34.8	34.4	34.4	34.8	34.7	36.0	36.3	37.1	37.6	39.2	39.9	40.7	43.1	41.7	39.4	35.3	33.9	43.1	33.9	37.0	2.9	24	
13	33.7	33.3	33.5	33.6	33.5	33.8	33.8	33.6	33.2	33.4	34.0	34.3	34.3	34.3	34.6	34.7	34.6	34.5	34.4	34.3	34.6	35.1	35.6	35.7	35.7	33.2	34.2	0.7	24	
14	35.9	36.2	36.2	36.4	36.5	36.6	36.5	36.0	35.1	34.9	34.6	34.5	34.6	34.4	34.4	34.4	34.4	34.4	34.2	34.8	34.8	35.1	35.1	35.1	36.6	34.2	35.2	0.8	24	
15	35.6	35.4	35.9	36.5	37.0	36.9	37.0	35.6	34.9	34.9	34.9	34.8	34.6	34.6	34.7	34.7	34.7	34.7	34.7	35.2	37.1	38.2	38.9	39.0	39.0	34.6	35.9	1.4	24	
16	39.9	42.4	57.2	60.4	51.9	50.8	46.5	43.1	33.7	33.6	33.7	33.6	33.6	33.7	34.0	34.1	34.0	33.8	33.9	33.9	34.0	33.8	33.7	33.7	33.7	33.6	39.1	8.3	24	
17	34.1	34.4	34.4	34.4	34.2	34.2	34.4	34.4	34.8	34.8	34.5	34.4	34.5	34.5	34.2	34.5	34.4	34.4	34.6	34.9	35.5	35.9	36.2	36.4	36.6	34.1	34.8	0.7	24	
18	36.6	36.8	36.9	37.0	37.0	37.3	37.3	36.9	36.2	35.4	34.9	34.7	34.7	34.7	34.9	35.9	36.1	36.1	36.3	36.1	38.4	42.4	46.0	44.4	46.0	34.7	37.2	2.9	24	
19	43.4	42.4	40.5	37.1	37.5	36.7	36.0	36.4	35.7	34.7	34.9	34.7	34.9	34.8	34.6	34.8	34.8	34.4	34.6	34.9	35.3	36.0	36.2	35.7	43.4	34.4	36.3	2.4	24	
20	35.7	35.9	35.8	35.8	36.0	36.0	36.2	36.5	36.8	36.2	35.5	35.3	35.3	35.0	34.3	34.1	34.0	34.0	33.8	34.2	35.1	42.7	42.7	37.0	42.7	33.8	36.0	2.2	24	
21	34.2	33.6	33.4	33.4	33.3	33.4	33.5	33.7	33.8	33.9	33.8	34.2	34.2	34.2	34.0	34.1	34.1	34.3	34.2	34.6	35.0	35.2	35.2	35.4	35.4	33.3	34.1	0.6	24	
22	35.4	35.7	35.7	35.9	36.1	36.2	36.4	36.3	35.9	35.4	35.2	34.9	34.8	34.8	35.0	34.7	34.9	34.9	35.3	35.9	36.8	37.3	37.7	38.0	38.0	34.7	35.8	0.9	24	
23	38.3	38.2	38.4	38.5	38.6	38.7	38.6	38.5	37.7	36.9	36.3	35.8	35.6	35.7	35.6	35.4	35.2	35.8	36.7	37.9	38.5	38.8	38.8	39.1	39.1	35.2	37.4	1.4	24	
24	39.5	39.8	39.9	40.1	40.4	40.3	39.9	39.7	36.4	36.8	36.8	35.5	35.3	35.1	35.0	35.1	34.9	34.9	35.3	35.5	35.9	36.4	37.2	37.9	40.4	34.9	37.2	2.1	24	
25	38.3	38.7	38.6	38.6	38.6	38.7	38.4	38.3	37.9	36.5	35.9	35.7	35.5	35.5	35.4	35.5	35.5	35.6	35.6	35.7	36.4	37.2	38.2	38.7	38.7	35.4	37.1	1.4	24	
26	39.6	40.0	40.4	40.6	40.6	40.6	40.2	39.8	38.2	36.1	35.6	35.3	34.9	34.9	34.9	34.8	34.9	34.9	35.0	35.2	35.8	36.5	36.7	37.1	40.6	34.8	37.2	2.3	24	
27	37.0	37.0	37.1	37.0	37.3	37.6	37.5	37.7	37.8	37.1	36.0	36.0	36.0	35.9	36.1	35.9	36.1	36.0	36.2	36.8	37.8	38.5	39.0	39.3	39.3	38.0	37.0	1.0	24	
28	39.7	39.9	40.1	40.1	40.0	40.2	40.2	39.8	39.1	38.0	37.7	37.1	36.7	36.1	35.9	35.8	35.4	35.7	35.8	35.7	35.6	35.4	35.2	35.3	40.2	35.2	37.5	2.0	24	
29	35.4	35.6	35.8	36.3	37.0	37.5	37.6	37.6	36.3	35.9	36.4	36.2	36.0	36.2	36.1	36.2	36.0	36.6	36.5	35.3	36.2	37.0	37.8	38.1	38.1	35.3	36.4	0.8	24	
30	38.6	38.8	39.0	39.1	39.2	39.1	39.5	39.4	38.3	37.3	37.1	36.9	36.9	36.7	36.5	38.0	36.9	36.1	35.9	36.5	36.3	35.8	35.9	36.1	39.5	35.8	37.5	1.3	24	
31	36.3	36.5	36.9	36.6	36.1	35.6	35.2	35.1	35.1	35.1	34.8	35.2	35.0	35.2	35.2	35.1	35.1	35.2	35.1	35.2	35.0	35.2	35.3	35.2	35.2	34.8	35.4	0.6	24	
最大値	43.4	42.4	57.2	60.4	51.9	50.8	46.5	43.1	33.7	33.6	33.7	33.6	33.6	33.7	34.0	34.1	34.0	33.8	33.9	33.9	41.7	42.7	46.0	44.4	46.0	60.4	39.1			
最小値	33.7	33.3	33.4	33.4	33.3	33.4	33.5	33.6	33.2	33.4	33.4	33.4	33.4	33.4	33.6	33.6	33.6	33.4	33.8	33.9	34.0	33.8	33.7	33.7	33.7	33.2	34.1			
平均値	37.0	37.0	37.5	37.5	37.4	37.6	37.4	36.9	36.1	35.5	35.3	35.2	35.2	35.1	35.1	35.1	35.1	35.1	35.5	36.1	36.7	37.1	37.0	37.0	37.0	36.2	36.2			
標準偏差	2.3	2.3	4.2	4.6	3.3	3.2	2.6	2.1	1.6	1.1	1.0	0.9	0.8	0.7	0.8	1.1	1.1	1.2	1.7	1.6	1.6	2.1	2.5	2.3	2.3	3.6	2.4			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	115/01		
測定時間	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744		
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	100	以上								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								

本庄 放射線測定所

2015年06月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	352	361	367	369	375	375	369	362	***	***	***	***	***	***	353	349	351	351	351	354	362	364	365	372	375	349	*36.1	0.9	18	
2	376	378	381	384	387	388	384	367	355	355	351	352	351	350	350	348	349	350	347	349	352	351	355	359	368	347	361	1.5	24	
3	371	425	479	551	584	578	512	449	446	414	367	353	439	442	373	351	340	336	335	334	332	332	331	332	584	331	40.9	8.2	24	
4	335	334	337	338	338	338	338	334	334	334	332	332	333	333	336	336	338	337	336	336	340	343	347	351	351	330	33.7	0.5	24	
5	351	352	355	355	354	355	358	359	357	358	357	358	384	416	432	412	410	426	412	399	367	386	408	406	432	351	38.0	2.8	24	
6	387	358	338	332	341	349	348	349	365	347	340	343	336	333	332	333	333	332	333	332	334	338	340	341	387	332	34.2	1.3	24	
7	345	347	344	347	348	342	343	345	347	343	342	340	342	340	341	338	339	339	338	341	346	347	350	350	350	338	344	0.4	24	
8	349	345	342	342	341	341	339	335	337	337	339	338	338	338	351	362	389	392	371	369	359	345	339	338	392	335	34.9	1.6	24	
9	346	400	440	421	411	430	433	394	359	***	***	***	***	***	***	***	***	***	336	338	337	338	340	343	440	336	*37.5	4.1	16	
10	348	347	349	352	354	357	357	350	348	344	341	344	344	344	343	342	340	346	349	356	363	363	365	366	366	340	35.1	0.8	24	
11	369	371	372	374	377	378	381	378	373	368	361	354	352	361	417	390	406	410	463	456	411	362	346	343	463	343	38.2	3.1	24	
12	342	379	386	390	377	355	351	349	352	351	352	353	349	352	354	354	356	429	488	389	359	351	351	355	488	342	36.8	3.2	24	
13	357	359	361	358	360	361	362	365	364	359	355	355	349	347	349	349	356	364	374	376	384	376	373	384	342	34.7	1.0	24		
14	380	387	390	390	395	399	404	391	367	348	347	344	343	342	343	345	345	345	343	351	357	365	371	378	404	342	36.6	2.2	24	
15	381	384	385	389	390	396	394	381	360	353	354	353	354	354	354	350	354	350	354	362	374	386	393	397	348	371	1.8	24		
16	400	401	405	410	411	416	416	400	391	422	432	401	385	371	364	360	354	349	348	347	350	353	359	362	432	347	38.4	2.8	24	
17	361	353	350	351	351	353	356	358	349	346	346	346	347	348	349	350	350	350	350	355	352	351	355	358	361	346	35.1	0.4	24	
18	359	358	352	365	367	358	362	366	382	357	344	339	347	344	343	345	349	368	367	363	352	348	347	359	382	339	35.6	1.0	24	
19	372	375	398	406	390	378	373	382	390	387	392	391	409	388	375	360	369	351	340	338	342	344	346	348	409	338	37.3	2.2	24	
20	347	348	351	356	360	359	363	349	347	343	340	340	344	344	340	339	339	338	339	340	346	353	360	398	398	338	35.0	1.3	24	
21	376	360	362	357	353	347	347	376	506	431	366	346	340	349	342	337	337	333	334	336	338	344	350	355	506	333	35.9	3.8	24	
22	355	355	356	354	353	352	353	356	357	350	348	347	349	349	348	346	348	346	353	362	372	380	385	393	393	346	35.7	1.3	24	
23	396	403	410	415	415	410	399	386	370	348	349	350	350	347	348	352	361	358	358	358	361	365	374	379	415	347	37.3	2.4	24	
24	383	382	379	372	371	371	370	368	364	357	357	361	359	356	355	352	354	360	353	352	366	393	384	373	393	352	36.6	1.2	24	
25	389	374	385	387	386	379	375	355	342	339	341	341	345	345	344	345	343	342	340	340	342	341	343	342	387	339	35.4	1.8	24	
26	341	340	338	339	354	387	410	417	420	440	451	465	485	447	407	359	352	351	368	421	438	411	363	346	485	338	39.4	4.6	24	
27	343	348	348	343	343	341	342	341	340	340	340	339	337	338	343	342	340	341	338	335	333	332	334	332	348	332	34.0	0.4	24	
28	333	336	349	343	333	331	336	336	333	333	332	331	331	334	334	333	335	334	334	332	332	331	332	331	349	331	33.4	0.4	24	
29	332	334	332	333	335	336	336	335	335	334	337	339	338	340	***	339	343	342	346	354	357	344	344	345	357	332	34.0	0.7	23	
30	344	344	342	344	346	352	352	348	346	344	342	341	342	341	343	352	380	455	472	478	495	450	458	463	495	341	38.3	5.7	24	
31																														24
最大値	400	425	479	551	584	578	512	449	506	440	451	465	485	447	432	412	410	455	488	478	485	450	458	463	584	584	40.9			
最小値	332	334	332	332	333	331	336	334	333	333	332	330	331	332	332	333	333	332	333	332	332	331	331	331	331	348	330	33.4		
平均値	360	365	370	372	373	374	372	366	367	360	356	353	358	357	356	351	354	359	362	362	362	360	360	363	363	363	362	36.2		
標準偏差	1.9	2.3	3.3	4.2	4.6	4.6	3.7	2.6	3.7	3.0	2.7	2.7	3.4	3.0	2.5	1.6	2.0	3.2	4.1	3.5	3.4	2.6	2.6	2.8	2.8	3.2	3.2			
測定時間	30	30	30	30	30	30	30	30	29	28	28	28	28	28	28	29	29	30	30	30	30	30	30	30	30	30	30	32		
有効測定日数	28	705	705	705	705	705	15	25534.8	25534.8	25534.8	58.4	58.4	58.4	58.4	58.4	330	362	362	362	362	362	40.9	40.9	40.9	40.9	40.9	40.9	40.9	115/01	
測定値ラック	0	6	11	16	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL							
時間数	0	0	0	0	0	0	0	0	463	188	40	10	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	705	
出現割合(%)	0	0	0	0	0	0	0	0	65.674	26.667	5.674	1.418	0.284	0.284	0	0	0	0	0	0	0	0	0	0	0	0	0	100		

伏見 I 放射線測定所

2015年06月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	38.9	39.1	39.4	39.4	39.8	40.0	40.1	39.8	39.5	39.5	39.3	39.3	38.8	38.6	38.6	38.3	38.3	38.1	38.4	38.5	38.5	38.4	38.6	38.8	40.1	38.1	39.0	0.6	24	
2	39.4	39.8	39.5	39.5	40.1	39.9	39.7	39.7	39.6	39.6	38.8	38.9	38.6	38.2	38.3	38.2	38.2	38.4	38.4	38.5	38.5	38.5	38.5	38.9	40.1	38.2	39.0	0.6	24	
3	42.7	46.2	45.0	51.2	59.5	66.7	68.8	65.1	56.2	46.5	43.0	39.6	38.8	38.7	38.3	38.5	38.5	39.6	42.2	39.9	38.8	38.8	38.7	68.8	38.3	45.8	9.9	24		
4	38.9	38.9	38.9	39.1	39.1	39.2	38.8	38.5	38.5	38.5	37.9	38.0	38.0	37.9	37.9	37.9	38.1	38.0	38.0	38.0	38.0	38.3	38.3	39.2	37.9	38.4	0.5	24		
5	38.7	38.6	38.8	39.2	39.4	39.6	39.7	39.5	39.1	39.0	38.8	39.0	42.2	46.7	49.1	48.0	47.8	47.8	47.1	48.4	48.4	49.3	51.1	48.9	37.9	38.6	4.9	24		
6	46.1	43.9	40.9	39.1	38.4	38.3	38.0	38.2	38.2	38.2	38.2	38.2	38.0	37.9	38.0	38.0	38.1	37.9	38.1	38.0	38.0	38.0	38.0	38.1	46.1	37.9	38.8	2.0	24	
7	38.3	38.8	38.8	39.1	39.2	39.2	39.1	39.2	38.9	38.4	38.1	37.9	38.1	38.0	38.0	38.0	38.2	38.1	38.3	38.1	38.1	38.1	38.1	38.0	39.2	37.9	38.4	0.5	24	
8	38.1	38.0	38.1	38.1	38.1	38.1	38.1	37.9	38.0	37.9	37.8	37.9	37.8	37.9	39.3	39.4	41.2	45.4	44.9	46.7	48.2	48.1	46.7	40.5	48.2	37.8	40.5	3.8	24	
9	41.9	51.8	55.8	55.6	53.7	51.2	50.4	44.5	43.9	41.3	39.2	38.4	38.4	38.6	38.2	38.5	38.4	38.3	38.4	38.5	38.5	38.5	39.1	39.0	55.8	38.2	42.9	6.3	24	
10	38.6	38.5	38.9	39.5	39.8	40.1	39.9	39.8	39.0	38.9	38.6	38.6	38.6	38.6	38.5	38.6	38.6	38.6	38.5	38.8	38.7	39.1	40.1	40.5	40.5	38.5	39.1	0.6	24	
11	40.5	40.7	41.0	40.8	40.8	40.7	40.4	39.8	39.9	40.2	40.2	39.9	39.4	39.2	41.3	44.7	48.6	47.7	49.6	50.4	50.4	45.3	43.0	40.1	42.0	39.2	42.4	3.4	24	
12	45.4	45.2	46.5	47.1	51.0	50.9	48.3	42.5	40.2	39.2	38.8	38.6	38.6	38.6	38.6	39.0	39.0	39.1	39.0	39.3	39.3	39.3	39.3	39.0	39.1	51.0	38.6	41.8	4.2	24
13	39.5	39.9	40.2	40.6	40.8	40.9	40.2	40.0	39.7	39.4	39.3	39.1	38.7	38.2	38.0	38.0	38.4	38.5	38.8	38.9	38.9	38.9	38.5	38.2	40.9	38.0	39.2	0.9	24	
14	38.2	38.0	38.0	38.1	38.0	38.3	38.5	38.8	38.8	38.6	38.8	39.5	39.1	39.4	39.5	39.2	39.2	38.4	38.5	38.5	38.5	38.2	38.1	38.2	39.5	38.0	38.6	0.5	24	
15	38.4	38.4	38.5	38.7	39.4	40.5	41.2	40.3	38.6	38.5	38.4	38.3	38.5	38.3	38.3	38.3	38.2	38.4	38.5	38.5	38.3	38.3	38.4	38.7	41.2	38.2	38.7	0.8	24	
16	39.5	40.2	40.0	40.9	40.6	40.5	40.7	40.4	40.7	40.9	42.3	41.8	41.7	41.7	42.7	41.8	41.8	40.4	42.9	59.4	59.4	47.6	41.3	39.9	40.2	59.4	39.5	42.0	4.0	24
17	40.7	41.0	41.1	41.2	41.2	41.5	41.4	40.8	40.1	38.6	39.1	38.8	38.6	38.5	38.4	38.5	38.5	39.0	39.5	39.5	38.9	38.9	38.6	39.1	41.5	38.4	39.7	1.1	24	
18	38.6	38.6	39.6	42.4	42.7	44.3	44.7	42.4	40.1	38.9	38.2	38.0	37.8	38.1	38.7	37.9	37.9	39.5	39.2	43.4	42.4	41.3	41.4	39.6	44.7	37.8	40.2	2.2	24	
19	42.4	47.9	47.8	46.1	43.6	41.0	39.1	38.8	40.5	40.7	39.5	39.1	38.2	38.6	40.4	40.5	39.4	38.5	38.4	38.7	38.5	38.7	39.0	38.9	47.9	38.2	40.6	2.9	24	
20	39.2	39.2	39.3	39.6	39.4	39.5	39.5	39.2	38.8	38.8	38.6	38.5	38.5	38.7	38.6	38.7	38.2	38.4	38.2	38.3	38.1	38.2	44.2	45.5	40.4	45.5	38.1	39.4	1.8	24
21	38.8	38.3	38.2	38.4	39.0	39.8	43.6	50.9	43.9	41.2	39.2	38.5	38.4	38.3	38.4	38.1	38.3	39.6	49.1	56.5	54.2	44.0	39.7	38.6	56.5	38.1	41.8	5.4	24	
22	38.8	39.3	39.2	39.7	39.6	40.0	39.9	39.4	38.7	38.5	38.2	38.3	38.2	38.4	38.1	38.2	38.3	38.2	37.9	37.6	37.6	37.9	38.3	38.7	40.0	37.6	38.6	0.7	24	
23	39.1	39.2	39.2	39.7	40.2	39.9	39.4	39.3	39.2	39.0	38.6	38.8	38.7	38.3	38.2	38.1	38.4	38.4	38.3	38.3	38.3	38.6	38.4	38.7	39.2	40.2	38.1	38.9	0.6	24
24	39.6	40.1	39.9	39.9	40.1	40.4	40.6	40.2	39.6	39.3	38.6	38.4	38.2	38.1	38.1	38.1	38.2	38.0	37.8	38.1	38.4	38.4	38.2	38.2	40.6	37.8	38.9	0.9	24	
25	38.8	38.4	38.5	38.5	38.2	38.3	38.1	38.0	38.1	37.8	37.9	37.9	37.7	37.9	37.5	37.6	37.4	37.6	37.7	37.8	37.8	37.9	37.9	38.0	38.0	37.4	38.0	0.4	24	
26	37.9	37.9	37.9	38.0	40.8	45.4	47.3	47.6	46.0	47.0	50.5	48.6	51.0	60.9	60.3	55.5	52.1	59.3	60.5	64.5	57.2	54.7	47.2	40.6	64.5	37.9	49.5	8.2	24	
27	38.9	38.3	38.3	38.2	38.3	38.3	38.3	38.5	38.5	38.3	38.1	38.3	38.2	38.8	40.2	39.4	38.3	37.8	37.7	37.8	37.9	37.8	37.9	37.9	40.2	37.7	38.3	0.6	24	
28	37.9	37.8	37.8	38.0	37.9	37.6	37.7	37.8	37.8	37.6	37.6	37.7	37.6	37.5	37.7	37.6	37.6	37.6	37.4	37.6	37.7	37.7	37.6	37.8	38.0	37.4	37.7	0.1	24	
29	37.7	37.8	37.7	37.6	37.8	37.8	38.1	37.8	37.8	37.7	38.0	37.8	37.8	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.7	37.9	38.1	37.6	37.8	0.1	24
30	37.9	37.8	38.1	38.4	38.3	38.3	38.3	38.2	38.1	38.3	38.4	38.0	37.9	38.0	37.9	38.0	37.9	47.6	48.0	53.9	54.0	55.4	56.3	56.0	56.3	56.3	37.8	43.3	7.6	24
31																														24
最大値	46.1	51.8	55.8	55.6	59.5	66.7	68.8	65.1	56.2	47.0	50.5	48.6	51.0	60.9	60.3	55.5	52.1	59.3	60.5	64.5	57.2	56.3	56.0	56.3	68.8	49.5				
最小値	37.7	37.8	37.7	37.6	37.8	37.6	37.7	37.8	37.8	37.6	37.6	37.7	37.6	37.5	37.7	37.6	37.6	37.4	37.6	37.4	37.6	37.7	37.7	37.6	37.8	37.4	37.7			
平均値	39.6	40.3	40.4	40.7	41.2	41.5	41.6	41.1	40.2	39.6	39.3	39.0	39.0	39.5	39.8	39.7	39.9	40.4	41.1	42.3	41.4	41.0	40.5	40.5	39.9	40.4	37.7			
標準偏差	2.1	3.4	3.8	4.1	4.9	5.8	6.0	5.4	3.6	2.2	2.4	2.0	2.5	4.4	4.5	3.7	3.8	4.8	5.6	7.4	5.8	5.1	4.4	3.7	4.4	4.0				
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	4.5		
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720	
測定時間	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定時間数	0	6	11	16	21	26	31	36																						