

八津合放射線測定所

2015年02月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間					
1	39.1	42.6	41.2	37.0	35.2	34.2	38.0	38.4	42.2	36.5	33.7	36.5	37.2	37.8	35.0	33.7	33.1	32.7	32.7	33.1	35.5	37.4	37.7	35.4	42.6	32.7	36.6	2.7	24					
2	34.0	33.0	32.8	33.1	33.0	32.4	32.4	32.0	32.4	32.5	32.5	32.9	33.5	32.9	33.5	35.3	35.8	35.9	34.2	33.5	34.0	35.4	35.5	36.5	36.5	36.5	32.0	33.7	1.3	24				
3	34.8	34.0	34.2	34.6	34.2	34.2	34.0	34.1	34.5	34.0	33.7	33.6	33.9	33.9	34.1	33.7	33.8	34.1	34.4	34.4	34.8	35.0	35.3	35.6	35.6	35.6	33.6	34.3	0.5	24				
4	36.0	36.2	36.4	36.4	36.4	36.7	36.7	37.0	37.5	37.8	36.4	35.0	35.1	35.0	34.9	34.9	34.9	35.1	35.4	35.6	36.0	36.5	37.1	37.5	37.8	34.9	36.1	0.9	24					
5	37.7	37.8	38.2	38.7	39.3	39.7	39.3	39.7	39.6	38.6	37.5	36.9	37.0	38.6	42.2	49.5	44.2	44.2	42.2	42.2	41.0	45.6	45.1	54.4	67.5	36.9	43.8	8.1	24					
6	47.4	39.2	35.1	33.8	33.9	33.3	33.3	33.8	35.1	36.9	34.4	33.2	33.3	32.9	33.3	33.7	34.3	34.6	34.9	35.3	35.5	36.1	36.3	36.8	47.4	32.9	35.3	3.0	24					
7	37.6	38.1	38.8	39.4	39.5	39.4	39.6	39.9	40.2	39.7	37.8	36.2	36.5	36.4	36.4	36.4	36.3	36.2	36.3	36.1	36.5	36.9	36.6	37.0	40.2	36.1	37.7	1.5	24					
8	36.9	36.7	36.7	36.7	36.7	36.7	36.8	36.9	36.8	36.8	36.6	36.5	36.8	37.0	37.5	39.5	41.8	38.9	36.7	36.1	36.1	37.0	43.7	46.4	46.4	36.1	37.8	2.6	24					
9	49.1	49.0	45.0	46.1	41.1	40.2	45.8	46.7	47.8	40.4	41.2	44.1	39.7	38.6	37.2	35.6	35.0	34.4	34.5	34.3	34.1	34.1	34.1	34.3	49.1	34.1	40.3	5.3	24					
10	34.7	36.8	40.0	43.5	45.0	42.1	46.8	46.9	47.3	44.9	39.8	36.2	35.6	33.9	32.8	32.5	32.5	32.8	33.1	33.6	34.2	34.4	34.4	34.8	47.3	32.5	37.9	5.3	24					
11	35.3	35.5	35.6	35.5	35.4	34.5	34.4	33.7	33.4	33.3	33.3	33.2	33.6	34.0	34.4	34.8	35.1	35.5	35.9	36.4	36.7	36.9	37.8	37.6	37.8	33.2	35.1	1.4	24					
12	38.2	38.3	38.4	38.7	38.8	39.3	39.6	39.7	39.7	39.4	38.3	35.9	35.6	35.6	35.5	35.5	35.6	35.8	35.7	37.0	38.5	37.5	36.5	36.1	36.0	39.7	35.5	37.5	1.6	24				
13	36.3	40.5	50.1	46.0	40.4	39.9	39.0	39.3	38.5	***	***	53.5	50.0	45.2	47.1	53.8	53.1	50.6	44.9	50.4	53.8	43.9	36.9	38.3	53.8	36.3	45.1	6.1	22					
14	42.0	35.2	35.3	45.0	43.8	41.8	37.6	33.1	33.9	32.7	33.3	32.4	30.9	30.4	30.2	29.8	30.2	30.6	31.0	31.5	31.7	32.2	32.7	33.0	45.0	29.8	34.2	4.5	24					
15	33.2	33.6	34.1	34.4	34.3	34.4	34.8	35.4	35.5	37.7	37.7	36.4	39.6	39.2	33.6	32.2	31.9	32.0	31.7	31.3	31.1	31.2	31.5	31.9	39.6	31.1	34.1	2.5	24					
16	32.1	32.7	32.7	32.7	33.5	33.9	34.1	34.1	34.3	34.3	32.3	31.8	32.0	32.2	32.6	32.9	33.2	33.3	33.4	33.6	34.1	34.4	34.4	34.9	35.4	31.8	33.3	1.0	24					
17	42.8	54.4	57.5	52.5	43.8	39.0	37.7	36.8	37.0	36.8	36.7	36.5	36.5	36.2	35.9	35.4	35.5	35.6	35.6	35.9	38.0	38.0	51.2	54.3	51.8	57.5	35.4	41.4	7.6	24				
18	45.4	39.1	37.4	37.0	36.9	36.7	44.0	56.7	55.8	51.1	44.6	42.6	37.7	34.6	35.0	35.3	34.3	35.4	37.5	36.2	35.9	37.9	37.0	38.1	56.7	38.1	34.3	40.1	6.4	24				
19	39.5	40.2	40.8	42.0	38.7	40.9	40.2	39.7	39.2	38.3	***	***	***	***	***	***	37.8	38.0	37.3	44.6	47.0	42.9	39.4	39.0	47.0	37.3	*40.3	2.5	18					
20	38.2	41.0	39.0	36.3	35.6	35.8	35.9	36.2	38.4	39.1	37.0	37.0	36.1	35.0	34.6	34.8	34.8	34.6	34.8	35.0	35.0	35.6	36.3	41.0	47.0	34.6	36.3	1.7	24					
21	36.7	37.2	37.5	37.9	37.8	38.3	38.6	38.9	39.1	38.0	36.5	36.1	36.1	35.9	35.7	35.4	35.6	35.5	35.3	35.2	35.3	35.4	35.8	35.8	39.1	35.2	36.7	1.3	24					
22	35.9	36.1	35.7	35.8	36.0	35.9	35.7	35.6	35.3	36.6	38.5	36.6	35.8	35.6	36.6	36.6	36.3	36.2	36.8	38.1	37.6	40.8	41.4	37.8	41.4	35.3	36.8	1.6	24					
23	36.6	36.5	36.6	36.5	36.2	36.7	37.0	37.0	37.0	36.7	35.8	35.6	35.6	35.8	35.8	35.8	36.0	36.1	36.1	36.4	36.4	36.5	36.9	37.1	37.1	35.6	36.4	0.5	24					
24	37.2	36.8	37.0	37.3	37.5	38.0	38.5	38.6	38.7	38.1	37.1	36.6	36.3	36.6	36.4	36.3	36.6	36.4	36.3	36.3	36.6	37.0	37.4	37.7	38.7	36.3	37.2	0.7	24					
25	38.1	38.4	39.0	39.2	39.4	39.7	40.2	40.1	40.5	39.6	36.8	36.7	36.7	36.4	36.4	36.4	36.3	36.2	36.4	36.7	36.7	37.3	37.7	38.1	40.5	36.2	37.9	1.5	24					
26	38.6	39.0	39.5	40.2	39.9	39.7	40.0	40.5	39.8	36.6	35.7	35.4	35.8	***	45.0	43.1	43.6	42.2	48.0	52.5	50.7	41.4	37.9	38.8	52.5	35.4	41.0	4.5	23					
27	42.4	38.8	36.8	36.2	36.0	35.9	36.5	37.2	36.9	36.6	36.6	36.2	36.1	36.0	36.2	36.2	37.9	43.1	42.1	40.0	40.3	42.4	41.1	38.0	43.1	35.9	38.1	2.4	24					
28	41.3	39.4	37.1	36.5	36.3	36.0	35.6	35.6	35.6	35.7	35.9	36.1	35.9	36.0	36.1	36.1	36.1	36.1	36.1	36.1	36.4	36.7	37.0	37.4	41.3	35.6	36.5	1.3	24					
29																																		
30																																		
31																																		
最大値	49.1	54.4	57.5	52.5	45.0	42.1	46.8	56.7	55.8	51.1	44.6	53.5	50.0	45.2	52.5	53.8	53.1	67.5	58.4	52.5	53.8	51.2	54.3	54.4	67.5	45.1	45.1							
最小値	32.1	32.7	32.7	32.7	33.0	33.3	33.3	33.3	32.4	32.3	31.8	32.0	32.2	32.6	32.6	32.9	33.2	33.3	33.4	33.4	33.6	34.1	34.4	34.4	34.9	35.4	31.8	33.3						
平均値	38.5	38.4	38.5	38.5	37.7	37.3	37.9	38.3	38.6	37.7	36.5	36.5	36.4	36.4	36.6	36.6	36.6	36.6	36.6	36.6	36.6	36.7	36.9	37.1	37.1	37.1	35.6	36.4						
標準偏差	4.1	4.5	5.2	4.5	3.1	2.7	3.5	5.0	5.0	3.7	2.6	4.1	3.6	2.9	4.6	5.0	4.5	7.0	5.5	5.4	5.1	4.3	4.9	4.9	4.9	4.5	37.5							
測定時間	28	28	28	28	28	28	28	28	28	28	27	27	27	27	27	27	28	28	28	28	28	28	28	28	28	28	28	28						

有効測定日数	測定時間	測定値合計	1時間値の最大値	1時間値の最小値	平均値	日平均値の最大値	日平均値の最小値	日平均値	測定日																	
27	663	24858.9	67.5	29.8	37.5	45.1	33.3	33.3	***:交測																	
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL				
時間数	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	以上				
出現割合(%)	0	0	0	0	0	0	7	253	318	46	20	15	3	0	1	0	0	0	0	0	0	0	0	0	0	663
	0	0	0	0	0	1.056	38.16	47.964	6.938	3.017	2.262	0.452	0	0.151	0	0	0	0	0	0	0	0	0	0	0	100

八津合放射線測定所

2015年03月

単位：nGy/h

Table with columns for date (日), time (時刻), and 31 measurement points (1-31). Includes summary rows for '測定時間' (Measurement Time), '欠測時間' (Missing Time), '測定値合計' (Total Measurement Value), and '測定日の最大値' (Maximum Value of Measurement Day). Final rows show '測定値ラング' (Measurement Value Range) and '時間数出現割合(%)' (Time Count Appearance Ratio). A note at the bottom right indicates '局番/項目コード 112/01'.

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間																			
1	55.1	49.6	46.8	46.7	44.8	46.9	44.5	43.9	43.0	40.9	38.6	37.4	40.3	46.0	44.1	43.9	39.7	37.5	37.9	39.5	37.6	40.9	45.0	53.3	55.1	37.4	43.5	4.8	24																			
2	45.1	38.8	36.6	38.0	37.0	35.8	35.8	35.6	35.4	35.2	35.9	36.0	35.9	39.4	39.3	37.5	37.7	40.8	44.5	55.9	53.8	43.7	39.8	37.6	55.9	35.2	39.6	5.5	24																			
3	36.1	35.5	34.6	34.3	34.0	34.0	34.0	34.0	34.9	36.4	36.1	34.9	35.5	34.6	34.2	34.4	34.4	34.7	35.4	39.2	37.6	36.9	36.8	37.0	39.2	34.0	35.4	1.4	24																			
4	37.0	37.0	36.9	37.5	38.3	41.1	42.3	40.3	38.6	37.8	36.3	34.9	34.4	34.2	34.3	34.2	34.3	34.8	35.7	36.7	37.3	37.8	38.5	39.5	42.3	34.2	37.1	2.3	24																			
5	40.0	40.5	41.1	41.6	42.0	42.4	42.8	43.2	42.5	40.8	38.2	37.0	34.3	36.3	36.4	36.2	35.2	45.5	55.9	54.4	43.3	43.7	52.2	51.9	55.9	36.4	43.9	6.0	24																			
6	51.7	47.0	42.1	39.5	41.4	36.8	33.9	33.2	33.8	33.8	32.7	32.3	32.5	32.5	32.7	32.7	33.2	33.6	34.2	34.2	35.1	35.5	36.2	36.4	51.7	32.3	36.1	4.9	24																			
7	36.9	37.0	37.1	37.3	37.5	37.8	37.9	37.9	37.8	38.1	37.4	35.7	35.2	35.2	35.4	35.5	35.8	36.4	37.0	37.6	39.0	39.6	40.2	40.2	37.2	35.2	37.2	1.3	24																			
8	40.7	41.0	41.4	42.1	42.1	42.7	42.9	43.1	42.8	40.5	38.5	37.0	36.7	36.9	37.2	39.0	43.1	41.8	38.1	36.9	38.1	41.2	45.9	47.8	47.8	36.7	40.7	2.9	24																			
9	46.7	54.8	46.4	47.7	44.4	40.1	39.0	41.5	48.5	43.2	38.9	40.9	50.7	47.4	40.6	40.5	38.4	36.8	36.3	36.1	36.3	36.1	36.0	36.1	54.8	36.0	41.8	5.4	24																			
10	36.1	38.1	40.5	42.9	46.9	43.1	46.8	46.9	47.0	46.2	43.6	38.9	37.6	36.4	35.6	35.4	35.3	35.2	35.9	36.7	37.4	37.7	37.3	37.5	47.0	35.2	39.8	4.4	24																			
11	38.1	38.6	39.1	39.6	39.3	39.3	39.5	40.1	39.8	38.4	36.7	35.7	35.9	36.2	37.0	37.2	38.3	38.3	39.4	40.1	40.7	41.3	42.1	42.2	42.2	35.7	38.8	1.8	24																			
12	42.4	43.1	43.6	43.6	43.4	43.8	44.0	44.2	44.2	44.0	41.9	39.1	38.7	38.9	38.9	38.9	38.8	39.4	40.5	49.4	45.6	42.4	41.4	41.4	49.4	38.7	42.2	2.7	24																			
13	41.5	45.0	49.9	47.2	43.6	42.7	41.3	41.2	41.0	40.8	46.8	***	53.6	54.5	54.6	53.7	53.4	49.3	52.9	49.7	49.4	43.8	40.1	38.8	54.6	38.8	46.7	5.4	23																			
14	39.5	38.1	38.5	52.6	54.0	45.8	42.6	38.5	36.7	40.8	39.0	37.0	36.2	35.7	35.8	35.9	36.1	36.4	37.0	37.5	37.7	38.1	38.8	39.1	54.0	35.7	39.5	4.8	24																			
15	39.2	39.3	40.0	40.6	41.0	41.5	41.7	43.0	42.2	41.0	40.9	43.6	50.0	46.6	40.3	38.2	38.0	37.6	37.5	37.0	36.7	37.0	37.0	37.2	50.0	36.7	40.3	3.2	24																			
16	37.6	37.5	37.6	37.7	37.9	38.7	39.2	40.0	39.0	37.7	37.6	37.6	38.2	38.5	38.6	38.6	38.5	38.7	39.2	39.8	40.4	40.9	41.7	42.2	42.2	42.2	37.5	38.9	1.3	24																		
17	43.4	49.7	57.3	61.2	53.9	47.7	46.8	46.0	45.0	44.8	44.5	44.6	44.3	44.0	43.1	42.1	41.5	42.1	43.2	43.8	44.7	46.6	55.0	57.2	61.2	41.5	47.2	5.5	24																			
18	54.4	47.6	45.1	44.0	43.9	43.7	45.1	51.5	55.5	56.2	51.7	49.3	45.6	42.8	41.2	40.5	40.4	40.5	41.3	41.9	43.9	45.4	46.5	47.2	56.2	40.4	46.0	4.8	24																			
19	48.2	48.4	46.3	44.2	46.2	47.7	47.4	44.9	43.4	43.1	42.8	46.0	47.6	45.8	46.2	52.3	51.1	50.2	46.4	46.2	54.4	57.8	47.7	52.7	57.8	42.8	47.8	3.7	24																			
20	49.1	43.3	42.7	41.1	39.0	40.1	40.9	43.3	43.3	40.9	***	***	***	***	***	***	39.0	39.0	39.5	39.6	40.2	40.8	41.0	41.6	42.3	49.1	39.0	41.5	2.4	18																		
21	42.9	43.5	44.1	44.2	43.9	44.0	44.4	45.0	44.3	42.9	42.2	41.7	41.6	41.6	41.8	42.0	42.4	42.7	43.4	44.6	44.7	45.2	44.4	44.9	45.2	41.6	43.4	1.2	24																			
22	45.1	44.7	43.7	43.1	43.5	43.5	43.4	44.2	43.7	44.2	46.6	47.0	45.8	45.8	46.6	47.8	46.8	46.7	47.7	50.1	51.0	55.9	58.5	54.3	58.5	43.1	47.1	4.1	24																			
23	50.6	49.6	50.0	50.0	51.9	52.3	51.4	50.8	50.3	49.6	48.4	46.9	46.9	47.0	47.2	47.3	47.2	47.6	48.0	48.6	49.3	50.1	50.7	51.2	52.3	46.9	49.3	1.7	24																			
24	51.8	51.3	51.0	51.2	51.5	52.2	52.3	52.8	52.4	51.3	49.9	48.5	47.9	47.7	47.9	47.7	47.7	47.5	47.9	48.5	49.3	50.1	50.6	51.3	52.8	47.5	50.0	1.8	24																			
25	51.6	52.2	52.6	53.2	53.7	54.0	54.7	54.6	54.1	53.2	50.7	48.0	48.1	47.6	47.5	47.4	47.5	47.4	48.0	48.4	49.3	50.2	50.6	51.4	54.7	47.4	50.7	2.7	24																			
26	52.0	52.6	52.6	53.1	53.8	53.7	54.9	55.0	54.6	52.4	48.9	48.2	51.6	56.3	60.3	***	56.8	55.0	58.0	61.9	62.1	54.3	50.2	50.0	62.1	48.2	54.3	3.7	23																			
27	57.0	53.6	49.0	47.9	47.5	47.5	47.9	49.3	48.8	49.0	50.1	48.7	47.8	47.4	47.4	47.5	48.7	53.6	57.4	61.0	61.6	55.2	52.1	49.3	61.6	47.4	51.1	4.4	24																			
28	48.1	49.1	49.2	48.6	48.4	48.4	47.1	47.3	46.9	47.2	47.2	46.9	47.0	47.1	47.1	47.2	47.2	47.1	47.1	47.5	48.2	48.9	49.2	49.7	49.7	46.9	47.8	0.9	24																			
29																																																
30																																																
31																																																
最大値	57.0	54.8	57.3	61.2	54.0	54.0	54.9	55.0	55.5	56.2	51.7	49.3	53.6	56.3	60.3	53.7	56.8	55.0	58.0	61.9	62.1	57.8	58.5	57.2	62.1	48.2	54.3																					
最小値	36.1	35.5	34.6	34.3	34.0	33.9	33.2	33.8	33.8	33.8	32.7	32.3	32.3	32.5	32.7	32.7	33.2	33.6	34.2	34.2	35.1	35.5	36.0	36.1	36.1	32.3	35.4																					
平均値	44.9	44.5	44.1	44.7	44.5	43.8	43.7	44.0	43.9	43.2	41.3	41.3	42.3	42.3	41.9	41.9	42.2	42.0	43.1	44.4	44.5	44.2	44.5	45.0	45.0	42.8	43.5																					
標準偏差	6.4	5.9	5.8	6.1	5.7	5.3	5.5	5.7	6.0	5.7	5.5	5.5	6.3	6.3	6.6	6.2	6.4	6.0	7.0	7.6	7.5	6.5	6.3	6.6	6.6		6.2																					
測定時間	28	28	28	28	28	28	28	28	28	28	28	26	27	27	27	26	28	28	28	28	28	28	28	28	28	28	28	28	62	664																		
有効測定日数	27	測定値合計																							測定値の最大値			測定値の最小値			平均値			日平均値の最大値			日平均値の最小値			日平均値の最大値			日平均値の最小値			*季節別測定日 **非効率日 ***欠測		高番/項目コード
測定値ラック	27	28873.9																							62.1			32.3			43.5			54.3			35.4			113/01								
時間数	0	6	11	16	21	21	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL																								
出現割合(%)	0	0	0	0	0	0	0	0	64	209	152	149	74	12	4	0	0	0	0	0	0	0	0	0	0	664																						
	0	0	0	0	0	0	0	0	9.639	31.476	22.892	22.44	11.145	1.807	0.602	0	0	0	0	0	0	0	0	0	100																							