

吉坂 放射線測定所

2012年09月

単位: nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	38.2	44.7	48.3	40.9	38.2	37.3	37.3	37.2	37.1	37.1	37.1	37.2	37.2	37.7	37.3	37.3	37.2	37.1	37.3	37.3	37.6	37.3	37.5	37.9	48.3	37	38.3	2.7	24	
2	38.2	38.6	39	39.5	39.5	38.8	38.6	39.2	38.3	37.9	37.4	37.1	36.9	36.7	36.9	36.9	37	36.9	37.4	40	38.2	37.4	37.4	37.4	37.1	36.7	38	1.1	24	
3	37.1	37	37	37.1	36.6	39.1	38.2	39.4	38.6	37.8	37.4	37.4	37.3	37.1	37.3	37.3	37.4	41	54.1	57.9	56	46.6	42.4	39.6	57.9	37	40.8	6.3	24	
4	38.6	38.2	38.3	38.2	38.1	38.4	38.5	38.3	38.1	37.9	37.8	37.2	36.8	36.9	37	36.8	36.3	36.5	36.8	36.9	36.9	37.4	37.2	37.6	38.6	36.3	37.5	0.7	24	
5	38.1	38.5	39.3	39.3	39.3	39.2	38.6	39.7	37.8	37.4	37.4	37.3	37.4	37.3	37.1	37.1	37	38.8	37.3	38.5	38.4	38.9	38.6	38.1	39.3	36.8	38.1	0.8	24	
6	38.5	39.7	40	40.3	40	39.6	39.9	38.7	39.1	38.2	37.7	36.9	36.6	38.2	36.8	36.6	36.8	36.6	36.7	36.4	36.6	36.9	37.3	37.5	40.3	36.4	38	1.4	24	
7	38	38.6	38.8	39.2	39.5	39.5	39.4	38.8	38.3	38.1	38	38.9	37.1	37.1	36.7	36.5	36.5	36.7	37.2	37.2	37.2	37.5	37.7	37.8	37.5	36.5	37.8	1	24	
8	37.7	37.8	38.3	38.1	38	38.3	37.8	38.7	37.9	37.2	37.5	37.7	37.3	37.1	37.1	36.9	37.4	37.7	37.6	37.9	38	38.2	37.9	38.7	36.9	37.7	0.5	24		
9	37.4	37.5	37.7	37.4	37.5	37.5	37.4	37.5	37.3	37.3	37.2	37.2	37.3	37.2	37.2	37.2	37.5	38	37.9	37.9	37.9	38	37.7	37.9	38	37.2	37.5	0.3	24	
10	37.7	37.7	37.4	37.2	37.2	37.2	37.2	37.5	37.8	37.2	37	37.3	37.3	37.1	39.2	42.6	38.7	37.9	39.4	38.2	37	36.9	37	37.4	42.6	36.9	37.8	1.2	24	
11	37.5	37.8	38.2	38.7	48.8	53.1	47	43.4	39.7	39.7	38.1	37	36.8	36.8	36.8	36.9	36.7	37.7	37.3	36.7	36.7	36.8	37.1	37.2	53.1	36.7	39.3	4.5	24	
12	37.5	37.9	38.1	38.3	38.6	38.2	38.2	38.8	38.3	37.7	37.2	37.4	37.3	37.2	37.1	37	36.9	36.9	37.1	37.3	37.2	37.3	37.4	37.6	38.2	36.9	37.7	0.7	24	
13	38.2	38.5	38.6	39.4	39.5	40	40.3	39.8	39.9	39.3	38.9	38.8	38.4	38.1	38.3	38.2	38.1	37.7	38	38	38	38.1	38.4	38.5	40.3	37.7	38.7	0.7	24	
14	38.7	39.4	39.3	38.4	37.7	38.3	38.6	38.6	38.1	37.7	37.5	37.6	37.6	37.7	62	59.4	44	38.6	37.2	36.8	37	37.2	37.2	37.2	62	36.8	40.1	6.5	24	
15	37.1	37.1	37	37.2	37.1	36.8	36.9	36.9	37	36.6	36.6	36.6	36.9	36.5	36.8	37.1	36.8	37.1	37.4	38.1	37.9	37.8	37.6	37.7	38.1	36.5	37.1	0.4	24	
16	38.1	38.4	38.5	38.7	39.1	39.4	39.6	39.3	39.1	38.8	37.5	36.5	36.5	36.5	36.2	36.2	36.1	36.2	36.4	36.4	36.5	36.3	36.5	36.5	36.5	36.1	37.5	1.3	24	
17	36.4	36.3	36.4	36.3	36.3	36.5	36.7	36.6	36.4	36.6	36.6	36.7	36.6	36.5	36.7	36.4	36.5	36.7	36.9	36.9	36.7	36.8	36.7	36.8	36.8	36.9	36.3	36.6	0.2	24
18	36.9	36.9	36.9	36.8	37.3	37.5	36.8	36.4	36.7	36.8	36.7	36.5	36.6	36.6	36.7	37.1	37.1	37.4	37.1	37.4	37.1	37.4	37.4	37.3	37.5	36.4	37	0.3	24	
19	37.7	37.6	38	38.1	38.6	38.8	38.2	38.3	37.9	37.3	37	37.2	37.1	37	37.2	37.1	36.9	36.9	37	37.3	37.8	37.9	37.6	37.4	38.8	36.9	37.6	0.6	24	
20	37.4	37.4	37.2	37.5	37.8	37.8	37.9	37.8	37.7	37.4	37.3	37.3	37.1	37.1	37.1	37.2	36.8	36.8	36.9	37	37.2	37.5	37.6	37.8	37.9	36.8	37.4	0.3	24	
21	38.5	38.6	39.2	39.3	39	39.4	39.5	39.3	37.8	37.9	37.5	37.5	37.1	37.1	36.9	37	36.8	37	37.1	37	37.2	37.3	37.7	38	39.5	36.8	37.9	0.9	24	
22	38.4	38.3	38.5	38	39.2	39.4	39.4	39.3	38.4	38.1	37.9	37.5	37.2	36.9	37.2	37	37.2	37.1	37.3	37.5	37.5	37.7	37.6	38	39.4	36.9	38	0.8	24	
23	38.9	43.8	43.1	44.3	45.9	45.1	44.1	42.2	40.5	38.7	38.2	37.9	37.9	38.8	39.9	38.6	37.6	37.2	37.4	41.8	47.4	46.8	46.6	47	48.6	37.2	41.7	3.7	24	
24	41.4	39.1	37.8	37	36.9	37.4	37.4	37.4	37	37.2	36.8	36.6	36.2	36.3	36.8	36.7	36.2	36.1	36.2	36.2	36.3	36.2	36.6	36.2	41.4	36	37	1.2	24	
25	45.6	39.5	36.8	36.4	36.3	36.1	35.9	35.9	36	36	36.1	36.3	38.1	36.6	36.3	36.3	36	36	36.2	36	36	36.1	38.2	38.4	45.6	35.9	36.8	2	24	
26	37.6	36.6	36.3	36.7	36.8	36.4	36.6	36.6	36.6	36.6	36.4	36.4	36.4	36.4	36.3	36.4	36.5	36.3	36.4	36.5	36.2	36.2	36.4	36.7	37.6	36.2	36.5	0.3	24	
27	36.8	36.8	37	37.3	37.7	37.6	37.6	38.2	37.8	37.2	36.8	36.7	36.6	36.6	36.6	36.7	36.8	36.8	36.9	36.8	36.8	36.8	36.9	37.2	38.2	36.6	37	0.4	24	
28	37.4	37.5	38	38.4	38.7	38.9	39	39.1	38.5	38.1	37.2	36.8	36.7	36.6	36.8	36.7	36.8	36.8	37	37	37.1	37.7	37.8	39.1	36.5	37.5	0.8	24		
29	38	38.1	38.5	38.6	39.2	39.4	38.9	39.4	39	38.9	38.6	38.3	37.9	37.5	37.4	37.2	37.8	37.8	37.9	38.6	39	39.4	39.7	40.2	40.2	37.2	38.6	0.8	24	
30	39.6	39.2	39.1	40.4	40.4	39	40.5	42.7	40.4	46.2	51.5	52	53	59.4	61.8	63.9	68	54.6	52.7	58.1	51.2	49.3	46.3	38.6	68	39	48.8	9.1	24	
31																														
最大値	45.6	44.7	48.3	44.3	48.8	53.1	47	43.4	40.5	46.2	51.5	52	53	59.4	62	65.9	68	54.6	54.1	58.1	56	49.3	46.3	47	68	48.8				
最小値	36.4	36.3	36.3	36.3	36.3	36.1	35.9	35.9	36	36	36.1	36	36.2	36.3	36.2	36.1	36	36	36.2	36	36	36	36.1	36.2	36.4	35.9	36.5			
平均値	38.2	38.4	38.6	38.5	38.9	39	38.8	38.7	38.1	37.9	37.8	37.6	37.6	37.8	38.8	38.9	39.2	37.7	38.3	38.9	38.7	38.4	38.4	38.3	38.1	38.3	38.3			
標準偏差	1.7	1.8	2.3	1.6	2.7	3.1	2.2	1.7	1.1	1.8	2.7	2.8	2.9	4.1	6.3	6.6	5.8	3.3	4.2	5.3	4.6	3.2	2.8	1.9						
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720
有効測定日数	30																													
測定時間	720																													
測定値合計	27608.7																													
1時間値の最大値	68.0																													
1時間値の最小値	35.9																													
平均値	38.3																													
日平均値の最大値	48.8																													
日平均値の最小値	36.5																													
非有効測定日	102/01																													
局番/項目コード																														
測定値グラフ	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

倉梯 放射線測定所

2012年07月

単位: nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間			
1	48.3	48.2	48.4	49.7	48.1	48.8	50.4	53.2	56.1	55.7	50.6	48.3	54.3	71.1	60.3	51	47.9	46.8	46.9	46.8	47.1	47.3	47.8	47.8	47.8	47.1	46.8	50.9	5.5	24		
2	48.3	48.2	47.8	48.2	48.2	48.4	49.1	48.3	47.9	47.6	47.1	47.3	47.3	47.5	47.5	47.5	47.9	47.5	47.5	47.5	48.2	48.3	48.8	48.8	48.8	48.1	46.8	47.9	0.6	24		
3	49.4	49.6	49.9	50.1	50.5	50.8	50.5	52.2	57	72.8	62.7	52.5	51	51.7	53.2	47.5	62.5	63.7	64.2	52.7	48.4	47.2	46.8	46.8	46.8	47.2	46.8	54.3	7.2	24		
4	47.3	47.6	48.2	48.4	48.2	48.1	47.9	48.2	48	47.6	47.5	47.6	47.5	47.7	47.6	47.5	47.4	47.6	47.4	47	47	47	47	47	47	47	47	47.6	0.4	24		
5	46.8	46.8	47	47.1	47.4	47.8	47.4	47.9	47.6	47.6	50	52	50.3	48.7	48.5	48.2	49	49	49.1	49.5	52.5	52.7	49.4	51.1	52.7	46.8	48.9	1.8	24			
6	50.6	49.3	54.7	54.2	50.5	50.6	50.5	50.2	49	48.4	47.5	46.8	46.9	46.6	46.2	46.2	48.7	48.6	47.2	51.5	64.2	66.2	56.2	54.8	66.2	46.2	51.1	5.2	24			
7	71.9	66.3	67.5	60.3	57.7	48.9	47.2	46.5	47.1	48.6	48.6	51.8	54.5	54.2	49.2	48.9	48.3	48.3	46.3	46.1	46.5	46.3	46.6	46.7	71.9	46.1	51.4	7.6	24			
8	46.9	46.8	46.9	46.9	46.9	47	47.5	48.2	47	46.7	46.5	46.3	46.4	46.6	46.8	46.5	46.3	46.3	46.3	46.6	46.8	47.1	47.2	47.3	48.2	46.3	46.8	0.4	24			
9	47.7	47.6	47.7	47.8	47.7	47.4	47.5	47.6	47.7	47.8	47.8	47.4	47.2	47.2	47	47.2	46.9	47	47	47	47.5	47.7	47.5	47.8	47.8	46.9	47.4	0.3	24			
10	48.1	48.4	48.4	48.6	48.8	48.3	49.3	49.2	49.8	49.5	48	47.4	47.4	47.4	47.3	47.2	46.9	46.8	46.6	46.9	47.5	47.2	47.2	47.5	47.8	46.8	47.9	1	24			
11	47.5	47.9	48.2	48.6	48.7	48.6	47.6	47.4	47.3	47.2	47.3	47.2	47.1	48.2	48.6	47.9	49.2	48.9	50.2	48.7	47.9	48.1	49.2	50.3	50.3	47.1	48.3	0.9	24			
12	48.5	48	54.9	62.6	66.7	67.5	64	55.3	52.5	47.8	46.6	46.5	46.6	46.9	46.7	46.7	46.8	46.6	47	47.2	47.2	47.2	47.6	48.4	67.5	46.5	51.1	6.9	24			
13	48.8	48.7	49	49.1	49.7	49.8	50.1	49.9	50	49.1	48.3	48.3	48.1	50.3	51.1	49.4	48.3	49.6	51.6	49.9	50	49	49	49	48.2	51.6	48.1	49.4	0.9	24		
14	48.1	48.1	48.2	48.8	49.2	49.6	50.2	49.8	48.9	48.3	49.5	48.5	48	47.6	47.4	47.3	47.1	47.1	47.1	47.1	47.2	47	47.3	47.2	47.4	50.2	47	48.1	1	24		
15	47.6	47.4	47.5	47.6	48	48.1	47.7	47.1	47.2	47.1	47	46.9	47	46.8	46.8	46.9	46.9	46.6	46.9	46.9	46.9	47.2	47.1	47.2	47.3	48.1	46.8	47.2	0.4	24		
16	47.1	47.3	47.1	47.1	47.1	47.2	47.1	47	47.1	47	47	47.2	47	47	46.9	46.8	46.9	46.6	46.9	47	47	47.3	47.4	47.7	47.9	47.9	46.6	47.1	0.3	24		
17	48.3	48.6	48.6	48.6	49	49.3	49.4	47.6	47.7	47.5	47.4	47.6	47.3	47	47.2	47	47.4	47.4	47.6	47.8	47.8	48	48.9	49.4	49.4	47	48.1	0.8	24			
18	49.6	48.9	47.7	47.9	48.1	48.7	48.8	48.1	47.8	47.6	47.9	47.6	47.3	47.3	47	47.2	47.1	47.1	47.2	47.2	47.3	47.6	47.8	47.7	47.9	49.6	47	47.8	0.7	24		
19	47.9	47.7	47.8	48.1	48.3	48.8	48.8	48.2	48.2	48.3	48.3	48.1	47.9	47.8	47.9	47.9	47.6	47.6	47.5	47.8	48.4	49	49.9	50.1	50.7	47.5	48.4	0.8	24			
20	50.7	50.3	50.9	51.5	51.5	52.1	51.7	52	51.4	49.9	49.4	57	63.6	56.1	57	52.4	49	48.2	51.7	49.5	48	48	48.2	48.6	63.6	47.8	47.8	51.6	3.6	24		
21	48.6	48.5	48.7	48.9	49.4	49.3	49.6	49.5	49.2	49.4	49.5	46.5	46.6	46.4	46.6	46.4	46.4	46.5	47	47	47.2	47.3	47.8	48.1	49.6	46.4	47.8	1.1	24			
22	48.1	48.4	48.4	48.8	48.9	49.3	49.5	49.2	49.4	49.5	48.6	47.7	47	47.5	47.4	47.4	47.7	48.8	48	47.9	48.5	49	49.2	49.3	49.5	47	48.5	0.8	24			
23	49.1	49.2	49.1	49.2	49.1	49.2	49.3	49	47.6	47.6	47.6	47.7	47.8	47.7	47.7	47.9	47.9	47.6	47.4	48	48.6	49	49.3	49.5	49.5	47.4	48.4	0.8	24			
24	49.8	50.4	50.2	50.5	50.3	51	50.5	50.5	49.1	48.7	48.7	48.5	48.4	48.3	48.4	48.2	48	47.9	48.4	48.8	49	49.6	49.1	49.6	51	47.9	49.2	0.9	24			
25	49.7	49.8	50.3	50.5	50.7	50.6	51	51.6	52.2	51.6	51.1	50.3	49.2	49.2	48.9	48.7	48.7	48.5	48.3	48.6	49.4	49.5	50.4	50.4	52.2	48.3	50	1.1	24			
26	50.4	50.3	50.4	50.9	51.6	51.6	51.6	51.6	51	50.9	50.1	49.3	49	48.9	48.6	48.4	48.4	48.4	48.3	48.4	48.9	49.4	50	50	49.9	51.6	48.3	49.9	1.1	24		
27	50.3	50.6	50.2	50.4	50.7	50.9	51.2	51.9	52.1	51.1	49.7	49.6	49.4	49.1	48.9	48.5	48.5	48	48.1	48.6	49.1	49.6	49.5	49.8	52.1	48	49.8	1.1	24			
28	49.8	50.1	51.1	50.6	50.8	51.3	51.5	51.7	51.5	50.7	50	49.6	49	48.6	48.3	48.1	48.3	48.2	48.2	48.6	49.4	49.6	49.9	50.7	51.7	48.1	49.8	1.2	24			
29	50.3	50.7	50.5	50.9	50.7	50.8	51.7	51.2	50	49.7	49.6	48.1	48.8	48.7	48.5	48.7	48.4	48.3	48.6	48.4	48.8	49.3	49.9	50.6	51.7	48.3	49.7	1	24			
30	51	51.4	51.5	51.3	51.3	50.6	49.7	48.9	49	49.3	49.2	48.7	48.4	48.1	48.1	48.3	48.2	48	48.4	48.6	49.2	49.2	49.5	49.5	51.5	48	49.4	1.2	24			
31	49.4	49.3	49.5	49.5	49.7	50	49.9	48.9	48.8	48.8	48.7	48.7	48.6	48.5	48.3	48.3	48.2	48.1	48.3	48.3	48.7	48.9	49.1	48.9	50	48.1	48.9	0.5	24			
最大値	71.9	66.3	67.5	62.6	66.7	67.5	64	55.3	67	72.8	62.7	57	63.6	71.1	60.3	54.7	62.5	63.7	64.2	52.7	64.2	66.2	56.2	54.8	72.8	46.1	54.3					
最小値	46.8	46.8	46.9	46.9	46.9	47	47.5	48.2	47	46.7	46.5	46.3	46.4	46.4	46.2	46.4	46.3	46.3	46.3	46.6	46.8	47.1	47.2	47.3	48.2	46.1	46.8					
平均値	49.6	49.4	49.9	50.1	50	50	50	49.7	49.8	49.7	48.9	48.7	48.9	49.2	48.7	48.1	48.2	48.2	48.5	48.2	48.2	48.8	49	48.7	49	48.1	49.1					
標準偏差	4.3	3.4	3.8	3.4	3.4	3.5	3	2.3	3.8	4.7	2.8	2.2	3.4	4.6	3	1.9	2.8	3	3.2	1.4	3.1	3.4	1.8	1.7	1.7	49.1	3.2					
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744				
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	103/01				
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL										
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

倉梯 放射線測定所

2012年08月

単位: nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	49.4	49.4	49.4	49.5	49.7	49.8	49.9	50.1	49.3	48.6	48.1	48.1	48	48	48	47.7	47.6	47.7	47.6	47.7	48	48.3	48.8	48.9	50.1	47.6	48.7	0.8	24	
2	49.1	49.4	49.4	49.5	49.6	49.7	49.8	49.9	50.1	49.3	48.6	48.1	48	48	48	47.7	47.6	47.7	47.6	47.7	48	48.3	48.8	48.9	50.1	47.6	48.7	0.6	24	
3	50.2	50.5	50.8	50.8	50.7	50.6	50.6	50.6	50.7	50.5	50.3	48.1	48.4	48.3	48.4	48.4	48.3	48.3	48.4	48.5	48.5	49.1	49.8	50.1	50.2	48.3	49.7	1	24	
4	50.3	50.6	50.9	51	50.6	50.5	50.4	50.1	50	49.6	49.5	49.1	48.7	48.3	48.4	48.1	48.7	48.7	48.7	48.7	48.4	49.5	49.4	49.5	49.5	48.1	49.6	0.9	24	
5	49.7	49.7	49.9	50.1	50.4	50	50.1	49.9	49.9	49.5	48.3	48	48	48	48.1	47.9	48.1	48.2	48.5	48.7	48.7	49	49.5	49.9	50.5	47.9	49.1	0.9	24	
6	49.5	49.5	49.6	50	49.5	49.3	49.5	49.9	49.9	50	49.7	49.2	48.6	48.3	48.5	48.4	48.5	48.6	48.6	48.6	48.7	49.5	49.7	49.9	50.2	48.3	49.3	0.6	24	
7	50.9	51.2	50.8	50.9	51.1	51.5	50.6	49.6	49.2	49.2	48.9	48.7	48.5	48.6	48.6	48.5	48.4	48.5	48.5	48.8	48.8	49	49	49.1	51.5	48.4	49.4	1.1	24	
8	49.5	49.5	49.5	49.4	49.6	49.6	49.8	49.3	48.7	48.7	48.4	48.1	48.3	48.2	48.2	48.2	48	48	48.2	48.4	48.4	48.8	49.1	49.2	49.8	48	48.8	0.6	24	
9	49.3	49.4	49.9	49.7	49.9	49.9	50	50.3	49.9	49.3	49.1	49	48.7	48.5	48.5	48.4	48.5	48.5	48.5	48.7	48.9	49.1	49.1	49.5	50.3	48.4	49.2	0.6	24	
10	49.4	50.1	49.8	50.1	50.2	50.4	50	50	50.1	49.5	49.8	50	50	49.7	49.5	49.8	49.3	49.1	49.5	49.6	49.7	50.2	50.5	50.6	50.6	49.1	49.9	0.4	24	
11	50.9	51.3	51.9	51.9	52.5	52.6	52.5	52.5	52.7	52.4	50.2	49.8	49.7	49.6	49.6	49.4	49.1	49.1	49.4	49.5	55	51.9	50.7	50.6	55	49.1	51.1	1.5	24	
12	51	51.2	51.4	51.9	52	52.1	52	51.8	49.8	49.4	49.4	49.4	49.6	49.6	49.6	49.6	49.6	49.4	49.8	49.9	50.4	51	50.8	49.8	52.1	49.4	50.4	1	24	
13	49.4	49.5	49.4	49.1	49.2	49.8	50.6	50.2	49.3	49.5	49.2	49.2	49.1	49.1	48.8	49	49.3	49.3	49.3	49.3	52.2	52.2	51.8	55.6	67.5	48.7	51.6	4.9	24	
14	54.6	51.8	51.5	53.9	60.7	69.9	65.8	57.8	51.5	48.1	47.1	46.9	46.8	46.8	46.9	46.2	46	47.7	47.5	47.9	48.1	48.2	48.2	48.6	49.2	46.8	51.6	6.1	24	
15	48.9	50.4	49.5	49.3	48.4	48	47.9	47.7	47.7	47.7	47.9	47.3	46.9	46.7	46.5	46.5	46.5	46.4	46.6	46.8	46.8	46.8	46.9	47.1	50.4	46.4	47.5	1.1	24	
16	46.9	47	47.2	47.2	47.2	47.1	47.2	47.1	47.4	47.4	47.6	47.6	47.6	47.4	47.4	47.2	47.3	47.2	47.5	47.8	48.1	48.8	49.1	49.2	49.1	49.2	46.9	47.6	0.7	24
17	48.9	49.5	49.8	50.1	50.3	50.5	50.9	51.1	51.2	51.1	49.8	49	48.4	47.5	47.6	47.4	47.4	47.5	47.7	48.4	48.9	49.3	49.2	49.4	51.2	47.4	49.2	1.3	24	
18	49.8	49.9	50.1	50.5	50.9	50.6	50.5	50.8	51.3	50.9	50.1	49.8	50.8	60	52.4	48.6	50.9	64.5	57.4	55.4	50.5	48.2	47.9	47.9	84.5	47.9	51.7	3.9	24	
19	48	48.3	48.3	48.4	48.7	48.5	48.5	48.2	47.4	47.3	47.1	47.1	46.8	47	46.9	47	46.7	46.7	46.9	47.3	47.1	47.2	47.5	47.5	47.8	46.7	47.6	0.6	24	
20	48.2	48.1	48.1	48.2	48.3	48.6	48.2	49.3	48.5	48	47.7	47.4	47.4	47.4	47.3	47.4	47.4	47.1	47.4	47.9	47.7	47.7	48	48.1	48.5	49.3	47	48	0.6	24
21	48.7	48.7	48.8	48.7	48.8	48.7	48.8	49.1	48.8	48.4	47.4	47	47.5	47.4	47.4	46.3	46.3	46.8	46.8	47.1	47.5	47.9	48.1	48.2	48	49.3	46.3	48	1	24
22	48.2	48.3	48.5	48.3	48.7	49.1	49.3	49.1	48.4	47.7	47.4	46.7	46.9	46.8	47	46.9	47	46.8	47.1	47.6	48.2	48.7	49	49	49	49.3	46.7	48	0.9	24
23	49.3	49.4	49.5	49.4	49.8	49.9	50.1	50.1	49.5	48.9	48.6	48.5	48.1	47.6	47.2	47.2	47.4	47.6	48.2	61.2	54.2	49.5	48	47.7	61.2	47.2	49.5	2.9	24	
24	48.1	47.9	48.6	48.9	48.6	48.6	48.6	48.6	48.9	48.6	48.3	48	47.3	46.7	46.7	46.3	46.4	46.6	46.9	47	47.6	48.3	48.7	48.3	48.2	48.9	46.3	47.8	0.9	24
25	48.1	47.7	48	48.1	48.1	48.3	48.7	48.9	49.1	48.5	48.1	47.9	47.5	47.3	47.1	47.2	47.1	47.3	47.1	47.4	47.9	47.7	48	48.3	48.5	48.7	47.1	48	0.8	24
26	48.5	48.6	48.5	48.7	48.8	48.8	48.8	49.1	48.8	48.4	48.1	47.4	47.3	47.2	47.2	47.1	47.2	47.2	47.2	47.5	47.9	48.4	48.7	49.2	49.1	47.2	48.1	0.7	24	
27	47.9	48	48.5	48.5	48.7	48.7	49.1	49.1	49	49	47.9	47.7	47.5	47.4	47.3	47.5	47.3	47.4	47.6	47.8	48.2	48.1	48.1	48.3	48.2	49.1	47.3	48.1	0.6	24
28	48	48.4	48.3	48.4	48.1	48.4	48.2	47.9	48.2	47.9	47.9	47.9	47.7	47.7	47.7	47.5	47.5	47.6	47.7	48	48.1	48.1	48.3	48.4	48	48.4	47.5	48	0.3	24
29	48.2	48.1	48.2	48	48.2	48.2	48	48	48.1	48.3	48.2	48.4	48.3	48.3	48.5	48.2	48.1	47.8	48	48.2	48.3	48.7	49	49	49.2	49.2	47.8	48.3	0.3	24
30	49	49.3	49.8	50.5	51.1	50.8	51.1	50.1	50	49.5	49.4	48.6	48.6	48.6	52.3	51.7	49.5	48.4	48.3	48.8	49.1	49.7	50.3	50.3	48.6	48.3	49.8	1.1	24	
31	48.1	48.8	48.4	48	47.8	48.1	48.7	48.7	48.4	48.2	47.8	47.9	47.6	48	48.1	48	48.1	48	47.8	47.9	48.5	48.5	49	49.1	48.7	49.1	47.6	48.3	0.4	24
最大値	54.6	51.8	51.9	53.9	60.7	69.9	65.8	57.8	52.7	52.4	50.2	50	50.8	60	52.4	48.8	50.9	64.5	62.6	67.5	59.2	52.2	51.8	55.6	69.9	49.1	51.7			
最小値	46.9	47	47.2	47.2	47.2	47.1	47.2	47.1	47.4	47.4	47.6	47.6	47.4	47.4	47.2	47.3	47.2	47.5	47.8	48.1	48.8	49.1	49.2	49.4	51.2	47.4	49.2			
平均値	49.2	49.3	49.4	49.6	49.9	50.3	50.2	49.9	49.4	48.9	48.5	48.1	48.3	48.1	48.5	48.2	47.9	48.4	48.9	49.6	49.4	49.1	49.1	49.2	49.8	48.3	49.5	47.5		
標準偏差	1.4	1.2	1.1	1.4	2.4	3.9	3.1	1.9	1.2	1.2	1	0.9	1	2.4	1.4	0.9	1	3.1	3.1	4.3	2.5	1.2	1.1	1.5	1.5	2.2	49			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	103/01		
測定時間	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744		
測定値合計	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4	36492.4		
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL	103/01							
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		

倉梯 放射線測定所

2012年09月

単位: nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間 間	
1	49.6	50.2	50.7	50.2	48.6	48.2	48.3	48.3	48	47.9	47.8	47.6	48	51.4	51.2	49	48.4	48.2	47.8	48.2	48.2	48.7	49	49.2	51.4	47.6	48.9	1.1	24	
2	49.7	50	49.7	49.2	49.2	49.1	49.1	49	49.1	49.1	48.7	48	47.6	47.2	47.4	47.4	47.4	47.7	47.8	47.4	50	50.3	49.7	49.5	49.2	49.2	47.2	48.8	1	24
3	49.2	49.1	48.9	49.2	49.6	49.9	49.9	49.8	49.8	49.8	48	48	47.8	47.8	47.5	47.9	47.9	56.7	67.7	65.9	61.4	53.2	50.9	49.7	67.7	47.5	51.5	5.8	24	
4	48.5	48.6	48.5	48.5	48.6	48.8	48.5	48.6	48.3	48	47.2	47	47.2	46.8	46.8	46.7	46.6	46.5	47.1	47.6	47.9	48.2	48.1	48.7	48.8	46.5	47.8	0.8	24	
5	49.1	49.3	49.8	49.7	49.4	49.5	49.9	49.9	48.6	47.7	47.4	47.4	47.2	47.2	46.9	46.9	47.7	47.8	47.8	48.9	48.9	48.9	49.7	49.4	49.9	46.9	48.5	1.1	24	
6	50.1	50.3	49.9	49.9	50.1	50	50.3	50	49.3	48.1	47.1	47.1	46.6	46.9	47	46.8	48.9	47	47.3	47.6	47.3	47.9	48	48.6	50.3	46.6	48.4	1.4	24	
7	48.6	48.8	49.1	49.4	49	49.5	48.9	49.2	49.1	49.4	49.1	48.6	48.3	47.6	47.3	46.9	46.8	46.6	46.9	47.5	47.9	48.1	48.5	48.3	49.5	46.6	48.3	0.9	24	
8	48.8	49.1	49.6	49.7	49.9	49.9	50.4	49.4	47.9	47.8	47.9	47.8	47.5	47.7	47.8	47	47.4	47.4	47.6	48.1	48.4	48.2	48	48.6	50.4	47	48.4	1	24	
9	48.8	48.8	48.8	48.8	48.6	48.4	48	48.1	47.6	47.6	47.6	47.8	47.8	47.6	47.6	47.6	47.5	47.5	47.9	48	47.8	47.8	47.7	47.6	48.8	47.5	48	0.5	24	
10	47.6	47.7	47.7	47.6	47.8	47.6	47.7	47.7	48.4	47.8	47.7	47.6	47.6	47.6	47.5	49.4	50.2	48.1	48.5	49.9	48.4	47.2	47.7	47.9	50.2	47.2	48	0.8	24	
11	48.1	48.5	49	49.3	56	59.6	58.6	54.2	52.4	49.1	47.4	47	46.8	47.2	46.9	46.8	46.9	47	46.9	47.3	47.3	47.5	47.5	48	59.6	46.8	49.4	3.8	24	
12	48.3	48.6	48.5	48.8	49	49	49.4	49.5	49.1	48.7	48.2	47.8	47.7	47.4	47.5	47	47.2	47.3	47.6	48	48.2	48.4	48.4	49.2	49.5	47	48.3	0.7	24	
13	49	49	49	49.3	49	49.6	49.8	49.6	50	50.3	50.1	48.8	48.7	48.5	48.5	48.6	48.3	48.6	48.3	48.8	49.2	49.4	49.6	50.1	50.3	48.3	49.3	0.6	24	
14	50.6	50.7	51.2	51.3	50.7	50.2	50.1	49.9	50	48.9	47.9	48.1	48	47.7	47.5	47.2	47.3	47.6	47.7	48	48.5	48.8	49.3	49.3	51.3	47.2	49	1.3	24	
15	49	49.1	49.6	49.6	48.9	48.7	48.9	49	48.2	47.7	47.5	47.7	47.7	47.4	47.4	47.5	48.1	48.1	48.5	49.9	48.4	47.2	47.7	47.9	49.6	47.4	48.5	0.8	24	
16	49.7	49.8	49.8	49.8	50.2	50.3	50.3	50.4	50.1	49.8	48.4	47.4	47.4	47.2	47.1	47.1	48	47.9	48.2	48.3	48.5	48.6	49.1	49.2	49.8	47.9	48.9	0.7	24	
17	47.5	47.7	47.6	47.6	47.5	47.6	47.6	47.6	47.6	47.6	47.6	47.4	47.5	47.2	47.4	47.3	48.5	48.2	48.2	48.2	48.8	49.2	49.7	47.9	48.1	47.2	47.6	0.2	24	
18	48	47.9	48	47.8	48.1	47.6	47.5	47.4	47.5	47.8	47.5	47.5	47.4	47.4	47.3	48.4	50.8	48.1	48	48	48	48.1	48.6	48.5	49.2	49.2	47.3	47.9	0.4	24
19	49.2	49.4	49.1	49.4	49.3	48.9	48.7	49.2	48.7	48.5	48.4	48	48.1	48	48.1	47.9	47.9	47.8	47.9	48.2	48	47.6	47.9	48.1	48.2	49.4	47.6	48.4	0.6	24
20	48.3	48.4	48.4	48.5	48.7	48.6	48.8	48.8	48.8	48.4	48.4	48.3	48.3	48.3	48.3	48.3	48.3	48.1	48.3	48.3	48.3	48.8	49	49.2	49.2	47.7	48.5	0.3	21	
21	49.6	49.6	49.5	49.8	49.8	49.8	49.7	49.6	49	48.5	48.7	48.9	48.5	48.1	48.1	48	47.9	48.2	48.3	48.5	48.6	48.6	49.1	49.2	49.8	47.9	48.9	0.7	24	
22	49.3	49.3	49.7	49.7	49.7	50.1	50	49.9	49.9	49.4	48.6	48.4	48.4	48.3	48.3	48.5	48.2	48.2	48.2	48.8	49.2	49.2	49.7	50	50.1	48.2	49.2	0.7	24	
23	50.4	54	54.2	54.8	55.2	54	51.4	49.8	48.3	47.6	47.6	47.6	47.5	47.5	48.4	48.5	50.8	50.1	48.9	48.2	48.3	48.6	48.7	49.7	55.2	47.5	50.3	2.6	24	
24	48.8	49.7	49.2	48.3	48.2	48.2	48.5	48.3	49.9	51.4	48.8	47.6	47.3	47.3	47.4	47.1	47.4	47.4	47.4	47.6	47.6	47.8	48.9	49.7	51.4	47.1	48.3	1.1	24	
25	53.7	49.8	49.9	49.1	48.2	47.2	46.8	46.8	46.6	46.5	46.6	47	49.9	47.5	46.8	46.6	46.5	46.5	46.5	46.5	46.5	46.7	46.9	47.2	53.7	46.5	47.6	1.7	24	
26	47.4	47.2	47.2	47.3	47	46.8	47.1	47	47	47	47.1	47.1	47.1	47	47	47	46.9	46.9	46.8	46.8	47.2	47.1	47.2	47.4	47.4	46.8	47.1	0.2	24	
27	47.4	47.5	47.6	48.2	48.2	48.2	48.8	48.9	48.6	48.1	47.3	47.2	47.3	47.3	47.4	47.3	47.4	47.5	47.4	47.5	47.9	47.7	47.9	47.9	48.9	47.2	47.8	0.5	24	
28	48.2	48.3	48.7	48.8	48.9	48.8	49.1	49.2	49	48.6	47.7	47.3	47.3	47.3	47.2	47.2	47	47.2	47.8	47.9	48.1	48.2	48.5	48.5	49.2	47	48.1	0.7	24	
29	48.6	49	49.3	49.2	49.7	49.5	49.6	50	50.1	50.4	49.3	49	48.7	48.6	48.1	48.1	48.6	48.9	49.2	49.9	50.3	50.4	50.4	50.2	50.4	48.1	49.4	0.7	24	
30	50.1	50.2	50.5	51.3	50.5	50.2	52.8	56.7	55.2	62.6	62.7	60.5	58.3	59.1	57.8	58.1	53.1	52.8	56	58.6	58.9	54.3	49.8	47	62.7	47	54.8	4.4	24	
31																														
最大値	53.7	54	54.2	54.8	56	59.6	58.6	56.7	55.2	62.6	62.7	60.5	58.3	59.1	57.8	58.1	53.1	52.8	56.7	65.9	61.4	54.3	50.9	50.2	67.7	54.8				
最小値	47.4	47.2	47.2	47.3	47	46.8	47.1	47	47	47	47.1	47.1	47.1	47	47	47	46.9	46.9	46.8	46.8	47.2	47.1	47.2	47.4	47.4	46.8	47.1	0.2	24	
平均値	49	49.2	49.3	49.3	49.5	48.5	48.8	49.5	49.1	49	48.5	48.2	48.1	48.1	48.1	48	47.9	47.8	48.2	48.8	49	49	48.7	48.8	48.8	46.5	47.1			
標準偏差	1.2	1.3	1.3	1.4	1.9	2.3	2.3	2.3	1.7	2.8	2.8	2.4	2	2.3	2.1	1.8	1.3	2.3	3.9	3.8	3.2	1.6	1	0.9		48.8				
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	29	29	30	30	30	30	30	30	30	30	30	30				
有効測定日数	30																													
測定時間	717																													
測定値合計	34973.6																													
測定時間数	3																													
欠測時間																														
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出露割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
日平均値の最大値	54.8																													
日平均値の最小値	47.1																													
日平均値	48.8																													
高番/項目コート	103/01																													

