

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|------------------------|----------|--------|--------|----------|-------|-------|----------|-------|--------|----------|-------|-------|
| 26-603-01 | A | 2007 | 2 | 宮津湾 | | | | 江尻地先 | | | | |
| 項 目 | (01) | (02) | (03) | (04) | (05) | (06) | (07) | (08) | (09) | (10) | (11) | (12) |
| 採取月日 | 5/8 | 5/8 | 5/8 | 7/3 | 7/3 | 7/3 | 9/4 | 9/4 | 9/4 | 11/6 | 11/6 | 11/6 |
| 採取時刻 | 9:50 | 9:52 | 9:54 | 9:55 | 9:57 | 9:59 | 9:55 | 9:56 | 9:59 | 9:43 | 9:45 | 9:45 |
| 一 般 項 目 | | | | | | | | | | | | |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 02 | 02 | 02 | 04 | 04 | 04 |
| 気温 (°C) | 23.5 | 23.5 | 23.5 | 24.4 | 24.4 | 24.4 | 30.0 | 30.0 | 30.0 | 17.0 | 17.0 | 17.0 |
| 水温 (°C) | 18.5 | 17.7 | 16.4 | 23.5 | 23.0 | 22.1 | 27.9 | 26.3 | 26.0 | 18.7 | 19.2 | 19.2 |
| 流量 (m ³ /S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 5.0 | 0.5 | 2.0 | 10.0 |
| 全水深 (m) | 23.0 | 23.0 | 23.0 | 22.0 | 22.0 | 22.0 | 6.0 | 6.0 | 6.0 | 22.0 | 22.0 | 22.0 |
| 透明度 (m) | 4.0 | 4.0 | 4.0 | 2.3 | 2.3 | 2.3 | 3.0 | 3.0 | 3.0 | 5.0 | 5.0 | 5.0 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 8.4 | 8.3 | 8.3 | 8.3 | 8.3 | 8.2 | 8.2 | 8.1 | 8.2 | 8.3 | 8.3 | 8.3 |
| DO (mg/l) | 7.7 | 7.4 | 7.3 | 7.9 | 7.7 | 7.2 | 6.6 | 6.1 | 5.4 | 6.5 | 6.1 | 6.6 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 2.5 | 1.9 | 1.0 | 3.4 | 2.5 | 1.3 | 2.9 | 1.9 | 1.6 | 1.3 | 1.2 | 1.1 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 2.00E+00 | | | 2.70E+01 | | | 3.30E+01 | | | 6.80E+00 | | |
| n-ヘキサン抽出物質 (mg/l) | ND | | | | | | | | | ND | | |
| 全窒素 (mg/l) | 0.38 | | 0.19 | 0.28 | | 0.12 | 0.14 | | 0.21 | 0.11 | | 0.11 |
| 全磷 (mg/l) | 0.011 | | 0.015 | 0.009 | | 0.006 | 0.004 | | <0.003 | 0.004 | | 0.005 |
| 全亜鉛 (mg/l) | <0.001 | <0.001 | <0.001 | 0.001 | 0.002 | 0.002 | 0.010 | 0.017 | 0.019 | 0.007 | 0.013 | 0.012 |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | | | | <0.001 | | |
| 全シアン (mg/l) | | | | | | | | | | ND | | |
| 鉛 (mg/l) | | | | | | | | | | <0.005 | | |
| 六価クロム (mg/l) | | | | | | | | | | <0.02 | | |
| ヒ素 (mg/l) | | | | | | | | | | <0.005 | | |
| 総水銀 (mg/l) | | | | | | | | | | <0.0005 | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | | | |
| ジクロロメタン (mg/l) | | | | | | | | | | <0.002 | | |
| 四塩化炭素 (mg/l) | | | | | | | | | | <0.0002 | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | | | | <0.0004 | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | | | | <0.002 | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | | | | <0.004 | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | | | | <0.1 | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | | | | <0.0006 | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|------------------------|----------|--------|--------|----------|-------|--------|----------|-------|-------|----------|-------|-------|
| 26-603-02 | A | 2007 | 2 | 宮津湾 | | | | 島埼地先 | | | | |
| 項 目 | (01) | (02) | (03) | (04) | (05) | (06) | (07) | (08) | (09) | (10) | (11) | (12) |
| 採取月日 | 5/8 | 5/8 | 5/8 | 7/3 | 7/3 | 7/3 | 9/4 | 9/4 | 9/4 | 11/6 | 11/6 | 11/6 |
| 採取時刻 | 9:20 | 9:24 | 9:29 | 9:25 | 9:27 | 9:29 | 9:22 | 9:24 | 9:30 | 9:10 | 9:10 | 9:12 |
| 一 般 項 目 | | | | | | | | | | | | |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 02 | 02 | 02 | 04 | 04 | 04 |
| 気温 (°C) | 23.0 | 23.0 | 23.0 | 23.5 | 23.5 | 23.5 | 30.0 | 30.0 | 30.0 | 17.0 | 17.0 | 17.0 |
| 水温 (°C) | 18.1 | 17.9 | 16.3 | 22.6 | 22.6 | 21.8 | 26.7 | 27.8 | 25.8 | 18.0 | 18.1 | 19.1 |
| 流量 (m ³ /S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 |
| 全水深 (m) | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 |
| 透明度 (m) | 4.0 | 4.0 | 4.0 | 2.0 | 2.0 | 2.0 | 2.5 | 2.5 | 2.5 | 5.0 | 5.0 | 5.0 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.1 | 8.3 | 8.2 | 8.1 | 8.3 | 8.3 | 8.3 |
| DO (mg/l) | 7.1 | 8.0 | 7.2 | 7.9 | 7.2 | 6.4 | 7.0 | 6.1 | 3.8 | 6.8 | 6.8 | 6.3 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 2.5 | 1.5 | 1.4 | 3.2 | 1.9 | 1.3 | 1.5 | 1.2 | 1.3 | 2.3 | 2.0 | 1.5 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 1.10E+02 | | | 4.90E+02 | | | 4.90E+03 | | | 7.90E+02 | | |
| n-ヘキサン抽出物質 (mg/l) | ND | | | | | | | | | ND | | |
| 全窒素 (mg/l) | 0.60 | | 0.20 | 0.31 | | 0.12 | 0.39 | | 0.32 | 0.31 | | 0.14 |
| 全磷 (mg/l) | 0.006 | | 0.012 | 0.013 | | <0.003 | <0.003 | | 0.016 | 0.011 | | 0.008 |
| 全亜鉛 (mg/l) | 0.001 | <0.001 | <0.001 | 0.023 | 0.015 | 0.002 | 0.033 | 0.013 | 0.015 | 0.022 | 0.023 | 0.009 |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | | | | <0.001 | | |
| 全シアン (mg/l) | | | | | | | | | | ND | | |
| 鉛 (mg/l) | | | | | | | | | | <0.005 | | |
| 六価クロム (mg/l) | | | | | | | | | | <0.02 | | |
| ヒ素 (mg/l) | | | | | | | | | | <0.005 | | |
| 総水銀 (mg/l) | | | | | | | | | | <0.0005 | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | | | |
| ジクロロメタン (mg/l) | | | | | | | | | | <0.002 | | |
| 四塩化炭素 (mg/l) | | | | | | | | | | <0.0002 | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | | | | <0.0004 | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | | | | <0.002 | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | | | | <0.004 | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | | | | <0.1 | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | | | | <0.0006 | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|------------------------|----------|-------|-------|----------|------|------|----------|--------|-------|----------|------|------|
| 26-604-01 | B | 2007 | 2 | 阿蘇海 | | | | 野田川流入点 | | | | |
| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 採取月日 | 9/4 | 9/4 | 9/4 | 10/2 | 10/2 | 10/2 | 11/6 | 11/6 | 11/6 | 12/4 | 12/4 | 12/4 |
| 採取時刻 | 10:40 | 10:42 | 10:45 | 9:26 | 9:30 | 9:28 | 10:25 | 10:25 | 10:27 | 9:32 | 9:34 | 9:35 |
| 一 般 項 目 | | | | | | | | | | | | |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 04 | 04 | 04 | 10 | 10 | 10 |
| 気温 (°C) | 30.0 | 30.0 | 30.0 | 26.0 | 26.0 | 26.0 | 17.5 | 17.5 | 17.5 | 8.0 | 8.0 | 8.0 |
| 水温 (°C) | 27.1 | 27.8 | 25.7 | 24.0 | 25.7 | 25.3 | 18.3 | 18.2 | 19.6 | 13.5 | 13.9 | 15.3 |
| 流量 (m ³ /S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2.0 | 6.0 | 0.5 | 2.0 | 4.0 | 0.5 | 2.0 | 5.0 | 0.5 | 2.0 | 4.0 |
| 全水深 (m) | 8.0 | 8.0 | 8.0 | 5.5 | 5.5 | 5.5 | 6.5 | 6.5 | 6.5 | 5.0 | 5.0 | 5.0 |
| 透明度 (m) | 1.0 | 1.0 | 1.0 | 2.0 | 2.0 | 2.0 | 1.5 | 1.5 | 1.5 | 2.0 | 2.0 | 2.0 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 8.7 | 8.5 | 7.6 | 7.9 | 8.0 | 8.3 | 8.3 | 8.5 | 8.0 | 7.9 | 7.8 | 7.7 |
| DO (mg/l) | 9.9 | 9.3 | 7.4 | 6.4 | 4.6 | 5.9 | 7.5 | 7.7 | 3.9 | 7.4 | 6.9 | 3.7 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 3.8 | 3.9 | 2.0 | 2.7 | 3.0 | 2.6 | 3.4 | 3.5 | 2.4 | 2.8 | 2.6 | 2.6 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 2.30E+04 | | | 4.90E+03 | | | 1.30E+04 | | | 7.90E+01 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | ND | | | | | |
| 全窒素 (mg/l) | 0.54 | | 0.45 | | | | 0.71 | | 0.32 | | | |
| 全磷 (mg/l) | <0.003 | | 0.026 | | | | 0.063 | | 0.078 | | | |
| 全亜鉛 (mg/l) | 0.008 | 0.009 | 0.009 | | | | 0.001 | 0.013 | 0.010 | | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | <0.001 | | | | | |
| 全シアン (mg/l) | | | | | | | ND | | | | | |
| 鉛 (mg/l) | | | | | | | <0.005 | | | | | |
| 六価クロム (mg/l) | | | | | | | <0.02 | | | | | |
| ヒ素 (mg/l) | | | | | | | <0.005 | | | | | |
| 総水銀 (mg/l) | | | | | | | <0.0005 | | | | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | ND | | | | | |
| ジクロロメタン (mg/l) | | | | | | | <0.002 | | | | | |
| 四塩化炭素 (mg/l) | | | | | | | <0.0002 | | | | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | <0.0004 | | | | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | <0.002 | | | | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | <0.004 | | | | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | <0.1 | | | | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | <0.0006 | | | | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|------------------------|----------|-------|-------|----------|------|------|----------|-------|-------|----------|------|------|
| 26-604-02 | B | 2007 | 2 | 阿蘇海 | | | | 中央部 | | | | |
| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 採取月日 | 9/4 | 9/4 | 9/4 | 10/2 | 10/2 | 10/2 | 11/6 | 11/6 | 11/6 | 12/4 | 12/4 | 12/4 |
| 採取時刻 | 10:53 | 10:55 | 11:00 | 9:37 | 9:42 | 9:40 | 10:41 | 10:41 | 10:43 | 9:40 | 9:41 | 9:43 |
| 一 般 項 目 | | | | | | | | | | | | |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 04 | 04 | 04 | 10 | 10 | 10 |
| 気温 (°C) | 30.0 | 30.0 | 30.0 | 26.0 | 26.0 | 26.0 | 18.0 | 18.0 | 18.0 | 8.0 | 8.0 | 8.0 |
| 水温 (°C) | 26.8 | 27.9 | 20.0 | 24.4 | 24.8 | 20.4 | 16.6 | 17.5 | 19.4 | 12.0 | 12.1 | 14.3 |
| 流量 (m ³ /S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 10.0 |
| 全水深 (m) | 14.0 | 14.0 | 14.0 | 13.5 | 13.5 | 13.5 | 13.5 | 13.5 | 13.5 | 13.0 | 13.0 | 13.0 |
| 透明度 (m) | 0.8 | 0.8 | 0.8 | 1.0 | 1.0 | 1.0 | 1.5 | 1.5 | 1.5 | 2.0 | 2.0 | 2.0 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 8.7 | 8.3 | 7.6 | 8.4 | 8.3 | 7.7 | 8.4 | 8.5 | 7.9 | 8.1 | 8.2 | 7.9 |
| DO (mg/l) | 8.4 | 7.7 | <0.5 | 7.4 | 7.0 | 0.7 | 8.7 | 8.4 | 0.9 | 9.2 | 8.5 | 5.7 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 4.5 | 3.9 | 3.4 | 2.8 | 2.9 | 3.4 | 3.2 | 3.3 | 3.8 | 3.3 | 3.2 | 2.6 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 1.30E+04 | | | 4.90E+02 | | | 1.10E+03 | | | 7.90E+01 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | 0.5 | | | | | |
| 全窒素 (mg/l) | 0.51 | | 1.4 | | | | 0.30 | | 1.0 | | | |
| 全磷 (mg/l) | 0.028 | | 0.44 | | | | 0.018 | | 0.25 | | | |
| 全亜鉛 (mg/l) | 0.009 | 0.012 | 0.007 | | | | 0.026 | 0.012 | 0.003 | | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | <0.001 | | | | | |
| 全シアン (mg/l) | | | | | | | ND | | | | | |
| 鉛 (mg/l) | | | | | | | <0.005 | | | | | |
| 六価クロム (mg/l) | | | | | | | <0.02 | | | | | |
| ヒ素 (mg/l) | | | | | | | <0.005 | | | | | |
| 総水銀 (mg/l) | | | | | | | <0.0005 | | | | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | ND | | | | | |
| ジクロロメタン (mg/l) | | | | | | | <0.002 | | | | | |
| 四塩化炭素 (mg/l) | | | | | | | <0.0002 | | | | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | <0.0004 | | | | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | <0.002 | | | | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | <0.004 | | | | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | <0.1 | | | | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | <0.0006 | | | | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|------------------------|----------|-------|-------|----------|------|------|----------|-------|-------|----------|------|------|
| 26-604-03 | B | 2007 | 2 | 阿蘇海 | | | | 溝尻地先 | | | | |
| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 採取月日 | 9/4 | 9/4 | 9/4 | 10/2 | 10/2 | 10/2 | 11/6 | 11/6 | 11/6 | 12/4 | 12/4 | 12/4 |
| 採取時刻 | 11:18 | 11:20 | 11:22 | 9:47 | 9:49 | 9:50 | 10:53 | 10:53 | 10:55 | 9:52 | 9:53 | 9:55 |
| 一 般 項 目 | | | | | | | | | | | | |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 04 | 04 | 04 | 10 | 10 | 10 |
| 気温 (°C) | 30.0 | 30.0 | 30.0 | 26.0 | 26.0 | 26.0 | 18.0 | 18.0 | 18.0 | 8.0 | 8.0 | 8.0 |
| 水温 (°C) | 27.0 | 27.8 | 27.1 | 23.1 | 23.0 | 22.8 | 16.9 | 17.3 | 19.3 | 12.2 | 11.6 | 16.0 |
| 流量 (m ³ /S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2.0 | 7.0 | 0.5 | 2.0 | 8.0 | 0.5 | 2.0 | 9.0 | 0.5 | 2.0 | 9.0 |
| 全水深 (m) | 8.0 | 8.0 | 8.0 | 10.0 | 10.0 | 10.0 | 11.5 | 11.5 | 11.5 | 10.0 | 10.0 | 10.0 |
| 透明度 (m) | 0.8 | 0.8 | 0.8 | 2.0 | 2.0 | 2.0 | 1.5 | 1.5 | 1.5 | 2.0 | 2.0 | 2.0 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 8.5 | 8.1 | 8.5 | 8.4 | 8.4 | 7.8 | 8.5 | 8.5 | 7.9 | 8.2 | 8.2 | 7.6 |
| DO (mg/l) | 8.8 | 8.7 | 1.4 | 8.4 | 7.5 | 1.4 | 9.0 | 9.1 | 0.6 | 8.8 | 8.2 | 1.6 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 4.6 | 3.1 | 2.3 | 3.3 | 3.2 | 2.5 | 3.5 | 3.4 | 2.6 | 2.9 | 3.2 | 1.9 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 3.30E+04 | | | 2.30E+02 | | | 1.30E+03 | | | 1.10E+02 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | ND | | | | | |
| 全窒素 (mg/l) | 0.66 | | 0.56 | | | | 0.34 | | 0.89 | | | |
| 全磷 (mg/l) | 0.056 | | 0.10 | | | | 0.028 | | 0.16 | | | |
| 全亜鉛 (mg/l) | 0.008 | 0.007 | 0.003 | | | | 0.017 | 0.003 | 0.004 | | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | <0.001 | | | | | |
| 全シアン (mg/l) | | | | | | | ND | | | | | |
| 鉛 (mg/l) | | | | | | | <0.005 | | | | | |
| 六価クロム (mg/l) | | | | | | | <0.02 | | | | | |
| ヒ素 (mg/l) | | | | | | | <0.005 | | | | | |
| 総水銀 (mg/l) | | | | | | | <0.0005 | | | | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | ND | | | | | |
| ジクロロメタン (mg/l) | | | | | | | <0.002 | | | | | |
| 四塩化炭素 (mg/l) | | | | | | | <0.0002 | | | | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | <0.0004 | | | | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | <0.002 | | | | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | <0.004 | | | | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | <0.1 | | | | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | <0.0006 | | | | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|------------------------|----------|-------|-------|----------|-------|-------|----------|-------|-------|----------|-------|-------|
| 26-604-51 | B | 2007 | 2 | 阿蘇海 | | | | 文珠地先 | | | | |
| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 採取月日 | 9/4 | 9/4 | 9/4 | 10/2 | 10/2 | 10/2 | 11/6 | 11/6 | 11/6 | 12/4 | 12/4 | 12/4 |
| 採取時刻 | 11:30 | 11:32 | 11:34 | 9:58 | 10:02 | 10:01 | 11:11 | 11:11 | 11:13 | 10:07 | 10:08 | 10:10 |
| 一 般 項 目 | | | | | | | | | | | | |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 04 | 04 | 04 | 10 | 10 | 10 |
| 気温 (°C) | 30.0 | 30.0 | 30.0 | 27.0 | 27.0 | 27.0 | 18.5 | 18.5 | 18.5 | 8.0 | 8.0 | 8.0 |
| 水温 (°C) | 27.2 | 27.6 | 23.3 | 23.5 | 24.3 | 19.4 | 17.1 | 17.5 | 19.6 | 12.5 | 12.2 | 15.1 |
| 流量 (m ³ /S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2.0 | 8.0 | 0.5 | 2.0 | 10.0 | 0.5 | 2.0 | 9.0 | 0.5 | 2.0 | 9.0 |
| 全水深 (m) | 10.0 | 10.0 | 10.0 | 13.0 | 13.0 | 13.0 | 10.5 | 10.5 | 10.5 | 10.0 | 10.0 | 10.0 |
| 透明度 (m) | 1.0 | 1.0 | 1.0 | 2.5 | 2.5 | 2.5 | 1.5 | 1.5 | 1.5 | 2.0 | 2.0 | 2.0 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 8.6 | 8.3 | 7.6 | 8.4 | 8.3 | 7.6 | 8.5 | 8.4 | 7.8 | 9.1 | 8.6 | 8.0 |
| DO (mg/l) | 10 | 8.8 | 0.7 | 7.3 | 6.9 | 5.3 | 9.3 | 8.3 | 1.3 | 8.8 | 9.1 | 5.1 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 4.6 | 3.6 | 2.3 | 3.0 | 2.6 | 4.0 | 3.4 | 3.3 | 2.4 | 2.5 | 2.8 | 2.2 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 1.30E+04 | | | 3.30E+02 | | | 7.90E+02 | | | 1.70E+02 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | | | | | | |
| 全窒素 (mg/l) | 0.47 | | 0.90 | | | | 0.31 | | 0.71 | | | |
| 全磷 (mg/l) | 0.027 | | 0.19 | | | | 0.028 | | 0.27 | | | |
| 全亜鉛 (mg/l) | 0.008 | 0.004 | 0.004 | | | | 0.007 | 0.007 | 0.009 | | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | <0.001 | | | | | |
| 全シアン (mg/l) | | | | | | | ND | | | | | |
| 鉛 (mg/l) | | | | | | | <0.005 | | | | | |
| 六価クロム (mg/l) | | | | | | | <0.02 | | | | | |
| ヒ素 (mg/l) | | | | | | | <0.005 | | | | | |
| 総水銀 (mg/l) | | | | | | | <0.0005 | | | | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | | | |
| ジクロロメタン (mg/l) | | | | | | | <0.002 | | | | | |
| 四塩化炭素 (mg/l) | | | | | | | <0.0002 | | | | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | <0.0004 | | | | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | <0.002 | | | | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | <0.004 | | | | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | <0.1 | | | | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | <0.0006 | | | | | |

