

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-602-01	A	2003	2	舞鶴湾(2)	キンギョ鼻地先

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/13	5/13	5/13	7/1	7/1	7/1	9/2	9/2	9/2	11/4	11/4	11/4
採 取 時 刻	9:50	9:50	9:50	9:50	9:50	9:50	9:40	9:40	9:40	9:54	9:54	9:54
天候	03	03	03	10	10	10	01	01	01	01	01	01
気温 ()	21	21	21	22.1	22.1	22.1	30	30	30	18.3	18.3	18.3
水温 ()	17.1	17	16.1	23	22.8	21.8	28.5	28	27.8	20.9	20.2	20.3
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	24.2	24.2	24.2	24.1	24.1	24.1	24.6	24.6	24.6	24.8	24.8	24.8
透明度 (m)	4	4	4	3.2	3.2	3.2	3.5	3.5	3.5	5.8	5.8	5.8
生 活 環 境 項 目												
pH	8.2	8.2	8.2	8.2	8.3	8.1	8.3	8.1	8.2	8.1	8.3	8.1
DO (mg/l)	9	9.3	8.9	8.1	8.6	7.6	7.1	7.2	6.3	6.3	6.2	6.6
BOD (mg/l)												
COD (mg/l)	0.9	0.8	0.5	2.4	2.1	1.1	2.6	2.6	1.4	0.9	0.8	0.8
SS (mg/l)												
大腸菌群数 (MPN/100ml)	2.00E+0			4.90E+1			7.90E+2			<1.80E+0		
n-ヘキサン抽出物質 (mg/l)				ND						ND		
全窒素 (mg/l)	0.17		0.14	0.29		0.09	0.36		0.1	0.15		0.07
全磷 (mg/l)	0.009		0.012	0.015		0.006	0.14		0.008	0.01		0.01
健 康 項 目												
カドミウム (mg/l)										<0.005		
全シアン (mg/l)										ND		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										ND		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		
トリクロロエチレン (mg/l)										<0.003		

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-602-02	A	2003	2	舞鶴湾(2)	恵比須埼地先

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/13	5/13	5/13	7/1	7/1	7/1	9/2	9/2	9/2	11/4	11/4	11/4
採 取 時 刻	10:15	10:15	10:15	10:05	10:05	10:05	10:00	10:00	10:00	10:19	10:19	10:19
天候	03	03	03	10	10	10	01	01	01	01	01	01
気温 ()	21.8	21.8	21.8	22.5	22.5	22.5	29.8	29.8	29.8	18.3	18.3	18.3
水温 ()	17.5	17	16.8	23.2	23.1	21.5	28.5	28.3	27.5	20.2	20.4	20.3
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	17.3	17.3	17.3	16.3	16.3	16.3	17.6	17.6	17.6	17.7	17.7	17.7
透明度 (m)	3	3	3	2.2	2.2	2.2	2	2	2	3.6	3.6	3.6
生 活 環 境 項 目												
pH	8.3	8.2	8.2	8.3	8.3	7.9	8.3	8.3	8.1	8.2	8.2	8.1
DO (mg/l)	9.3	9.4	8.7	9	9.1	7.7	7.5	7.4	5.9	6.9	7	6.1
BOD (mg/l)												
COD (mg/l)	1.6	0.5	<0.5	3	2.7	1.2	2.7	2.6	1.1	1.6	1.8	1.5
SS (mg/l)												
大腸菌群数 (MPN/100ml)	2.20E+1			1.40E+3			3.50E+3			7.80E+0		
n-ヘキサン抽出物質 (mg/l)				ND						ND		
全窒素 (mg/l)	0.16		0.09	0.17		0.09	0.24		0.24	0.11		0.07
全磷 (mg/l)	0.011		0.011	0.016		0.008	0.02		0.011	0.011		0.013
健 康 項 目												
カドミウム (mg/l)										<0.005		
全シアン (mg/l)										ND		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										ND		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		
トリクロロエチレン (mg/l)										<0.003		

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-601-01	A	2003	2	舞鶴湾(1)	念仏鼻地先

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/13	5/13	5/13	7/1	7/1	7/1	9/2	9/2	9/2	11/4	11/4	11/4
採 取 時 刻	10:35	10:35	10:35	10:24	10:24	10:24	10:15	10:15	10:15	10:40	10:40	10:40
天候	03	03	03	10	10	10	01	01	01	01	01	01
気温 ()	22.8	22.8	22.8	22.1	22.1	22.1	31	31	31	18.4	18.4	18.4
水温 ()	18.5	17.8	16.8	24.1	23.8	21	28.9	28.5	28.3	20.7	19.9	20.3
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	13	13	13	13.1	13.1	13.1	13.2	13.2	13.2	13.3	13.3	13.3
透明度 (m)	1.5	1.5	1.5	1.5	1.5	1.5	1.3	1.3	1.3	3.2	3.2	3.2
生 活 環 境 項 目												
pH	8.3	8.3	8.1	8.2	8.1	7.8	8.5	8.3	8.2	8.2	8.2	8.1
DO (mg/l)	10	9.9	8.3	9.7	9.7	7.5	7.9	7.7	5.6	6.5	6.7	5.8
BOD (mg/l)												
COD (mg/l)	1.9	1.1	<0.5	3.3	2.6	1.1	3.2	2.6	0.9	1.6	1.3	0.9
SS (mg/l)												
大腸菌群数 (MPN/100ml)	4.90E+1			7.90E+1			3.50E+3			1.20E+1		
n-ヘキサン抽出物質 (mg/l)				ND						ND		
全窒素 (mg/l)	0.3		0.18	0.17		<0.05	0.6		0.15	0.11		0.08
全磷 (mg/l)	0.022		0.019	0.013		0.008	0.034		0.012	0.018		0.017
健 康 項 目												
カドミウム (mg/l)										<0.005		
全シアン (mg/l)										ND		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										ND		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		
トリクロロエチレン (mg/l)										<0.003		

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-601-02	A	2003	2	舞鶴湾(1)	檜崎地先

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/13	5/13	5/13	7/1	7/1	7/1	9/2	9/2	9/2	11/4	11/4	11/4
採 取 時 刻	9:15	9:15	9:15	9:20	9:20	9:20	9:15	9:15	9:15	9:15	9:15	9:15
天候	03	03	03	10	10	10	01	01	01	01	01	01
気温 ()	20.9	20.9	20.9	21.8	21.8	21.8	31.2	31.2	31.2	18.2	18.2	18.2
水温 ()	17.5	17	15.5	23.1	23	21.5	29.8	28.9	27.4	19.8	19.3	19.4
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	15	15	15	14.7	14.7	14.7	14.9	14.9	14.9	14.8	14.8	14.8
透明度 (m)	3.5	3.5	3.5	2.6	2.6	2.6	2.3	2.3	2.3	5.6	5.6	5.6
生 活 環 境 項 目												
pH	8.1	8.2	8.2	8	8	7.9	8.2	8.3	8.2	7.9	8.1	8.1
DO (mg/l)	9	9.5	8.2	8.6	8.3	7.6	7.3	7.6	6.1	6.2	6.1	5.8
BOD (mg/l)												
COD (mg/l)	0.7	<0.5	<0.5	2.5	1.8	1.1	2.8	2.6	1.5	1.1	1.2	0.9
SS (mg/l)												
大腸菌群数 (MPN/100ml)	7.90E+2			2.20E+2			1.60E+4			6.10E+0		
n-ヘキサン抽出物質 (mg/l)				ND						ND		
全窒素 (mg/l)	0.37		0.17	0.17		0.49	0.28		0.32	0.32		0.09
全磷 (mg/l)	0.018		0.015	0.016		0.011	0.12		0.015	0.018		0.016
健 康 項 目												
カドミウム (mg/l)										<0.005		
全シアン (mg/l)										ND		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										ND		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		
トリクロロエチレン (mg/l)										<0.003		

